

6 疾患別死亡の状況

1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

Table with 11 columns (H17-H26) and multiple rows of death counts for various diseases and categories.

死亡数(男)

Table with 11 columns (H17-H26) showing death counts for males across various categories.

死亡数(女)

Table with 11 columns (H17-H26) showing death counts for females across various categories.

死亡率(総数)人口10万対

Table with 11 columns (H17-H26) showing mortality rates per 10,000 population for various diseases.

死亡率(男)人口10万対

Table with 11 columns (H17-H26) showing mortality rates per 10,000 population for males.

死亡率(女)人口10万対

Table with 11 columns (H17-H26) showing mortality rates per 10,000 population for females.

死亡率の分母に用いた人口、日本人人口(推計)

資料: 衛生統計年報

総数	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26
七尾市	61,476	60,945	59,764	59,540	58,180	57,440	56,612	55,917	55,123	55,582
羽咋市	24,408	24,277	23,793	23,778	23,354	22,939	22,716	22,478	22,239	22,324
志賀町	23,719	23,293	22,906	22,672	22,186	22,067	21,741	21,393	20,931	21,035
旧富来町										
旧志賀町										
宝達志水町	15,158	15,076	14,785	14,741	14,365	14,133	13,899	13,662	13,370	13,503
旧志雄町										
旧押水町										
中能登町	18,874	18,872	18,584	18,664	18,422	18,357	18,169	18,005	17,841	18,021
旧鳥屋町										
旧鹿島町										
旧鹿西町										
管内	143,635	142,463	139,832	139,395	136,507	134,936	133,137	131,455	129,504	130,465
石川県	1,165,517	1,171,791	1,159,194	1,169,167	1,155,239	1,158,573	1,155,540	1,152,352	1,148,598	1,155,450

男

	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26
七尾市	28,972	28,612	28,048	27,922	27,269	27,080	26,729	26,394	26,036	25,865
羽咋市	11,532	11,440	11,206	11,200	10,983	10,827	10,712	10,624	10,496	10,380
志賀町	11,285	11,044	10,854	10,739	10,488	10,399	10,203	10,049	9,855	9,766
旧富来町										
旧志賀町										
宝達志水町	7,169	7,083	6,949	6,916	6,739	6,636	6,535	6,397	6,270	6,225
旧志雄町										
旧押水町										
中能登町	9,034	9,001	8,851	8,902	8,809	8,768	8,669	8,577	8,520	8,504
旧鳥屋町										
旧鹿島町										
旧鹿西町										
管内	67,992	67,180	65,908	65,679	64,288	63,710	62,848	62,041	61,177	60,740
石川県	562,826	565,866	559,634	564,353	557,447	559,554	558,345	557,036	555,694	559,440

女

	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26
七尾市	32,504	32,333	31,716	31,618	30,911	30,360	29,883	29,523	29,087	28,851
羽咋市	12,876	12,837	12,587	12,578	12,371	12,112	12,004	11,854	11,743	11,636
志賀町	12,434	12,249	12,052	11,933	11,698	11,668	11,538	11,344	11,076	10,934
旧富来町										
旧志賀町										
宝達志水町	7,989	7,993	7,836	7,825	7,626	7,497	7,364	7,265	7,100	7,022
旧志雄町										
旧押水町										
中能登町	9,840	9,871	9,733	9,762	9,613	9,589	9,500	9,428	9,321	9,244
旧鳥屋町										
旧鹿島町										
旧鹿西町										
管内	75,643	75,283	73,924	73,716	72,219	71,226	70,289	69,414	68,327	67,687
石川県	602,691	605,925	599,560	604,814	597,792	599,019	597,195	595,316	592,904	596,010

2)年齢調整死亡率

選択死因の市町村別年齢調整死亡率(人口10万対:直接法) (平成26年)

資料:衛生統計年報

(総数)

市町村	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	397.30	0.40	143.30	19.40	9.90	20.80	2.70	2.90	50.40	41.80	10.10	25.40	3.80	0.20	5.70	4.30	11.70	20.50	7.90	15.20
羽咋市	345.60	0.00	122.90	12.50	5.30	30.30	1.40	1.50	35.80	34.40	5.60	32.00	1.40	0.00	5.00	6.90	16.70	14.50	0.90	2.80
志賀町	366.30	0.00	136.40	14.70	3.70	29.70	2.20	0.50	37.50	43.70	2.30	38.30	2.70	0.00	11.10	3.20	6.00	11.00	1.80	7.40
宝達志水町	319.90	0.00	98.30	7.40	6.50	23.70	10.80	3.00	57.90	30.90	3.20	19.70	0.80	0.00	9.10	5.90	23.70	10.90	5.90	1.70
中能登町	390.90	0.70	121.80	35.80	1.90	11.60	3.60	0.70	65.60	36.80	4.90	18.60	3.70	9.50	11.80	0.70	22.40	15.40	2.30	24.60
管内	374.80	0.20	131.40	18.40	6.50	23.10	3.30	2.00	48.50	38.50	6.60	27.40	2.90	2.90	7.80	4.30	14.00	16.30	4.90	11.90
石川県	357.00	0.20	124.20	15.40	9.10	23.90	3.20	1.60	47.00	30.90	5.30	25.70	3.60	0.50	5.20	4.30	10.90	17.40	3.60	13.70

*人口は、各年次の10月1日現在。

(男)

市町村	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	542.90	1.10	177.30	28.70	15.90	29.50	4.90	4.90	66.30	51.10	11.40	43.50	8.10	0.00	10.00	5.20	9.40	34.30	13.00	28.50
羽咋市	463.80	0.00	148.30	23.60	7.00	48.70	2.60	0.00	47.80	42.00	2.60	51.20	2.60	0.00	10.00	11.00	22.70	17.40	2.60	2.60
志賀町	485.80	0.00	194.90	29.50	3.90	59.50	0.00	0.00	54.50	46.10	5.70	53.40	6.80	0.00	16.10	7.70	5.50	18.00	3.10	15.90
宝達志水町	434.00	0.00	148.30	10.40	3.50	52.40	0.00	6.00	77.50	33.50	6.90	28.60	3.50	0.00	19.10	3.50	25.50	0.00	0.00	0.00
中能登町	532.20	2.50	147.90	56.60	5.80	24.90	5.00	0.00	95.70	43.80	7.40	28.30	9.90	17.70	21.70	0.00	20.90	13.30	0.00	47.70
管内	507.80	0.70	168.20	30.20	9.40	39.70	3.10	2.70	66.10	45.70	7.90	42.90	6.50	3.20	14.00	5.80	14.10	22.40	6.70	22.00
石川県	495.90	0.40	171.70	24.50	14.10	42.20	3.80	2.00	61.70	41.70	6.90	42.50	8.00	0.50	7.70	6.10	9.10	24.90	5.20	22.30

*人口は、各年次の10月1日現在。

(女)

市町村	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	287.50	0.00	122.10	12.80	5.40	15.40	0.60	1.60	35.20	37.10	8.60	13.70	0.60	0.30	1.70	3.60	12.50	10.20	3.60	1.70
羽咋市	270.50	0.00	112.00	5.40	4.40	16.50	0.70	2.20	27.30	29.80	8.80	20.30	0.70	0.00	0.70	2.90	13.70	12.30	0.00	3.70
志賀町	291.10	0.00	96.60	3.10	3.50	6.00	3.50	0.60	24.30	47.50	0.00	27.90	0.60	0.00	6.60	1.20	6.20	4.80	0.60	0.00
宝達志水町	236.10	0.00	63.30	4.90	10.10	3.80	19.70	0.00	42.00	27.90	0.00	13.30	0.00	0.00	0.00	7.60	22.90	19.50	11.50	2.70
中能登町	274.50	0.00	106.00	19.20	0.00	1.00	3.00	1.00	35.90	36.10	2.90	14.10	0.00	0.00	1.00	1.00	23.00	17.80	4.30	1.90
管内	277.90	0.00	108.60	9.90	4.60	10.90	3.30	1.20	32.60	35.20	5.50	17.60	0.50	0.10	2.10	3.10	13.90	11.60	3.40	1.90
石川県	253.70	0.10	90.60	8.70	5.40	10.30	2.70	1.10	34.70	22.50	4.10	15.40	1.10	0.50	3.00	3.10	11.50	11.50	2.20	5.10

*人口は、各年次の10月1日現在。

2) 年齢調整死亡率 (単年)

七尾市 (総数)

資料：衛生統計年報 (人口10万対：直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)	脳血管疾患			呼吸器系の疾患			消化器系の疾患			肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故										
H17	450.97	0.71	0.93	135.85	4.05	27.87	11.37	1.27	8.67	5.71	10.11	31.34	7.75	1.91	2.62	3.56	2.62	77.38	23.82	9.62	49.57	13.56	13.81	21.91	54.86	39.58	0.28	19.00	1.05	10.27	4.85	4.51	31.02	11.31	19.91
H18	409.00	0.70	0.00	138.99	5.95	26.68	12.11	5.97	15.76	6.64	8.27	19.64	6.20	1.69	1.53	14.63	4.05	67.51	17.57	7.00	40.91	8.16	12.10	20.38	35.23	20.12	0.27	15.10	0.97	7.93	8.35	5.00	23.87	5.56	23.36
H19	384.76	0.99	0.67	124.81	2.40	15.10	7.82	8.95	10.50	7.59	10.92	20.67	4.09	3.53	2.44	6.66	4.00	68.27	19.96	7.23	39.00	4.04	12.23	21.76	30.76	15.40	0.00	12.14	2.66	5.94	6.49	5.59	11.81	2.05	27.49
H20	404.13	/	0.24	149.20	/	22.55	/	/	10.82	/	/	30.32	/	/	/	3.68	0.64	60.35	/	/	32.16	/	/	/	/	17.04	/	/	/	3.27	5.71	8.73	25.80	7.68	26.27
H21	385.81	/	0.55	131.56	/	22.32	/	/	13.71	/	/	21.26	/	/	/	2.38	1.58	55.63	/	/	36.64	/	/	/	29.39	/	/	/	7.45	8.60	10.78	13.07	4.46	12.54	
H22	387.46	/	0.78	122.20	/	21.02	/	/	8.13	/	/	19.81	/	/	/	4.33	1.22	61.13	/	/	37.33	/	/	/	26.53	/	/	/	5.52	5.73	10.32	16.87	4.37	28.23	
H23	393.72	/	0.00	129.83	/	20.42	/	/	9.63	/	/	20.14	/	/	/	10.82	1.04	58.69	/	/	32.53	/	/	/	17.43	/	/	/	8.85	7.43	14.02	27.39	3.93	23.89	
H24	405.41	/	0.21	132.04	/	20.70	/	/	10.35	/	/	26.20	/	/	/	2.96	1.45	53.11	/	/	36.85	/	/	/	21.75	/	/	/	10.45	5.27	10.60	17.48	5.32	32.29	
H25	356.29	/	0.20	113.36	/	24.68	/	/	9.73	/	/	12.94	/	/	/	3.72	1.39	55.78	/	/	39.04	/	/	/	23.81	/	/	/	4.66	4.83	15.43	15.41	7.16	6.80	
H26	397.30	/	0.40	143.30	/	19.40	/	/	9.90	/	/	20.80	/	/	/	2.70	2.90	50.40	/	/	41.80	/	/	/	25.40	/	/	/	5.70	4.30	11.70	20.50	7.90	15.20	

七尾市（男）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患（高血圧性を除く）			脳血管疾患			呼吸器系の疾患			肝疾患	腎不全	老衰	不慮の事故		自殺				
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故						
H17	682.90	1.64	1.31	217.58	8.75	49.86	12.67	2.66	15.82	5.40	17.86	59.30	5.02	/	8.13	4.17	5.07	107.75	25.85	18.90	60.81	14.70	17.16	28.95	94.80	70.02	0.00	32.02	0.00	17.27	9.41	3.06	53.07	18.21	29.10
H18	593.60	1.24	0.00	195.91	11.44	41.88	14.41	11.36	23.95	10.99	8.84	34.51	0.00	/	4.59	16.94	2.66	98.00	22.15	10.17	52.00	2.22	15.80	33.98	61.25	35.37	0.98	26.21	2.11	12.58	13.55	3.92	38.49	4.86	36.54
H19	514.71	0.00	0.00	175.12	3.99	14.71	12.38	16.20	19.57	13.93	11.66	41.95	0.00	/	6.56	9.39	5.14	93.02	33.08	8.83	46.38	2.26	15.84	28.28	56.77	25.77	0.00	14.34	5.01	5.55	7.44	3.97	17.82	4.80	50.31
H20	543.07	/	0.00	191.41	/	38.02	/	/	13.49	/	/	56.88	/	/	5.00	0.00	81.10	/	/	42.30	/	/	/	/	/	37.33	/	/	/	4.21	11.22	1.97	33.24	6.70	36.64
H21	548.56	/	0.00	186.41	/	35.91	/	/	24.87	/	/	36.69	/	/	6.26	2.73	79.52	/	/	47.51	/	/	/	/	/	49.65	/	/	/	10.59	16.04	9.59	16.17	3.66	21.50
H22	551.49	/	2.17	177.51	/	32.70	/	/	14.14	/	/	40.66	/	/	6.57	1.37	87.10	/	/	54.90	/	/	/	/	/	46.86	/	/	/	9.84	7.51	5.39	17.13	3.35	37.72
H23	547.34	/	0.00	176.40	/	35.96	/	/	18.23	/	/	35.96	/	/	14.69	1.85	84.67	/	/	47.00	/	/	/	/	/	29.40	/	/	/	11.05	9.05	16.25	40.15	5.52	27.19
H24	578.41	/	0.00	185.39	/	26.84	/	/	19.85	/	/	49.34	/	/	5.44	2.44	64.89	/	/	52.73	/	/	/	/	/	35.68	/	/	/	8.43	6.53	12.50	28.25	8.80	49.90
H25	473.26	/	0.72	157.87	/	35.49	/	/	11.79	/	/	24.87	/	/	6.37	1.61	75.39	/	/	47.86	/	/	/	/	/	40.51	/	/	/	4.57	6.56	9.04	21.84	9.49	11.03
H26	542.90	/	1.10	177.30	/	28.70	/	/	15.90	/	/	29.50	/	/	4.90	4.90	66.30	/	/	51.10	/	/	/	/	/	43.50	/	/	/	10.00	5.20	9.40	34.30	13.00	28.50

七尾市（女）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患									糖尿病	高血圧性疾患	心疾患（高血圧性を除く）			脳血管疾患			呼吸器系の疾患			消化器系の疾患 胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房			子宮	前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎					交通事故					
H17	278.94	0.00	0.72	79.81	0.00	12.41	11.19	0.39	3.28	5.83	3.42	10.76	10.07	3.68	2.87	1.32	53.43	23.47	3.22	41.63	12.27	11.72	17.25	30.13	20.13	0.39	7.77	2.05	3.36	1.64	5.06	13.66	5.57	10.12
H18	272.26	0.37	0.00	95.60	2.11	13.32	10.31	1.94	7.38	3.52	8.68	9.40	11.58	3.19	11.69	5.12	43.66	13.81	4.98	35.08	13.34	8.99	12.39	19.80	10.69	0.00	7.16	0.00	4.11	4.23	5.47	12.01	6.38	11.52
H19	291.78	1.64	1.01	89.33	0.66	16.30	5.02	1.86	3.21	2.64	10.48	6.10	7.72	6.75	4.04	2.41	51.18	10.46	6.35	32.30	5.53	8.22	16.96	14.48	8.38	0.00	10.16	0.35	6.55	6.63	6.21	7.85	0.00	6.72
H20	306.85	/	0.34	121.86	/	10.86	/	/	8.02	/	/	11.67	/	/	2.21	0.96	46.06	/	/	24.84	/	/	/	/	/	5.38	/	/	2.60	1.87	11.34	18.64	8.98	16.49
H21	265.92	/	0.00	93.32	/	11.48	/	/	6.62	/	/	10.80	/	/	0.91	0.65	36.56	/	/	27.14	/	/	/	/	15.81	/	/	4.90	2.81	10.34	14.49	5.23	4.91	
H22	266.49	/	0.00	82.99	/	13.21	/	/	3.94	/	/	4.31	/	/	2.78	0.92	37.16	/	/	25.76	/	/	/	/	12.60	/	/	0.92	3.88	12.24	16.42	4.55	20.47	
H23	282.76	/	0.00	97.21	/	9.09	/	/	3.86	/	/	9.48	/	/	7.42	0.59	37.62	/	/	20.95	/	/	/	/	11.19	/	/	7.35	6.39	13.10	18.87	2.49	20.60	
H24	277.02	/	0.29	94.29	/	15.83	/	/	3.46	/	/	7.91	/	/	1.50	0.57	41.50	/	/	26.21	/	/	/	/	15.40	/	/	11.95	4.72	9.27	8.71	2.05	16.02	
H25	270.41	/	0.00	78.96	/	16.72	/	/	8.12	/	/	4.05	/	/	1.42	0.83	42.34	/	/	32.83	/	/	/	/	15.03	/	/	4.39	3.60	18.30	9.90	5.14	2.78	
H26	287.50	/	0.00	122.10	/	12.80	/	/	5.40	/	/	15.40	/	/	0.60	1.60	35.20	/	/	37.10	/	/	/	/	13.70	/	/	1.70	3.60	12.50	10.20	3.60	1.70	

2) 年齢調整死亡率 (単年)

資料：衛生統計年報 (人口10万対：直接法、標準的な人口は昭和60年モデル人口)

羽咋市 (総数)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故	自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮							前立腺	くも膜下出血	脳内出血				脳梗塞	胃潰瘍及び十二指腸潰瘍						交通事故	
H17	381.76	3.04	0.00	108.39	1.22	34.38	3.48	6.13	9.50	6.21	7.20	14.36	3.72	0.00	5.63	7.35	0.72	47.27	11.81	2.15	49.78	12.01	12.40	23.94	62.41	42.95	0.00	11.74	2.41	6.68	4.41	4.29	12.19	1.38	39.41
H18	353.27	1.34	1.34	118.62	1.34	20.23	11.54	2.97	9.77	3.85	10.52	25.91	4.84	0.00	1.81	10.35	1.16	37.12	12.33	5.02	51.63	12.19	11.99	20.11	41.62	32.54	0.00	12.81	0.67	3.15	6.16	4.04	36.03	14.05	7.82
H19	394.13	0.65	0.00	120.16	1.85	21.46	6.53	2.02	9.18	1.74	4.85	26.81	5.88	1.37	8.28	4.19	10.83	62.45	19.47	6.49	37.78	9.06	6.87	21.85	54.37	31.59	0.00	10.33	0.00	6.43	5.24	9.57	27.03	9.42	22.76
H20	404.55	/	0.00	133.82	/	26.11	/	/	9.46	/	/	25.79	/	/	/	9.10	1.36	45.32	/	/	43.62	/	/	/	/	/	34.32	/	/	8.31	2.00	8.04	29.05	13.15	17.11
H21	394.04	/	0.98	125.99	/	27.58	/	/	9.23	/	/	13.16	/	/	/	6.42	0.61	52.52	/	/	40.39	/	/	/	/	/	30.32	/	/	8.06	4.79	7.96	20.78	4.81	19.11
H22	355.26	/	0.00	135.17	/	20.61	/	/	7.52	/	/	36.48	/	/	/	0.00	0.98	31.37	/	/	32.80	/	/	/	/	/	31.76	/	/	15.15	6.08	13.42	16.65	2.00	12.29
H23	342.03	/	0.55	109.73	/	19.86	/	/	6.15	/	/	21.07	/	/	/	5.83	0.00	53.57	/	/	22.63	/	/	/	/	/	31.23	/	/	5.16	3.60	23.78	10.51	5.12	24.31
H24	372.84	/	0.52	139.41	/	24.62	/	/	9.80	/	/	26.89	/	/	/	5.17	1.95	48.98	/	/	51.08	/	/	/	/	/	19.13	/	/	3.60	3.97	12.77	13.70	1.80	9.72
H25	348.74	/	0.00	109.06	/	18.72	/	/	5.24	/	/	24.67	/	/	/	4.76	0.00	53.79	/	/	17.66	/	/	/	/	/	30.94	/	/	1.73	11.84	18.26	31.97	7.34	13.69
H26	345.60	/	0.00	122.90	/	12.50	/	/	5.30	/	/	30.30	/	/	/	1.40	1.50	35.80	/	/	34.40	/	/	/	/	/	32.00	/	/	5.00	6.90	16.70	14.50	0.90	2.80

羽咋市（男）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	がん									糖尿病	高血圧性疾患	心疾患（高血圧性を除く）			脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房			子宮	前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故									
H17	509.63	5.00	0.00	177.78	3.35	65.52	5.66	8.32	3.31	7.99	13.61	29.44	0.00	/	14.23	8.32	0.00	49.75	16.22	4.71	60.04	10.34	22.06	27.64	90.36	56.72	0.00	20.37	5.01	12.00	4.22	7.06	15.68	3.31	30.69
H18	503.72	0.00	3.27	170.95	3.27	40.78	18.57	7.41	20.23	3.26	12.40	39.65	0.00	/	4.15	4.98	3.26	45.63	14.54	5.41	75.11	7.83	21.43	31.43	83.92	63.42	0.00	22.17	0.00	7.42	4.98	2.15	60.94	21.29	4.15
H19	592.03	0.00	0.00	200.11	4.20	42.23	9.91	0.00	15.90	2.99	0.00	60.68	0.00	/	20.28	0.00	25.04	83.22	26.96	15.40	58.56	2.99	15.49	40.09	78.20	34.05	0.00	9.15	0.00	9.15	9.77	4.29	54.68	18.88	36.54
H20	612.36	/	0.00	225.58	/	57.35	/	/	13.20	/	/	57.72	/	/	/	18.69	0.00	59.88	/	/	58.13	/	/	/	/	66.71	/	/	/	17.32	0.00	9.17	53.72	22.87	36.20
H21	596.99	/	2.72	204.37	/	39.90	/	/	16.69	/	/	27.52	/	/	/	14.77	0.00	68.53	/	/	60.66	/	/	/	/	40.61	/	/	/	14.23	4.73	4.02	39.60	10.23	32.51
H22	531.69	/	0.00	205.97	/	38.17	/	/	8.58	/	/	64.16	/	/	/	0.00	2.70	32.02	/	/	50.20	/	/	/	/	48.15	/	/	/	29.05	11.27	17.99	29.83	0.00	20.17
H23	455.33	/	0.00	180.53	/	36.39	/	/	14.48	/	/	35.07	/	/	/	8.36	0.00	41.42	/	/	22.60	/	/	/	/	53.31	/	/	/	10.45	0.00	13.59	24.40	10.81	43.95
H24	485.60	/	1.70	190.89	/	45.54	/	/	15.90	/	/	49.79	/	/	/	10.72	3.42	68.38	/	/	47.23	/	/	/	/	19.91	/	/	/	3.85	6.91	11.23	22.56	0.00	3.85
H25	496.03	/	0.00	163.59	/	33.25	/	/	7.35	/	/	49.32	/	/	/	7.24	0.00	94.58	/	/	32.08	/	/	/	/	37.34	/	/	/	0.00	19.20	23.75	24.52	9.86	27.48
H26	463.80	/	0.00	148.30	/	23.60	/	/	7.00	/	/	48.70	/	/	/	2.60	0.00	47.80	/	/	42.00	/	/	/	/	51.20	/	/	/	10.00	11.00	22.70	17.40	2.60	2.60

羽咋市（女）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患										糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故				
H17	282.83	1.03	0.00	55.03	0.00	9.94	2.37	4.72	13.76	3.98	2.37	3.08	7.08	0.00	6.64	1.03	44.62	7.23	1.03	38.51	13.05	2.95	20.46	46.02	34.23	0.00	3.98	0.00	1.92	4.29	3.08	9.81	0.00	48.92
H18	244.54	2.28	0.00	79.97	0.00	4.18	4.23	0.00	0.98	4.23	9.57	16.55	9.53	0.00	14.86	0.00	29.11	9.65	4.75	33.52	16.24	2.94	13.36	14.85	13.88	0.00	5.73	0.98	0.00	6.37	4.89	16.80	9.11	11.92
H19	242.29	0.94	0.00	60.53	0.00	6.44	3.22	3.22	3.22	0.94	8.46	2.82	10.88	2.28	6.61	0.00	44.46	13.52	0.94	25.83	15.28	0.00	10.55	40.78	31.36	0.00	10.25	0.00	4.22	2.28	12.03	5.18	0.00	9.77
H20	242.26	/	0.00	62.31	/	3.43	/	/	5.69	/	/	2.74	/	/	0.00	2.30	32.89	/	/	32.76	/	/	/	/	/	13.26	/	/	0.00	3.21	7.30	7.78	2.52	0.00
H21	256.83	/	0.00	79.13	/	18.43	/	/	6.66	/	/	2.64	/	/	0.00	3.18	40.89	/	/	20.58	/	/	/	/	/	23.35	/	/	1.76	7.14	9.68	2.64	0.00	3.48
H22	226.18	/	0.00	83.21	/	6.55	/	/	5.84	/	/	17.06	/	/	0.00	0.00	28.32	/	/	20.62	/	/	/	/	/	22.64	/	/	1.66	1.66	11.51	8.18	3.19	5.59
H23	251.59	/	0.78	55.46	/	5.46	/	/	0.00	/	/	12.59	/	/	3.05	0.00	63.32	/	/	22.79	/	/	/	/	/	15.27	/	/	0.00	5.51	28.03	0.00	0.00	4.67
H24	285.63	/	0.00	102.19	/	6.59	/	/	5.60	/	/	8.07	/	/	0.00	0.74	28.28	/	/	58.49	/	/	/	/	/	18.32	/	/	3.39	1.45	13.37	6.33	3.39	14.84
H25	238.28	/	0.00	69.76	/	9.06	/	/	3.19	/	/	5.40	/	/	2.19	0.00	19.06	/	/	7.20	/	/	/	/	/	31.10	/	/	3.19	4.37	15.06	39.72	5.73	0.00
H26	270.50	/	0.00	112.00	/	5.40	/	/	4.40	/	/	16.50	/	/	0.70	2.20	27.30	/	/	29.80	/	/	/	/	/	20.30	/	/	0.70	2.90	13.70	12.30	0.00	3.70

2) 年齢調整死亡率（単年）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

志賀町（総数）

年	死亡総数	腸管感染症	結核	悪性新生物	内臓疾患										糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	脳血管疾患			呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺						
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血	脳内出血		脳梗塞	肺炎				急性気管支炎	胃潰瘍及び十二指腸潰瘍		交通事故					
H17	389.68	0.00	0.00	116.69	5.43	16.60	4.39	5.27	6.62	14.86	3.61	26.60	7.77	0.00	1.60	8.84	0.59	58.23	10.36	2.78	38.90	1.60	6.36	30.93	54.78	43.83	0.00	20.10	1.28	3.21	4.49	8.62	20.99	15.06	9.84
H18	435.96	0.97	0.00	153.73	5.40	22.16	6.76	9.93	9.04	7.35	10.59	34.40	2.70	0.97	0.00	5.51	2.41	47.22	9.51	3.38	55.66	8.89	15.99	21.55	67.32	46.39	0.00	13.69	0.57	1.84	15.54	8.21	13.37	2.70	29.22
H19	431.06	0.00	0.00	114.72	5.63	14.21	3.88	12.32	18.46	6.03	7.90	14.20	4.76	3.68	7.83	6.02	0.56	43.87	14.13	5.39	56.18	20.87	15.19	20.12	68.73	44.80	0.00	21.32	0.00	4.24	10.94	13.53	30.33	6.27	3.99
H20	447.62	/	0.00	107.01	/	14.76	/	/	7.08	/	/	20.60	/	/	/	9.57	0.57	83.70	/	/	51.92	/	/	/	/	48.57	/	/	/	4.45	9.30	7.41	46.30	3.43	23.35
H21	420.06	/	0.00	132.60	/	15.31	/	/	1.73	/	/	24.05	/	/	/	1.40	0.00	63.47	/	/	32.98	/	/	/	/	30.05	/	/	/	16.59	9.07	9.94	31.19	1.25	20.79
H22	407.23	/	0.00	122.97	/	11.78	/	/	4.91	/	/	32.23	/	/	/	1.82	0.91	64.39	/	/	26.60	/	/	/	/	43.32	/	/	/	10.54	5.94	10.11	14.76	9.80	19.57
H23	386.22	/	0.00	119.74	/	20.22	/	/	5.00	/	/	23.43	/	/	/	7.22	0.00	51.32	/	/	41.75	/	/	/	/	56.03	/	/	/	1.85	18.60	9.47	13.49	2.32	19.49
H24	361.42	/	0.00	97.91	/	12.83	/	/	2.89	/	/	18.02	/	/	/	3.55	0.00	46.84	/	/	31.39	/	/	/	/	48.36	/	/	/	2.29	3.77	11.21	26.96	2.22	24.29
H25	398.61	/	0.47	154.19	/	32.49	/	/	5.22	/	/	25.72	/	/	/	0.86	0.47	53.60	/	/	37.89	/	/	/	/	44.68	/	/	/	6.18	4.90	9.30	19.35	4.87	14.85
H26	366.30	/	0.00	136.40	/	14.70	/	/	3.70	/	/	29.70	/	/	/	2.20	0.50	37.50	/	/	43.70	/	/	/	/	38.30	/	/	/	11.10	3.20	6.00	11.00	1.80	7.40

志賀町（男）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患									糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺					
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房				子宮	前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎				胃潰瘍及び十二指腸潰瘍	交通事故						
H17	537.14	0.00	0.00	151.58	4.55	19.21	5.00	7.45	5.25	28.35	5.37	54.57	0.00	3.55	13.69	2.10	78.35	19.41	2.90	47.14	0.00	11.31	35.83	91.47	70.44	0.00	26.36	3.15	5.65	8.15	9.46	33.74	28.49	10.00
H18	657.56	2.69	0.00	227.13	10.90	23.67	8.95	15.40	12.48	14.59	13.84	70.98	0.00	0.00	0.00	0.00	79.50	19.31	5.15	90.39	13.38	25.95	34.23	107.15	75.03	0.00	18.36	0.00	3.06	25.63	13.73	18.05	0.00	42.41
H19	541.27	0.00	0.00	159.74	11.26	19.73	2.02	14.89	41.22	3.59	9.58	25.21	0.00	18.94	8.27	0.00	47.31	23.23	2.02	82.23	31.85	21.81	28.57	77.58	64.56	0.00	30.60	0.00	7.55	14.87	8.07	15.19	8.93	8.34
H20	648.57	/	0.00	169.14	/	31.30	/	/	7.53	/	/	32.95	/	/	7.10	0.00	132.70	/	/	84.77	/	/	/	/	70.07	/	/	/	10.04	6.67	10.58	39.26	7.53	41.66
H21	619.80	/	0.00	176.73	/	18.01	/	/	3.82	/	/	42.96	/	/	4.48	0.00	93.47	/	/	35.44	/	/	/	/	63.19	/	/	/	31.31	18.33	12.45	52.92	0.00	19.78
H22	600.22	/	0.00	170.33	/	20.99	/	/	2.48	/	/	46.81	/	/	4.96	2.48	98.72	/	/	36.13	/	/	/	/	75.00	/	/	/	18.02	8.68	3.71	29.46	20.35	28.52
H23	556.75	/	0.00	183.79	/	38.62	/	/	8.73	/	/	34.05	/	/	2.37	0.00	70.47	/	/	53.06	/	/	/	/	80.70	/	/	/	3.67	30.03	5.92	25.50	5.44	38.81
H24	522.12	/	0.00	129.52	/	8.23	/	/	6.38	/	/	31.95	/	/	8.71	0.00	57.51	/	/	44.65	/	/	/	/	86.76	/	/	/	5.77	11.57	10.06	43.65	4.46	43.04
H25	589.43	/	0.00	236.31	/	46.14	/	/	9.18	/	/	47.97	/	/	0.00	1.85	80.60	/	/	49.15	/	/	/	/	71.63	/	/	/	14.52	2.17	11.08	28.49	10.33	26.70
H26	485.80	/	0.00	194.90	/	29.50	/	/	3.90	/	/	59.50	/	/	0.00	0.00	54.50	/	/	46.10	/	/	/	/	53.40	/	/	/	16.10	7.70	5.50	18.00	3.10	15.90

志賀町（女）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	その他										糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)	脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膝	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故									
H17	279.58	0.00	0.00	92.05	6.56	17.31	4.02	3.99	8.47	4.81	1.56	1.56	14.57	0.00	2.92	0.00	45.45	3.80	2.46	30.70	2.38	3.74	24.58	32.87	28.78	0.00	20.37	0.00	1.56	2.38	8.04	7.14	0.00	9.48
H18	272.36	0.00	0.00	105.58	0.00	21.37	7.13	6.13	5.98	1.52	8.06	7.33	5.35	1.52	9.81	3.73	24.00	1.52	2.30	24.28	3.73	6.77	13.78	45.26	29.88	0.00	9.11	0.78	0.78	5.39	5.49	11.24	5.35	13.48
H19	349.73	0.00	0.00	82.92	0.77	11.42	5.18	9.95	0.00	8.37	6.59	6.54	9.56	7.19	3.63	0.77	41.18	7.87	8.49	35.39	10.89	10.11	14.39	67.67	31.36	0.00	11.55	0.00	0.77	8.03	17.19	48.17	4.96	0.00
H20	284.32	/	0.00	61.02	/	2.91	/	/	6.54	/	/	10.87	/	/	11.51	0.78	44.38	/	/	21.60	/	/	/	/	33.80	/	/	0.00	13.65	6.24	49.46	0.00	1.56	
H21	274.70	/	0.00	91.02	/	13.00	/	/	0.00	/	/	9.42	/	/	4.26	0.00	40.45	/	/	29.32	/	/	/	/	14.68	/	/	0.00	2.15	9.26	10.87	0.00	22.06	
H22	270.59	/	0.00	93.41	/	3.44	/	/	7.09	/	/	27.09	/	/	0.00	0.00	45.20	/	/	16.74	/	/	/	/	23.97	/	/	4.38	4.96	13.24	2.87	0.00	12.23	
H23	251.48	/	0.00	69.77	/	5.67	/	/	1.43	/	/	16.58	/	/	12.00	0.00	29.90	/	/	34.83	/	/	/	/	42.75	/	/	0.00	7.43	10.43	4.16	0.00	0.00	
H24	248.27	/	0.00	81.67	/	14.29	/	/	0.00	/	/	9.71	/	/	0.00	0.00	35.16	/	/	21.68	/	/	/	/	26.57	/	/	0.00	0.65	11.33	15.74	0.65	3.38	
H25	261.13	/	0.62	94.02	/	23.46	/	/	2.28	/	/	9.07	/	/	1.42	0.00	30.27	/	/	28.50	/	/	/	/	29.17	/	/	0.00	5.95	8.71	12.26	0.00	4.31	
H26	291.10	/	0.00	96.60	/	3.10	/	/	3.50	/	/	6.00	/	/	3.50	0.60	24.30	/	/	47.50	/	/	/	/	27.90	/	/	6.60	1.20	6.20	4.80	0.60	0.00	

2) 年齢調整死亡率 (単年)

資料：衛生統計年報 (人口10万対：直接法、標準的な人口は昭和60年モデル人口)

宝達志水町 (総数)

年	死亡総数	腸管感染症	結核	悪性新生物	悪性新生物										糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血				脳梗塞	胃潰瘍及び十二指腸潰瘍				交通事故				
H17	367.43	3.01	0.00	152.26	2.53	32.41	15.83	0.00	17.04	6.45	3.64	38.14	0.00	3.93	4.06	12.62	1.05	52.67	8.60	9.12	37.24	4.38	19.02	13.84	22.95	18.32	0.00	12.95	0.00	3.01	4.64	2.11	14.01	0.00	20.96
H18	471.53	0.00	0.00	158.47	6.67	19.54	21.04	8.52	30.00	0.00	10.20	18.04	3.59	0.00	2.80	0.00	0.00	72.35	17.79	14.01	73.43	35.51	5.90	25.74	63.26	34.47	0.00	29.13	0.00	19.12	6.22	3.04	25.47	3.16	11.04
H19	390.78	0.00	0.00	119.67	3.08	8.99	4.19	5.45	23.69	2.37	5.27	25.99	3.87	13.10	0.00	5.71	1.82	43.34	9.32	9.02	54.10	14.50	12.55	26.08	42.74	34.26	0.00	23.11	0.97	6.55	9.85	6.77	19.54	11.60	18.36
H20	416.59	/	0.00	114.74	/	16.03	/	/	15.95	/	/	17.20	/	/	/	0.00	0.94	75.13	/	/	60.21	/	/	/	/	/	27.37	/	/	12.90	2.81	5.61	11.00	0.00	36.83
H21	475.88	/	0.00	142.36	/	34.18	/	/	11.15	/	/	20.48	/	/	/	6.59	1.83	60.07	/	/	64.52	/	/	/	/	/	14.58	/	/	7.11	2.75	13.75	45.85	11.13	29.10
H22	422.21	/	0.00	127.90	/	28.06	/	/	25.31	/	/	32.77	/	/	/	0.87	0.00	63.99	/	/	43.00	/	/	/	/	22.14	/	/	3.22	0.87	8.73	38.34	16.27	43.56	
H23	429.11	/	0.00	139.98	/	20.95	/	/	10.60	/	/	19.87	/	/	/	6.45	0.87	54.94	/	/	42.39	/	/	/	/	30.22	/	/	5.58	11.39	15.66	9.83	1.67	41.20	
H24	360.36	/	0.00	144.67	/	20.06	/	/	8.38	/	/	13.68	/	/	/	6.70	0.85	60.84	/	/	28.31	/	/	/	/	26.31	/	/	4.12	4.26	13.49	18.31	9.00	0.00	
H25	404.80	/	0.00	133.27	/	19.29	/	/	18.08	/	/	28.54	/	/	/	3.35	2.46	58.06	/	/	60.43	/	/	/	/	30.77	/	/	2.46	4.20	28.68	29.23	2.53	3.03	
H26	319.90	/	0.00	98.00	/	7.40	/	/	6.50	/	/	23.70	/	/	/	10.80	3.00	57.90	/	/	30.90	/	/	/	/	19.70	/	/	9.10	5.90	23.70	10.90	5.90	1.70	

宝達志水町（男）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患 胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	自殺					
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血	脳内出血										脳梗塞				
H17	495.76	6.86	0.00	185.24	6.57	38.12	20.00	0.00	28.31	0.00	5.06	45.92	0.00	10.70	14.70	0.00	76.86	15.89	13.43	49.32	0.00	38.92	10.40	51.73	45.16	0.00	13.73	0.00	6.86	0.00	3.83	21.40	0.00	38.58
H18	681.74	0.00	0.00	236.26	16.91	35.90	30.30	0.00	46.74	0.00	22.30	37.67	0.00	8.71	0.00	0.00	106.21	28.47	21.58	84.06	37.30	3.58	36.63	97.77	56.02	0.00	56.75	0.00	33.83	5.13	7.16	19.39	0.00	15.40
H19	527.75	0.00	0.00	174.01	6.69	18.01	11.64	13.11	32.80	6.42	6.42	47.92	0.00	0.00	0.00	0.00	39.80	8.69	9.89	85.06	13.76	21.48	46.34	80.30	59.47	0.00	33.03	0.00	13.76	14.48	3.47	23.79	3.47	18.43
H20	586.04	/	0.00	170.92	/	28.44	/	/	24.60	/	/	42.44	/	/	0.00	0.00	84.89	/	/	92.52	/	/	/	/	/	43.81	/	/	21.79	0.00	9.83	15.19	0.00	54.48
H21	736.08	/	0.00	199.84	/	54.60	/	/	14.44	/	/	44.12	/	/	12.14	3.36	101.41	/	/	87.01	/	/	/	/	/	39.01	/	/	9.98	6.72	13.44	88.59	23.88	27.85
H22	664.15	/	0.00	210.44	/	25.38	/	/	37.28	/	/	72.11	/	/	0.00	0.00	66.54	/	/	73.41	/	/	/	/	/	45.26	/	/	5.72	0.00	3.28	52.91	17.37	89.63
H23	574.33	/	0.00	205.16	/	40.35	/	/	19.73	/	/	34.81	/	/	7.90	0.00	87.50	/	/	78.11	/	/	/	/	/	47.65	/	/	4.93	3.38	13.51	14.51	0.00	24.10
H24	523.67	/	0.00	181.34	/	41.46	/	/	15.21	/	/	29.04	/	/	12.43	3.28	98.83	/	/	31.33	/	/	/	/	/	28.51	/	/	12.14	10.19	9.83	41.26	17.75	0.00
H25	652.12	/	0.00	212.83	/	32.25	/	/	19.44	/	/	65.62	/	/	4.57	0.00	102.18	/	/	88.74	/	/	/	/	/	57.44	/	/	0.00	9.13	27.79	56.64	3.49	5.95
H26	434.00	/	0.00	148.30	/	10.40	/	/	3.50	/	/	52.40	/	/	0.00	6.00	77.50	/	/	33.50	/	/	/	/	/	28.60	/	/	19.10	3.50	25.50	0.00	0.00	0.00

宝達志水町（女）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	脳血管疾患			呼吸器系の疾患			肝疾患	腎不全	老衰	不慮の事故		自殺					
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎				胃潰瘍及び十二指腸潰瘍	交通事故						
H17	270.47	0.00	0.00	139.89	0.00	31.37	14.44	0.00	7.59	11.70	2.84	34.69	0.00	7.59	9.80	1.45	31.30	2.84	5.56	24.16	8.22	1.45	14.48	7.21	4.30	0.00	11.11	0.00	0.00	7.02	1.45	9.65	0.00	2.84
H18	344.61	0.00	0.00	117.76	0.00	10.52	11.29	16.69	16.63	0.00	0.00	10.52	7.14	0.00	0.00	0.00	46.13	11.78	5.64	67.88	33.33	8.75	18.46	44.65	19.50	0.00	6.64	0.00	3.81	6.64	1.41	30.99	5.73	7.14
H19	308.94	0.00	0.00	84.88	0.00	2.79	0.00	0.00	17.11	0.00	4.02	11.41	7.68	24.98	8.86	2.79	42.67	9.60	8.15	38.24	15.59	4.13	18.52	22.04	19.36	0.00	16.51	1.34	0.00	4.02	8.05	20.92	19.58	18.19
H20	290.74	/	0.00	75.98	/	6.59	/	/	9.57	/	/	1.31	/	/	0.00	1.31	64.63	/	/	30.61	/	/	/	/	15.75	/	/	/	3.97	3.93	3.93	10.89	0.00	19.74
H21	300.13	/	0.00	96.17	/	21.40	/	/	7.21	/	/	7.09	/	/	1.26	1.26	25.90	/	/	52.64	/	/	/	/	9.01	/	/	/	3.97	1.26	13.87	12.05	0.00	25.26
H22	234.68	/	0.00	61.94	/	35.03	/	/	15.68	/	/	0.00	/	/	1.19	0.00	65.91	/	/	22.19	/	/	/	/	10.97	/	/	/	1.19	1.19	10.70	22.79	13.57	0.00
H23	335.11	/	0.00	90.82	/	8.95	/	/	2.34	/	/	6.80	/	/	3.69	1.17	31.37	/	/	21.18	/	/	/	/	18.09	/	/	/	7.78	18.55	16.41	6.20	2.51	57.97
H24	258.04	/	0.00	125.31	/	2.30	/	/	4.26	/	/	1.15	/	/	1.15	0.00	38.29	/	/	25.96	/	/	/	/	26.25	/	/	/	0.00	0.00	15.78	1.15	0.00	0.00
H25	213.46	/	0.00	71.95	/	7.56	/	/	17.25	/	/	2.25	/	/	2.65	4.19	20.00	/	/	33.19	/	/	/	/	13.59	/	/	/	4.19	1.12	26.97	5.30	2.65	0.00
H26	236.10	/	0.00	63.30	/	4.90	/	/	10.10	/	/	3.80	/	/	19.70	0.00	42.00	/	/	27.90	/	/	/	/	13.30	/	/	/	0.00	7.60	22.90	19.50	11.50	2.70

2) 年齢調整死亡率 (単年)

資料：衛生統計年報 (人口10万対：直接法、標準的な人口は昭和60年モデル人口)

中能登町 (総数)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	くも膜下出血			脳内出血	脳梗塞	呼吸器系の疾患		肺炎	急性気管支炎	消化器系の疾患		胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮							前立腺	くも膜下出血	脳内出血			脳梗塞	呼吸器系の疾患			肺炎	急性気管支炎					消化器系の疾患	胃潰瘍及び十二指腸潰瘍	
H17	409.30	0.00	0.00	150.41	3.56	45.46	8.32	7.65	3.56	7.82	4.15	25.63	9.41	3.21	4.96	13.88	5.28	68.06	18.46	13.88	22.80	0.00	7.36	14.50	39.76	27.59	0.00	17.48	0.00	0.93	4.58	3.74	30.49	15.19	14.89			
H18	368.03	0.00	0.00	97.06	3.47	27.01	2.23	4.67	14.07	6.07	17.29	7.41	0.00	0.00	0.88	16.65	2.63	68.72	17.99	7.05	34.11	1.71	12.53	18.99	43.80	17.39	0.00	15.89	0.00	5.31	3.23	7.62	23.26	14.13	13.13			
H19	421.20	3.96	1.40	146.03	2.26	27.91	21.61	7.94	5.10	6.19	6.19	32.97	1.40	1.70	2.23	3.96	5.91	59.91	14.17	7.63	59.01	10.25	24.24	24.52	34.90	22.36	0.00	12.72	0.00	6.28	4.84	6.60	34.40	3.20	14.91			
H20	371.92	/	1.36	125.09	/	19.78	/	/	3.85	/	/	18.67	/	/	/	0.81	0.81	74.27	/	/	34.37	/	/	/	/	24.24	/	/	/	8.01	8.28	3.79	13.24	6.86	14.34			
H21	386.15	/	0.00	124.51	/	9.81	/	/	16.82	/	/	20.85	/	/	/	8.72	2.68	60.82	/	/	52.85	/	/	/	/	23.67	/	/	/	10.10	1.53	4.60	31.67	13.61	6.46			
H22	382.40	/	0.00	134.25	/	31.08	/	/	7.52	/	/	20.63	/	/	/	7.15	0.00	79.01	/	/	28.93	/	/	/	/	10.33	/	/	/	17.54	0.73	10.20	14.06	5.22	13.82			
H23	421.85	/	0.00	135.43	/	21.84	/	/	12.95	/	/	19.99	/	/	/	0.73	2.19	76.57	/	/	45.01	/	/	/	/	16.39	/	/	/	17.83	3.23	17.06	16.73	1.74	16.57			
H24	412.82	/	0.00	157.32	/	30.58	/	/	8.09	/	/	24.39	/	/	/	7.44	0.00	64.91	/	/	37.22	/	/	/	/	20.82	/	/	/	4.70	5.02	12.95	18.94	0.72	9.47			
H25	349.28	/	0.00	108.64	/	22.28	/	/	9.02	/	/	16.95	/	/	/	0.00	2.64	63.54	/	/	54.70	/	/	/	/	22.00	/	/	/	4.82	3.11	14.33	16.99	12.19	3.72			
H26	390.90	/	0.70	121.80	/	35.80	/	/	1.90	/	/	11.60	/	/	/	3.60	0.70	65.60	/	/	36.80	/	/	/	/	18.60	/	/	/	11.80	0.70	22.40	15.40	2.30	24.60			

中能登町（男）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系									糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺						
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房				子宮	前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故								
H17	629.33	0.00	0.00	254.83	8.71	95.45	12.87	15.68	4.35	7.47	5.29	50.05	0.00	/	14.56	22.96	7.28	103.34	22.09	26.38	27.22	0.00	5.29	21.93	61.21	45.23	0.00	30.59	0.00	3.12	3.12	3.12	41.07	30.16	24.28	
H18	484.05	0.00	0.00	115.21	7.46	40.13	0.00	0.00	20.67	12.27	10.40	11.28	0.00	/	2.94	31.65	0.00	76.74	22.35	7.09	40.12	0.00	17.31	22.81	72.62	22.12	0.00	20.93	0.00	5.79	5.87	3.98	43.03	21.89	26.42	
H19	563.10	4.10	0.00	198.80	5.18	40.35	25.23	9.69	3.71	5.18	3.71	64.07	0.00	/	6.62	9.28	13.31	79.32	19.77	2.91	77.49	0.00	42.25	35.24	51.89	28.45	0.00	14.02	0.00	4.10	6.66	5.82	50.50	0.00	0.00	
H20	511.33	/	0.00	158.42	/	20.51	/	/	/	7.69	/	/	/	/	/	0.00	0.00	108.48	/	/	37.08	/	/	/	/	/	43.32	/	/	/	17.27	7.88	0.00	25.83	13.37	23.24
H21	498.10	/	0.00	137.88	/	5.21	/	/	/	12.83	/	/	/	/	/	10.72	0.00	62.33	/	/	76.47	/	/	/	/	/	40.96	/	/	/	10.50	2.60	2.60	53.82	26.73	13.77
H22	522.68	/	0.00	152.71	/	29.14	/	/	/	14.76	/	/	/	/	/	10.80	0.00	114.02	/	/	38.45	/	/	/	/	/	14.86	/	/	/	29.73	0.00	7.22	27.38	11.63	26.51
H23	629.35	/	0.00	202.33	/	41.46	/	/	/	21.73	/	/	/	/	/	0.00	0.00	85.78	/	/	74.31	/	/	/	/	/	21.67	/	/	/	24.37	7.35	17.81	38.40	4.44	33.59
H24	618.44	/	0.00	242.16	/	59.58	/	/	/	10.02	/	/	/	/	/	13.37	0.00	97.18	/	/	52.07	/	/	/	/	/	37.00	/	/	/	9.83	0.00	13.09	33.14	0.00	19.22
H25	538.47	/	0.00	187.61	/	37.22	/	/	/	18.26	/	/	/	/	/	0.00	3.32	91.73	/	/	88.91	/	/	/	/	/	47.13	/	/	/	6.67	6.64	5.01	36.80	25.96	7.49
H26	532.20	/	2.50	147.90	/	56.60	/	/	/	5.80	/	/	/	/	/	5.00	0.00	95.70	/	/	43.80	/	/	/	/	/	28.30	/	/	/	21.70	0.00	20.90	13.30	0.00	47.70

中能登町（女）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患									糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	脳血管疾患			呼吸器系の疾患			消化器系の疾患 胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺					
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房				子宮	前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎					急性気管支炎	交通事故						
H17	242.89	0.00	0.00	84.04	0.00	7.58	5.35	1.33	3.01	8.48	2.67	6.71	19.08	6.27	5.47	4.00	38.72	11.79	5.12	21.88	0.00	8.94	11.60	23.84	14.38	0.00	3.79	0.00	0.00	5.68	4.00	18.56	0.00	6.26
H18	280.13	0.00	0.00	83.39	0.00	15.26	3.82	8.81	8.85	2.36	24.97	3.82	0.00	0.00	1.25	3.75	68.49	15.33	7.63	30.66	2.91	9.02	17.48	27.58	15.66	0.00	7.36	0.00	3.61	2.36	8.76	5.81	5.81	0.00
H19	307.14	4.01	2.25	100.76	0.00	17.55	14.61	6.26	6.70	6.31	8.07	10.19	2.25	2.91	0.00	0.00	40.51	8.56	11.86	43.04	18.45	6.36	18.22	25.84	18.38	0.00	13.61	0.00	8.45	2.30	6.91	21.73	6.54	30.20
H20	257.69	/	2.19	106.08	/	19.42	/	/	1.14	/	/	9.38	/	/	1.14	1.14	40.57	/	/	34.57	/	/	/	/	9.03	/	/	/	0.00	7.80	5.61	2.19	0.00	6.91
H21	300.47	/	0.00	114.77	/	9.38	/	/	14.45	/	/	5.01	/	/	5.33	5.16	62.34	/	/	34.83	/	/	/	/	14.23	/	/	/	5.45	1.09	5.44	6.54	0.00	0.00
H22	266.38	/	0.00	124.46	/	34.95	/	/	1.04	/	/	2.09	/	/	3.09	0.00	49.53	/	/	20.82	/	/	/	/	7.31	/	/	/	3.98	1.04	11.49	5.38	0.00	1.04
H23	266.68	/	0.00	84.74	/	2.98	/	/	7.38	/	/	5.75	/	/	1.05	3.14	76.60	/	/	20.30	/	/	/	/	13.13	/	/	/	14.08	0.00	16.60	1.05	0.00	0.00
H24	264.65	/	0.00	92.34	/	8.43	/	/	6.93	/	/	6.54	/	/	4.03	0.00	41.56	/	/	26.76	/	/	/	/	11.00	/	/	/	0.00	7.12	12.93	7.08	1.02	0.00
H25	201.54	/	0.00	49.45	/	11.80	/	/	0.00	/	/	1.86	/	/	0.00	2.03	37.47	/	/	22.17	/	/	/	/	6.94	/	/	/	4.30	1.02	19.36	2.03	0.00	1.02
H26	274.50	/	0.00	106.00	/	19.20	/	/	0.00	/	/	1.00	/	/	3.00	1.00	35.90	/	/	36.10	/	/	/	/	14.10	/	/	/	1.00	1.00	23.00	17.80	4.30	1.90

2) 年齢調整死亡率 (単年)

資料：衛生統計年報 (人口10万対：直接法、標準的な人口は昭和60年モデル人口)

管内 (総数)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)				脳血管疾患	呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血		脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故					
H17	415.17	1.11	0.39	131.84	3.61	29.98	8.83	3.58	8.65	7.73	7.01	27.41	6.52	1.62	3.34	7.17	2.09	65.32	17.12	7.55	43.05	8.50	11.96	22.13	51.07	37.47	0.12	17.21	1.11	6.54	4.64	4.90	23.71	9.00	21.42
H18	405.13	0.71	0.23	134.89	4.78	23.89	10.63	6.22	14.80	5.52	10.48	21.72	4.27	0.91	1.34	11.08	2.62	59.34	15.24	6.75	47.27	10.92	12.02	20.90	46.35	28.22	0.11	16.04	0.62	6.91	8.11	5.57	24.35	7.40	18.87
H19	398.13	1.05	0.46	124.86	2.95	17.12	8.29	7.91	12.10	5.58	8.18	22.66	4.15	3.87	4.12	5.68	4.45	59.62	17.10	7.02	45.83	9.62	13.42	22.27	43.07	26.43	0.00	14.48	1.24	5.88	7.28	7.97	20.39	5.41	20.90
H20	407.64	/	0.27	133.03	/	20.83	/	/	9.52	/	/	24.97	/	/	/	4.92	0.81	65.45	/	/	40.35	/	/	/	/	27.49	/	/	/	5.91	5.63	7.41	25.14	6.94	23.72
H21	400.56	/	0.40	130.68	/	21.41	/	/	11.00	/	/	20.17	/	/	/	4.17	1.32	57.36	/	/	41.37	/	/	/	/	27.52	/	/	/	9.45	6.55	9.70	23.35	5.86	15.59
H22	387.86	/	0.33	126.15	/	21.41	/	/	9.16	/	/	25.72	/	/	/	3.22	0.84	59.40	/	/	34.23	/	/	/	/	27.88	/	/	/	9.44	4.71	10.61	17.95	5.89	23.79
H23	390.42	/	0.09	126.21	/	20.38	/	/	8.75	/	/	20.81	/	/	/	7.57	0.79	58.01	/	/	34.79	/	/	/	/	28.02	/	/	/	7.98	8.30	15.34	19.11	3.33	24.17
H24	388.74	/	0.18	132.51	/	21.29	/	/	8.37	/	/	23.33	/	/	/	4.39	1.03	53.50	/	/	37.65	/	/	/	/	26.41	/	/	/	6.52	4.62	11.68	18.60	4.01	20.86
H25	365.71	/	0.17	120.71	/	23.74	/	/	9.03	/	/	19.42	/	/	/	2.86	1.24	55.97	/	/	39.16	/	/	/	/	29.33	/	/	/	4.32	5.76	15.99	20.89	7.15	8.36
H26	374.80	/	0.20	131.40	/	18.40	/	/	6.50	/	/	23.10	/	/	/	3.30	2.00	48.50	/	/	38.50	/	/	/	/	27.40	/	/	/	7.80	4.30	14.10	16.30	4.90	11.90

管内（男）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患									糖尿病	高血圧性疾患	心疾患（高血圧性を除く）			脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房			子宮	前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	再潰瘍及び十二指腸潰瘍	交通事故									
H17	602.14	2.22	0.54	200.64	6.86	52.04	10.77	6.05	11.48	9.70	11.97	50.53	2.09	/	9.32	9.75	3.43	89.59	21.53	13.92	52.40	8.03	17.43	26.94	84.99	62.66	0.00	27.65	1.49	11.68	6.47	5.06	37.60	16.20	26.72
H18	582.93	1.03	0.57	190.94	9.90	37.65	13.75	8.68	23.32	9.32	11.91	39.35	0.00	/	3.85	12.31	1.60	83.45	20.84	9.20	63.75	8.19	17.29	32.47	78.92	47.77	0.39	26.80	0.85	11.52	11.72	5.81	37.38	8.51	28.27
H19	537.80	0.57	0.00	179.76	5.84	23.93	11.60	12.06	21.52	8.20	7.68	45.38	0.00	/	10.48	6.71	7.82	76.33	26.21	7.92	62.32	8.23	20.71	33.01	66.07	38.22	0.00	17.44	2.13	7.01	9.89	5.02	28.75	7.30	32.25
H20	572.35	/	0.00	187.36	/	36.86	/	/	12.73	/	/	47.94	/	/	/	6.55	0.00	91.03	/	/	56.11	/	/	/	/	49.04	/	/	/	10.88	6.86	5.30	34.30	9.79	37.37
H21	578.36	/	0.45	182.06	/	31.05	/	/	17.11	/	/	37.96	/	/	/	8.57	1.48	79.78	/	/	55.33	/	/	/	/	48.31	/	/	/	14.72	11.92	8.56	38.45	9.08	22.77
H22	563.53	/	0.90	180.64	/	30.25	/	/	13.72	/	/	48.16	/	/	/	5.17	1.48	81.53	/	/	50.42	/	/	/	/	47.57	/	/	/	16.91	6.63	7.30	25.71	7.64	37.00
H23	544.44	/	0.00	184.37	/	37.59	/	/	16.43	/	/	35.41	/	/	/	8.88	0.77	73.68	/	/	50.35	/	/	/	/	43.65	/	/	/	10.87	9.94	13.85	32.20	5.65	32.65
H24	551.39	/	0.32	183.58	/	32.52	/	/	14.84	/	/	43.71	/	/	/	8.58	1.91	71.92	/	/	48.33	/	/	/	/	41.24	/	/	/	7.86	6.93	11.72	31.72	6.40	31.75
H25	523.33	/	0.31	182.30	/	37.12	/	/	12.25	/	/	39.19	/	/	/	4.34	1.40	83.89	/	/	54.74	/	/	/	/	47.87	/	/	/	5.33	8.15	13.20	29.68	11.33	15.40
H26	507.80	/	0.70	168.20	/	30.20	/	/	9.40	/	/	39.70	/	/	/	3.10	2.70	66.10	/	/	45.70	/	/	/	/	42.90	/	/	/	14.00	5.80	14.10	22.40	6.70	22.00

管内（女）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患									糖尿病	高血圧性疾患	心疾患（高血圧性を除く）			脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房			子宮	前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	再潰瘍及び十二指腸潰瘍	交通事故								
H17	275.00	0.16	0.30	84.87	1.15	14.40	8.04	1.86	6.35	6.19	2.75	9.80	10.47	3.12	4.53	1.36	46.23	13.58	3.15	35.07	8.62	7.52	18.28	30.19	21.76	0.16	8.47	0.84	2.00	3.28	4.80	12.23	2.34	16.16
H18	276.75	0.54	0.00	95.47	0.89	12.77	7.97	4.66	7.19	2.75	9.96	9.80	8.18	1.64	9.25	3.31	41.08	10.88	4.95	35.81	13.01	7.53	14.06	27.34	16.40	0.00	7.19	0.31	2.73	4.83	5.35	14.17	6.58	10.10
H19	294.45	1.38	0.70	84.47	0.42	12.64	5.44	3.88	4.47	3.53	8.52	6.74	7.87	7.41	4.37	1.43	46.04	10.24	6.75	33.76	10.76	6.56	15.77	29.81	18.79	0.00	11.66	0.29	4.85	5.36	9.43	15.22	4.18	10.37
H20	283.00	/	0.41	95.09	/	9.01	/	/	6.59	/	/	8.85	/	/	3.13	1.22	44.73	/	/	27.54	/	/	/	/	/	13.42	/	/	1.47	4.90	8.23	17.18	4.19	10.49
H21	272.11	/	0.00	93.02	/	13.64	/	/	6.47	/	/	8.07	/	/	1.95	1.62	39.84	/	/	29.99	/	/	/	/	/	15.91	/	/	3.43	3.03	9.80	10.70	2.27	8.01
H22	255.99	/	0.00	86.66	/	15.35	/	/	5.62	/	/	8.56	/	/	1.70	0.39	41.42	/	/	22.46	/	/	/	/	/	15.53	/	/	2.09	3.05	12.07	12.01	3.83	11.85
H23	275.84	/	0.12	83.09	/	6.98	/	/	3.11	/	/	10.54	/	/	6.20	0.75	45.25	/	/	23.25	/	/	/	/	/	18.74	/	/	5.87	6.79	15.78	9.54	1.31	15.89
H24	270.39	/	0.12	96.94	/	11.72	/	/	3.70	/	/	7.37	/	/	1.28	0.36	37.67	/	/	30.83	/	/	/	/	/	18.45	/	/	5.67	3.20	11.46	8.38	1.69	10.05
H25	247.70	/	0.12	74.69	/	14.30	/	/	6.14	/	/	4.75	/	/	1.48	1.01	33.27	/	/	26.04	/	/	/	/	/	19.32	/	/	3.56	3.58	17.06	13.75	3.51	2.04
H26	277.90	/	0.00	108.60	/	9.90	/	/	4.60	/	/	10.90	/	/	3.30	1.20	32.60	/	/	35.20	/	/	/	/	/	17.60	/	/	2.10	3.10	13.90	11.60	3.40	1.90

2) 年齢調整死亡率 (単年)

資料：衛生統計年報 (人口10万対：直接法、標準的な人口は昭和60年モデル人口)

石川県 (総数)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)			脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	脾	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故									
H17	405.02	0.48	0.64	134.45	4.90	23.90	10.28	5.11	11.94	6.39	9.12	26.82	5.74	2.22	2.67	5.10	1.52	64.01	18.94	7.27	42.02	7.30	10.71	22.87	50.88	33.02	0.33	15.41	0.70	7.34	5.13	4.86	19.93	6.56	20.51
H18	383.51	0.51	0.33	134.64	3.89	23.10	10.08	5.96	13.32	6.84	10.32	26.03	5.67	1.56	2.29	5.70	1.80	56.41	17.17	6.95	39.39	6.53	9.95	21.56	45.04	29.58	0.08	13.87	0.68	6.03	5.50	5.33	19.48	5.32	19.07
H19	385.65	0.70	0.35	131.77	4.03	18.87	10.66	5.74	12.60	6.11	9.98	26.55	5.08	2.71	2.83	4.96	1.86	56.92	15.20	6.46	41.95	7.34	10.95	22.38	44.79	28.75	0.05	15.29	0.83	6.06	4.91	5.61	17.47	4.96	19.44
H20	379.22	/	0.29	130.53	/	19.86	/	/	11.62	/	/	26.24	/	/	/	4.92	0.94	55.27	/	/	37.96	/	/	/	/	29.07	/	/	/	5.11	5.73	5.93	20.37	5.40	17.42
H21	380.09	/	0.57	130.27	/	19.31	/	/	11.33	/	/	26.01	/	/	/	5.06	1.21	53.10	/	/	37.12	/	/	/	/	28.16	/	/	/	6.57	5.56	7.69	18.21	4.67	20.22
H22	380.89	/	0.44	127.65	/	19.13	/	/	11.18	/	/	25.18	/	/	/	4.19	1.04	54.10	/	/	35.43	/	/	/	/	29.10	/	/	/	5.84	5.36	7.84	20.45	5.00	19.66
H23	377.55	/	0.29	127.96	/	18.90	/	/	10.10	/	/	23.97	/	/	/	4.54	1.08	53.50	/	/	33.52	/	/	/	/	30.15	/	/	/	5.54	5.44	8.42	19.92	4.14	20.82
H24	366.08	/	0.14	124.18	/	17.27	/	/	9.16	/	/	24.28	/	/	/	4.47	1.15	51.45	/	/	34.03	/	/	/	/	27.58	/	/	/	5.38	5.21	10.23	16.31	3.65	17.33
H25	358.13	/	0.42	120.43	/	17.14	/	/	9.64	/	/	23.85	/	/	/	3.64	1.07	50.82	/	/	33.88	/	/	/	/	26.80	/	/	/	5.95	4.53	11.30	16.69	4.45	15.01
H26	357.00	/	0.20	124.20	/	15.40	/	/	9.10	/	/	23.90	/	/	/	3.20	1.60	47.00	/	/	30.90	/	/	/	/	25.70	/	/	/	5.20	4.30	10.90	17.40	3.60	13.70

石川県（男）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮	前立腺	糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	くも膜下出血	脳内出血	脳梗塞	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H17	569.24	0.78	1.44	189.84	9.34	35.78	11.46	7.28	18.13	7.64	11.85	48.07	0.21	/	6.87	6.92	1.37	86.20	25.86	10.41	53.43	5.57	16.23	30.26	83.56	53.67	0.35	21.67	1.07	11.25	7.86	4.42	29.88	9.56	31.57
H18	541.11	0.52	0.60	189.98	7.55	36.93	10.98	8.38	18.73	9.12	13.58	45.48	0.00	/	5.88	7.25	2.19	77.32	26.19	9.65	53.94	6.06	14.82	30.71	73.39	46.70	0.20	19.33	0.75	9.23	7.65	4.32	27.91	6.40	29.61
H19	536.65	0.89	0.41	187.96	7.57	30.12	12.69	9.20	19.11	7.59	12.53	48.02	0.00	/	7.31	5.50	2.78	75.91	21.81	9.07	55.75	7.66	15.68	30.68	73.37	45.64	0.06	20.03	1.40	7.80	6.61	3.77	25.74	7.19	30.41
H20	536.87	/	0.41	183.77	/	29.71	/	/	17.83	/	/	46.31	/	/	/	6.49	0.80	77.09	/	/	51.25	/	/	/	/	48.92	/	/	/	7.74	8.11	3.47	30.74	7.65	27.20
H21	535.69	/	0.86	183.05	/	30.81	/	/	17.98	/	/	45.99	/	/	/	7.54	1.34	72.43	/	/	50.80	/	/	/	/	46.82	/	/	/	9.44	7.53	5.36	27.29	7.00	28.65
H22	535.31	/	0.82	182.59	/	29.51	/	/	18.53	/	/	45.46	/	/	/	5.37	1.23	70.75	/	/	49.64	/	/	/	/	46.84	/	/	/	9.37	6.14	7.10	27.41	6.09	29.91
H23	524.68	/	0.43	178.68	/	29.66	/	/	16.55	/	/	41.60	/	/	/	6.24	1.05	69.06	/	/	46.52	/	/	/	/	47.40	/	/	/	8.80	6.46	6.96	27.90	5.59	30.41
H24	510.30	/	0.31	174.87	/	25.33	/	/	14.83	/	/	43.39	/	/	/	5.96	1.29	70.02	/	/	45.26	/	/	/	/	45.00	/	/	/	7.18	7.58	8.47	22.74	4.37	25.50
H25	495.79	/	0.62	167.03	/	26.50	/	/	14.32	/	/	41.60	/	/	/	5.39	0.95	69.83	/	/	45.49	/	/	/	/	44.34	/	/	/	9.36	6.23	8.75	24.18	6.87	22.94
H26	495.90	/	0.40	171.70	/	24.50	/	/	14.10	/	/	42.20	/	/	/	3.80	2.00	2.00	/	/	41.70	/	/	/	/	42.50	/	/	/	7.70	6.10	9.10	24.90	5.20	22.30

石川県（女）

資料：衛生統計年報（人口10万対：直接法、標準的な人口は昭和60年モデル人口）

年	死亡総数	腸管感染症	結核	悪性新生物	食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	脾	気管、気管支及び肺	乳房	子宮	前立腺	糖尿病	高血圧性疾患	心疾患（高血圧性を除く）	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	くも膜下出血	脳内出血	脳梗塞	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H17	284.99	0.24	0.19	95.61	1.35	15.33	9.62	3.50	6.87	5.53	6.87	11.48	10.64	4.12	/	3.63	1.55	46.55	13.13	4.97	33.59	8.47	6.45	17.80	31.61	21.12	0.38	9.87	0.37	3.70	3.33	5.03	12.01	3.88	9.97
H18	266.23	0.49	0.15	94.64	1.01	12.72	9.50	4.16	8.58	5.18	7.95	11.99	10.75	2.84	/	4.33	1.54	39.40	10.23	4.74	28.59	6.68	6.04	15.33	28.52	20.00	0.00	9.29	0.58	3.19	4.07	5.63	12.82	4.26	8.93
H19	273.11	0.58	0.31	90.83	1.05	10.29	9.21	2.89	7.31	5.12	8.10	11.06	9.64	5.03	/	4.28	1.04	41.08	9.98	4.31	32.04	7.07	7.09	16.95	28.02	18.98	0.05	11.47	0.40	4.56	3.63	6.43	11.00	2.96	8.85
H20	260.9	/	0.2	91.8	/	13.0	/	/	6.5	/	/	11.4	/	/	/	3.5	1.0	38.0	/	/	28.2	/	/	/	/	17.2	/	/	/	2.7	4.0	6.9	11.8	3.3	7.8
H21	267.69	/	0.35	94.91	/	10.60	/	/	5.83	/	/	11.70	/	/	/	3.36	0.98	38.00	/	/	26.78	/	/	/	/	16.90	/	/	/	3.71	4.32	8.53	9.80	2.19	11.98
H22	265.30	/	0.24	87.53	/	11.46	/	/	5.09	/	/	10.22	/	/	/	3.26	0.82	40.08	/	/	25.35	/	/	/	/	18.51	/	/	/	2.51	4.87	8.09	15.02	3.93	9.85
H23	268.67	/	0.21	90.66	/	10.89	/	/	5.00	/	/	10.99	/	/	/	3.19	1.14	40.96	/	/	23.93	/	/	/	/	20.40	/	/	/	2.72	4.74	8.91	13.67	2.76	11.58
H24	260.27	/	0.08	87.96	/	11.37	/	/	4.42	/	/	10.04	/	/	/	3.17	1.02	36.53	/	/	25.94	/	/	/	/	17.06	/	/	/	3.73	3.55	10.77	11.59	3.10	9.20
H25	254.35	/	0.30	86.11	/	10.38	/	/	5.81	/	/	10.43	/	/	/	2.09	1.15	35.28	/	/	24.46	/	/	/	/	16.94	/	/	/	2.86	3.04	12.20	10.42	2.27	7.15
H26	253.70	/	0.10	90.60	/	8.70	/	/	5.40	/	/	10.30	/	/	/	2.70	1.10	34.70	/	/	22.50	/	/	/	/	15.40	/	/	/	3.00	3.10	11.50	11.50	2.20	5.10

3) 年齢階級別死亡数(3年平均:平成24~26年)

七尾市

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		805.3	1.3	0.7	-	0.7	1.3	0.3	1.0	1.3	3.0	6.3	9.0	19.3	32.3	44.7	63.7	88.3	145.7	174.3	212.0	-
結核		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-
悪性新生物		221.0	-	-	-	0.3	-	-	-	-	1.7	2.3	3.0	8.7	15.3	20.3	30.3	34.3	40.3	37.0	27.3	-
食道		5.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.0	0.7	1.3	0.3	0.3	0.7	-
胃		35.0	-	-	-	-	-	-	-	-	0.3	0.3	0.3	2.7	1.7	4.0	7.0	4.3	5.0	5.3	4.3	-
結腸		15.3	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	2.0	3.3	2.7	3.0	3.0	-
直腸S状結腸移行部及び直腸		9.7	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	1.0	2.0	-	1.7	1.0	2.0	-
肝及び肝内胆管		19.7	-	-	-	-	-	-	-	-	-	-	-	-	1.0	2.0	2.0	5.7	4.3	4.0	0.7	-
胆のう及びその他の胆道		18.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.3	2.7	1.3	4.3	4.7	3.0	-
膵		20.3	-	-	-	-	-	-	-	0.3	0.3	0.3	1.0	0.3	1.3	4.3	2.7	4.0	3.3	2.3	-	-
気管、気管支及び肺		35.7	-	-	-	-	-	-	-	-	-	-	0.3	2.0	3.0	3.3	3.3	6.0	9.0	5.7	3.0	-
乳房		5.0	-	-	-	-	-	-	-	-	-	0.7	0.3	0.7	0.3	0.7	1.3	0.7	-	-	0.3	-
子宮		4.7	-	-	-	-	-	-	-	0.3	0.3	-	-	-	1.3	0.3	0.3	0.7	0.7	0.3	0.3	-
白血病		6.0	-	-	-	-	-	-	-	0.3	-	0.3	-	-	0.3	1.3	-	0.7	1.3	0.7	1.0	-
糖尿病		7.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	1.3	2.0	2.0	0.7	-
高血圧性疾患		5.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	1.0	0.7	2.0	-
心疾患(高血圧性を除く)		128.0	-	-	-	-	-	-	-	0.3	-	1.0	0.7	2.7	3.3	7.7	8.3	12.0	21.7	29.3	41.0	-
急性心筋梗塞		21.3	-	-	-	-	-	-	-	-	-	0.3	-	0.7	1.3	1.7	2.7	2.3	4.0	3.3	5.0	-
その他の虚血性心疾患		16.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	1.0	1.3	3.0	4.7	4.7	-
不整脈及び伝導障害		42.7	-	-	-	-	-	-	-	0.3	-	0.3	0.3	1.0	1.3	3.3	3.3	5.3	8.0	10.3	9.0	-
心不全		40.0	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	1.3	1.3	2.7	4.3	10.3	19.0	-
脳血管疾患		96.7	-	-	-	-	-	-	-	-	0.7	0.3	1.0	1.3	3.0	4.0	6.3	7.0	19.3	25.3	28.3	-
くも膜下出血		10.3	-	-	-	-	-	-	-	-	0.3	-	0.3	1.3	0.7	1.3	1.7	1.0	1.0	2.0	0.7	-
脳内出血		22.3	-	-	-	-	-	-	-	-	0.3	0.3	0.7	-	2.0	2.0	2.3	1.7	5.0	5.3	2.7	-
脳梗塞		62.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	2.3	4.3	12.7	17.3	24.7	-
大動脈瘤及び解離		13.7	-	-	-	-	-	-	-	-	-	0.7	-	0.7	0.7	0.3	1.3	2.0	3.7	3.0	1.3	-
肺炎		73.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	2.0	2.0	6.0	15.0	20.7	26.3	-
慢性閉塞性肺疾患		6.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	2.0	1.7	0.7	1.0	-
喘息		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	0.3	-
肝疾患		8.7	-	-	-	-	-	-	-	-	0.3	0.7	1.0	1.0	0.7	1.7	0.7	-	1.7	1.0	-	-
腎不全		15.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	1.0	3.0	5.7	4.0	-
老衰		55.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	4.0	10.7	39.0	-
不慮の事故		30.7	-	0.7	-	-	0.3	-	-	0.3	-	-	0.3	0.3	2.0	1.7	2.3	4.3	7.0	6.0	5.3	-
交通事故		5.7	-	0.7	-	-	0.3	-	-	-	-	-	0.3	-	1.0	0.7	0.7	0.3	1.0	0.3	0.3	-
自殺		10.7	-	-	-	-	0.7	0.3	1.0	-	0.7	0.7	1.3	1.7	0.7	1.7	0.7	0.3	0.3	0.7	-	-

資料:能登中部保健福祉センター算出

3)年齢階級別死亡数(3年平均:平成24~26年)

羽咋市

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		306.7	0.3	0.7	-	-	0.7	0.3	-	0.7	0.7	2.0	1.7	7.3	11.7	17.0	26.7	36.3	55.3	60.7	84.7	-
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
悪性新生物		85.0	-	0.3	-	-	-	-	-	-	0.3	0.3	0.7	3.7	6.3	8.7	10.3	13.3	15.3	15.3	10.3	-
食道		4.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.7	0.7	1.0	-	0.3	-
胃		15.7	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	1.0	1.7	3.0	3.3	2.7	3.0	-
結腸		3.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	-	0.3	1.3	0.7	-
直腸S状結腸移行部及び直腸		1.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	-	0.3	-	-	-
肝及び肝内胆管		4.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	1.0	0.3	1.0	0.3	-
胆のう及びその他の胆道		4.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	1.0	1.3	0.3	-
膵		8.3	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	0.3	1.3	1.0	2.0	1.7	0.3	-
気管、気管支及び肺		19.3	-	-	-	-	-	-	-	-	-	-	-	0.7	3.0	1.7	2.7	3.3	4.0	2.3	1.7	-
乳房		3.3	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	-	0.7	0.7	0.3	0.3	0.3	-	-
子宮		2.3	-	-	-	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.3	-	0.3	0.3	-
白血病		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	-	-	0.3	-
糖尿病		2.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	0.7	-	0.7	-
高血圧性疾患		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	0.3	-
心疾患(高血圧性を除く)		44.7	-	0.3	-	-	0.3	-	-	-	-	-	-	1.0	-	2.0	3.7	4.3	6.0	10.3	16.7	-
急性心筋梗塞		8.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	1.3	0.7	2.7	1.7	-
その他の虚血性心疾患		7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	1.3	1.0	3.0	-
不整脈及び伝導障害		12.3	-	0.3	-	-	0.3	-	-	-	-	-	-	-	-	1.0	1.0	1.0	2.3	3.3	3.0	-
心不全		12.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.7	1.3	2.0	8.0	-
脳血管疾患		30.3	-	-	-	-	-	0.3	-	-	-	0.3	0.3	0.3	1.3	0.7	2.0	3.3	7.0	7.3	7.3	-
くも膜下出血		2.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	1.0	0.3	0.7	-
脳内出血		6.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	1.3	1.7	1.7	0.7	-
脳梗塞		20.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	1.3	2.0	4.3	5.3	5.7	-
大動脈瘤及び解離		3.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	-	0.3	0.7	0.7	0.3	-
肺炎		28.0	-	-	-	-	-	-	-	-	0.3	-	-	0.7	-	1.3	1.7	3.7	5.0	7.0	8.3	-
慢性閉塞性肺疾患		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	1.0	1.0	-
喘息		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.3	-	-	0.3	0.3	-
腎不全		5.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	1.0	0.7	1.7	-	1.3	-
老衰		28.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	2.0	5.0	21.0	-
不慮の事故		14.3	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	1.0	0.7	1.7	1.7	4.7	1.7	2.0	-
交通事故		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	1.0	-	-	-
自殺		3.0	-	-	-	-	0.3	-	-	-	-	-	-	0.3	0.3	0.3	1.0	-	0.7	-	-	-

資料:能登中部保健福祉センター算出

3)年齢階級別死亡数(3年平均:平成24~26年)

志賀町

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		360.3	0.3	0.3	-	-	-	0.3	0.3	1.0	0.7	1.3	3.3	5.3	12.7	20.0	25.3	38.3	67.0	86.0	98.0	-
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-
悪性新生物		100.3	-	-	-	-	-	-	0.3	0.3	-	0.7	0.7	2.3	6.7	10.3	10.3	18.0	20.3	17.3	13.0	-
食道		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	0.7	-	-
胃		16.0	-	-	-	-	-	-	0.3	-	-	-	-	-	1.7	1.3	1.0	1.7	4.0	3.7	2.3	-
結腸		9.0	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	1.0	2.0	2.3	2.3	0.7	-
直腸S状結腸移行部及び直腸		2.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	0.3	0.7	-
肝及び肝内胆管		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.3	-	-	-	-
胆のう及びその他の胆道		6.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.3	1.0	1.3	0.7	0.7	-
膵		11.3	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	1.7	2.3	2.0	3.0	0.7	-	-
気管、気管支及び肺		21.7	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	3.7	1.0	4.3	2.7	4.3	4.0	-
乳房		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	1.0	-	-	0.3	-
子宮		1.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	-	-	-	-	-
白血病		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	-	0.3	-
糖尿病		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	0.7	0.3	-
高血圧性疾患		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-
心疾患(高血圧性を除く)		50.7	-	-	-	-	-	-	-	-	-	-	0.7	0.7	2.0	1.0	3.0	5.7	9.7	12.3	15.7	-
急性心筋梗塞		11.7	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	-	1.0	1.7	1.3	3.3	2.3	-
その他の虚血性心疾患		4.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	1.0	0.7	1.3	-
不整脈及び伝導障害		13.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	2.7	3.7	3.0	2.7	-
心不全		17.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	0.3	2.7	4.3	8.0	-
脳血管疾患		33.7	-	-	-	-	-	0.3	-	-	-	-	0.7	1.0	1.0	1.0	2.3	3.0	7.0	10.0	7.3	-
くも膜下出血		2.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	-	0.3	1.0	-	-
脳内出血		11.3	-	-	-	-	-	0.3	-	-	-	-	0.3	0.7	0.3	0.3	1.3	1.0	1.7	3.3	2.0	-
脳梗塞		19.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	2.0	4.7	5.7	5.3	-
大動脈瘤及び解離		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	-	0.7	-
肺炎		64.7	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	3.0	2.7	10.3	20.3	26.3	-
慢性閉塞性肺疾患		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	1.7	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-
肝疾患		3.7	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	1.3	-	-	0.7	0.3	-
腎不全		7.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	2.7	2.7	-
老衰		17.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	4.7	12.0	-
不慮の事故		13.0	-	0.3	-	-	-	-	-	-	-	-	0.7	0.3	0.7	1.0	1.0	1.0	3.7	2.3	2.0	-
交通事故		2.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	1.0	0.7	-	-
自殺		5.3	-	-	-	-	-	-	-	0.7	0.3	-	0.7	-	0.7	1.0	0.7	-	0.3	0.7	0.3	-

資料:能登中部保健福祉センター算出

3)年齢階級別死亡数(3年平均:平成24~26年)

宝達志水町 (単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		190.7	-	-	0.3	-	0.3	-	0.3	0.7	0.7	0.7	1.7	5.0	8.3	9.3	11.7	22.0	32.0	39.0	58.7	-
結核		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		51.0	-	-	0.3	-	-	-	-	0.3	-	0.7	0.3	1.3	5.0	5.3	5.0	10.7	8.3	8.0	5.7	-
食道		0.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	-	-
胃		7.7	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	1.3	1.0	1.0	1.7	1.3	-
結腸		6.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	0.7	1.7	0.7	1.0	0.7	-
直腸S状結腸移行部及び直腸		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	-	-	-
肝及び肝内胆管		5.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.7	0.7	1.0	1.0	0.3	-
胆のう及びその他の胆道		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	0.3	-
膵		6.3	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.7	0.3	1.7	0.7	1.7	0.7	-
気管、気管支及び肺		10.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	0.7	3.0	3.0	1.0	1.3	-
乳房		2.0	-	-	-	-	-	-	-	-	-	0.7	-	0.3	0.3	0.3	-	-	-	0.3	-	-
子宮		0.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	-	-
白血病		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	-	-	0.3	-	-
糖尿病		2.7	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.3	-	0.7	0.3	0.7	-
高血圧性疾患		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	-	-
心疾患(高血圧性を除く)		28.7	-	-	-	-	-	-	0.3	-	0.3	-	0.7	0.7	1.3	0.3	2.0	3.0	5.7	6.0	8.3	-
急性心筋梗塞		8.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	1.3	3.0	2.3	1.3	-
その他の虚血性心疾患		4.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.7	0.3	0.3	1.0	1.3	-
不整脈及び伝導障害		4.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	1.0	1.3	1.7	-
心不全		7.7	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	0.3	0.7	1.3	0.7	1.3	2.7	-
脳血管疾患		23.3	-	-	-	-	-	-	-	-	0.3	-	-	0.7	0.3	0.3	1.0	2.7	6.7	4.7	6.7	-
くも膜下出血		1.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	-	0.3	-	-
脳内出血		4.7	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	0.7	0.3	1.0	1.3	0.7	-
脳梗塞		17.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	2.0	5.7	3.0	6.0	-
大動脈瘤及び解離		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	-	-
肺炎		14.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.7	1.3	1.3	2.7	4.3	3.7	-
慢性閉塞性肺疾患		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	1.0	1.0	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-
肝疾患		2.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	-	0.3	0.3	-
腎不全		3.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	0.7	1.3	-
老衰		23.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	3.3	19.0	-
不慮の事故		6.0	-	-	-	-	0.3	-	-	0.3	-	-	-	0.7	-	0.7	-	0.3	1.7	1.7	0.3	-
交通事故		1.3	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	-	-	-	0.3	0.3	-	-
自殺		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	-

資料:能登中部保健福祉センター算出

3)年齢階級別死亡数(3年平均:平成24~26年)

中能登町

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		260.3	0.3	-	-	-	-	0.3	0.3	1.3	2.0	1.7	1.7	6.3	8.0	15.3	19.3	25.7	45.3	58.7	74.0	-
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
悪性新生物		65.3	-	-	-	-	-	-	-	-	1.3	0.7	1.0	3.3	4.0	8.3	9.7	7.7	12.0	9.3	8.0	-
食道		2.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	-	-	-	0.7	-
胃		15.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	2.3	2.7	2.7	3.3	2.0	0.3	-
結腸		6.3	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	0.3	1.3	1.0	1.0	1.3	0.7	-
直腸S状結腸移行部及び直腸		2.3	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	0.3	-	-	0.7	0.7	-	-
肝及び肝内胆管		3.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	-	0.7	1.0	1.0	0.3	-
胆のう及びその他の胆道		3.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	0.3	-	0.3	0.3	-
膵		6.0	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	1.0	1.0	-	0.3	1.3	0.3	0.7	-
気管、気管支及び肺		10.3	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	0.7	1.7	1.7	1.7	1.0	2.3	-
乳房		3.3	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	1.0	0.7	0.3	-	-	0.3	-
子宮		1.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	-	-	0.3	0.3	-
白血病		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	-	-
糖尿病		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	2.0	0.7	-
高血圧性疾患		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	-
心疾患(高血圧性を除く)		49.0	-	-	-	-	-	-	-	0.7	-	0.3	0.7	-	2.0	1.3	2.7	3.7	9.3	11.7	16.7	-
急性心筋梗塞		6.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	1.0	1.3	1.7	1.7	-
その他の虚血性心疾患		7.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	2.0	2.0	2.0	-
不整脈及び伝導障害		13.7	-	-	-	-	-	-	-	0.3	-	-	0.3	-	1.3	1.0	1.0	1.7	2.7	2.7	2.7	-
心不全		19.0	-	-	-	-	-	-	-	0.3	-	0.3	-	-	0.3	0.3	0.3	0.3	3.0	5.0	9.0	-
脳血管疾患		31.7	-	-	-	-	-	-	-	-	0.3	0.3	-	0.7	0.7	2.3	1.0	4.0	4.3	8.0	10.0	-
くも膜下出血		2.7	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	-	-	0.7	-	0.3	0.3	-
脳内出血		7.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.7	0.3	1.7	0.3	2.0	1.0	-
脳梗塞		20.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.3	4.0	5.3	8.7	-
大動脈瘤及び解離		4.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.7	0.7	1.0	0.7	-
肺炎		19.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	-	1.7	4.3	5.3	6.3	-
慢性閉塞性肺疾患		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.7	-	-
喘息		1.0	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-
肝疾患		2.7	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	1.0	0.3	0.3	0.7	-	-
腎不全		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	2.0	-
老衰		20.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	2.3	4.7	13.3	-
不慮の事故		11.0	-	-	-	-	-	-	-	0.3	-	-	-	0.7	-	0.7	0.3	1.7	2.3	2.0	3.0	-
交通事故		1.7	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	-	0.3	-	-	0.3	0.3	-
自殺		4.0	-	-	-	-	-	-	-	0.3	0.3	-	-	0.7	0.7	0.3	0.3	0.3	0.7	0.3	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(3年平均:平成24~26年)

管内

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		1,923.3	2.3	1.7	0.3	0.7	2.3	1.3	2.0	5.0	7.0	12.0	17.3	43.3	73.0	106.3	146.7	210.7	345.3	418.7	527.3	-
結核		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.7	-
悪性新生物		523.7	-	0.3	0.3	0.3	-	-	0.3	0.7	3.3	5.7	5.7	19.3	37.3	53.0	65.7	84.0	96.3	87.0	64.3	-
食道		13.7	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	2.0	2.7	2.3	1.7	1.7	1.0	-
胃		89.7	-	-	-	-	-	-	0.3	-	-	0.7	0.7	3.0	6.3	9.0	13.7	12.7	16.7	15.3	11.3	-
結腸		40.3	-	-	-	-	-	-	-	-	-	0.7	0.7	-	2.3	1.3	5.7	8.0	7.0	9.0	5.7	-
直腸S状結腸移行部及び直腸		17.3	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.3	1.3	2.0	2.7	0.7	3.7	2.0	2.7	-
肝及び肝内胆管		35.7	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.7	4.3	4.0	9.3	7.0	7.0	1.7	-
胆のう及びその他の胆道		34.0	-	-	-	-	-	-	-	-	-	-	-	1.0	1.7	3.3	5.3	3.3	7.0	7.7	4.7	-
膵		52.0	-	-	-	-	-	-	-	-	0.7	0.3	1.3	3.3	2.7	5.0	8.3	7.7	11.0	7.7	4.0	-
気管、気管支及び肺		97.7	-	-	-	-	-	-	-	-	-	-	0.3	3.7	8.3	10.7	9.3	18.3	20.3	14.3	12.3	-
乳房		16.0	-	-	-	-	-	-	-	-	0.7	1.7	0.3	1.7	1.7	2.7	3.0	2.3	0.3	0.7	1.0	-
子宮		10.7	-	-	-	-	-	-	-	-	0.3	1.0	-	0.7	2.0	1.0	1.7	1.3	0.7	1.0	1.0	-
白血病		12.0	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	3.0	1.0	1.7	2.3	1.3	1.7	-
糖尿病		18.3	-	-	-	-	-	-	-	-	-	-	-	1.3	0.3	0.7	1.0	3.3	3.7	5.0	3.0	-
高血圧性疾患		9.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	1.0	1.3	2.3	3.7	-
心疾患(高血圧性を除く)		301.0	-	0.3	-	-	0.3	-	0.3	1.0	0.3	1.3	2.7	5.0	8.7	12.3	19.7	28.7	52.3	69.7	98.3	-
急性心筋梗塞		55.7	-	-	-	-	-	-	-	-	-	0.3	1.3	1.3	2.7	2.0	4.7	7.7	10.3	13.3	12.0	-
その他の虚血性心疾患		40.3	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	0.7	3.7	4.3	7.7	9.3	12.3	-
不整脈及び伝導障害		86.3	-	0.3	-	-	0.3	-	-	0.7	-	0.3	0.7	1.0	3.3	5.3	6.3	10.7	17.7	20.7	19.0	-
心不全		96.3	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	1.0	0.7	3.0	3.0	5.3	12.0	23.0	46.7	-
脳血管疾患		215.7	-	-	-	-	-	0.7	-	-	1.3	1.0	2.0	4.0	6.3	8.3	12.7	20.0	44.3	55.3	59.7	-
くも膜下出血		20.0	-	-	-	-	-	-	-	-	0.7	0.3	0.3	2.3	1.7	2.0	2.7	2.0	2.3	4.0	1.7	-
脳内出血		52.7	-	-	-	-	-	0.3	-	-	0.7	0.7	1.0	1.0	3.7	4.0	5.0	6.0	9.7	13.7	7.0	-
脳梗塞		139.3	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	2.3	4.7	11.7	31.3	36.7	50.3	-
大動脈瘤及び解離		24.0	-	-	-	-	-	-	-	-	-	0.7	-	0.7	1.3	2.0	2.3	3.3	6.0	4.7	3.0	-
肺炎		199.7	-	-	-	-	-	-	-	-	0.3	-	0.7	1.7	0.7	7.0	8.0	15.3	37.3	57.7	71.0	-
慢性閉塞性肺疾患		18.7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	4.0	3.7	4.3	4.7	-
喘息		3.3	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	-
肝疾患		19.3	-	-	-	-	-	-	0.3	-	-	0.3	0.7	2.0	1.7	1.0	5.7	1.7	0.3	3.7	2.0	-
腎不全		34.7	-	-	-	-	-	-	-	-	-	-	-	0.3	1.7	0.3	1.3	2.0	7.7	10.0	11.3	-
老衰		146.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	2.7	9.7	28.3	104.3	-
不慮の事故		75.0	-	1.0	-	-	0.7	-	-	1.3	-	0.3	1.0	2.3	3.7	4.7	5.3	9.0	19.3	13.7	12.7	-
交通事故		13.7	-	0.7	-	-	0.3	-	-	0.7	-	-	0.3	0.7	1.7	1.0	1.7	1.0	3.3	1.7	0.7	-
自殺		23.7	-	-	-	-	1.0	0.3	1.0	1.0	1.3	0.7	2.0	2.7	2.3	3.7	2.7	0.7	2.3	1.7	0.3	-

資料:能登中部保健福祉センター算出

3)年齢階級別死亡数(3年平均:平成24~26年)

石川県

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		12,212.0	24.3	6.0	3.0	8.3	23.0	24.7	31.3	45.0	80.3	102.7	147.0	278.7	505.3	749.0	980.7	1,376.7	2,156.7	2,505.7	3,163.7	-
結核		11.7	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.3	0.3	3.7	3.0	3.7	-
悪性新生物		3,478.7	-	1.7	0.7	0.3	1.3	2.7	6.7	10.3	24.3	38.0	61.3	131.3	254.3	374.0	435.0	526.0	652.3	551.0	407.3	-
食道		94.3	-	-	-	-	-	-	-	0.3	1.3	1.0	2.0	6.0	7.3	16.0	16.7	15.0	9.3	10.0	9.3	-
胃		501.7	-	-	-	-	-	0.3	0.7	0.7	3.0	4.0	5.0	15.0	33.7	48.0	65.0	72.3	100.7	88.3	65.0	-
結腸		303.7	-	-	-	-	-	-	0.7	0.7	1.3	3.0	4.3	7.0	20.7	27.7	35.3	46.3	57.7	55.3	43.7	-
直腸S状結腸移行部及び直腸		133.7	-	-	-	-	-	-	-	0.3	1.0	1.3	4.3	10.3	15.0	16.0	17.7	17.7	19.7	19.7	10.7	-
肝及び肝内胆管		263.3	-	-	-	-	0.3	-	-	-	2.0	1.7	3.7	8.3	20.0	31.7	31.7	50.0	56.7	35.0	22.3	-
胆のう及びその他の胆道		211.7	-	-	-	-	-	-	-	0.3	0.3	1.3	1.3	3.3	9.7	14.0	27.3	29.7	39.0	47.0	38.3	-
膵		308.0	-	-	-	-	-	-	-	0.3	1.0	3.0	7.3	12.0	21.0	38.7	46.0	41.3	61.3	41.3	34.7	-
気管、気管支及び肺		696.7	-	-	-	-	-	-	1.0	1.0	1.0	4.7	7.7	21.3	52.3	87.3	92.7	116.0	137.7	104.3	69.7	-
乳房		118.0	-	-	-	-	-	-	1.0	2.0	4.3	6.0	9.0	16.7	13.0	14.7	16.7	9.7	10.7	7.0	7.3	-
子宮		54.3	-	-	-	-	-	0.3	0.3	1.3	2.0	3.7	2.3	3.7	6.3	4.7	5.3	7.3	7.0	6.0	4.0	-
白血病		78.3	-	0.3	-	-	0.3	1.0	1.0	0.7	1.0	-	2.0	2.3	7.7	9.0	12.0	13.3	11.7	10.7	5.3	-
糖尿病		121.3	-	-	-	-	-	-	-	1.0	-	1.7	1.7	3.7	5.0	8.3	11.3	18.3	24.3	24.3	21.7	-
高血圧性疾患		55.0	-	-	-	-	-	-	-	-	-	-	0.3	0.7	2.0	2.3	2.3	3.7	10.7	11.7	21.3	-
心疾患(高血圧性を除く)		1,912.3	-	0.7	-	0.7	2.0	2.0	3.0	4.7	9.0	10.7	18.7	25.7	61.7	87.3	125.7	199.0	320.0	413.3	628.3	-
急性心筋梗塞		406.3	-	-	-	-	-	-	0.3	1.0	2.7	3.0	5.7	7.7	20.0	25.3	39.0	58.0	81.0	83.7	79.0	-
その他の虚血性心疾患		244.0	-	-	-	-	-	0.7	0.3	-	1.3	1.0	4.3	5.0	9.7	11.3	22.7	27.7	44.7	51.7	63.7	-
不整脈及び伝導障害		366.3	-	0.3	-	0.3	2.0	1.0	1.0	2.0	3.3	3.7	4.0	8.7	18.7	26.3	27.0	48.0	67.7	72.3	80.0	-
心不全		720.3	-	-	-	-	-	-	0.3	0.7	1.0	2.3	2.3	2.0	8.0	15.0	25.3	47.7	99.3	164.7	351.7	-
脳血管疾患		1,254.7	-	-	0.3	0.3	0.3	1.3	0.3	0.7	9.0	9.7	12.0	24.3	35.3	63.0	79.7	120.3	225.0	306.7	366.3	-
くも膜下出血		118.3	-	-	0.3	-	-	0.7	-	0.3	4.7	4.0	3.7	10.0	9.0	13.7	12.7	14.0	20.3	16.3	8.7	-
脳内出血		296.0	-	-	-	0.3	0.3	0.3	0.3	0.3	4.0	4.3	6.0	11.7	18.0	25.7	27.7	35.7	53.0	63.3	45.0	-
脳梗塞		809.7	-	-	-	-	-	-	-	-	0.3	0.3	1.7	2.3	7.7	21.7	37.0	67.0	147.3	218.0	306.3	-
大動脈瘤及び解離		156.3	-	-	-	-	-	-	-	0.3	0.3	2.3	1.3	4.0	6.7	11.3	14.0	24.0	29.0	38.3	24.7	-
肺炎		1,223.0	0.7	0.7	-	-	-	0.3	-	-	1.3	1.3	3.0	7.3	11.7	28.7	63.7	112.0	236.3	327.0	429.0	-
慢性閉塞性肺疾患		158.3	-	-	-	-	-	-	-	-	-	-	-	0.7	1.7	7.3	9.7	21.7	36.7	44.0	36.7	-
喘息		19.3	0.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	0.7	3.3	5.3	7.7	-
肝疾患		123.3	-	-	-	-	0.3	-	0.7	1.0	2.3	5.0	3.7	11.0	13.3	12.7	18.0	15.0	18.0	14.0	8.3	-
腎不全		199.7	-	-	-	-	-	0.3	-	-	-	1.0	0.3	2.3	4.7	8.7	9.7	17.7	39.7	51.0	64.3	-
老衰		700.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	4.3	14.0	51.3	136.7	493.7	-
不慮の事故		429.3	2.3	1.7	1.0	2.7	5.3	4.7	4.3	6.3	8.3	7.3	7.7	14.0	20.7	29.7	32.3	58.7	82.7	67.0	72.7	-
交通事故		72.3	-	1.0	0.3	2.0	2.0	1.0	1.7	2.0	2.3	3.0	1.0	4.0	6.7	6.7	9.0	8.0	11.3	7.0	3.3	-
自殺		208.3	-	-	0.3	2.3	10.7	10.3	12.0	12.7	16.7	13.3	17.7	17.7	22.0	19.7	18.7	12.3	10.0	9.7	2.3	-

資料:能登中部保健福祉センター算出