

6 疾患別死亡の状況

1)疾患別死亡数・死亡率(七尾市)

死亡数(総数)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	837	863	804	824	786	787	792	863	835	864
結核	1	0	1	1	3	0	0	1	1	1
悪性新生物	232	239	208	228	205	207	214	218	214	190
胃	32	39	39	24	27	34	16	30	30	21
結腸	17	17	20	22	19	19	18	29	25	15
直腸S状結腸移行部	12	13	6	14	12	8	9	8	6	9
肝及び肝内胆管	19	13	10	18	14	9	11	14	8	8
気管、気管支及び肺	37	50	44	48	46	40	48	42	51	35
乳	9	3	5	7	6	12	9	11	12	6
子宮	4	6	1	9	2	2	4	3	3	2
前立腺	8	4	6	5	6	3	4	6	7	9
糖尿病	5	8	8	5	14	7	14	10	13	7
高血圧性疾患	7	6	4	14	9	10	9	7	11	18
心疾患(高血圧性除く)	122	145	117	133	135	118	116	133	131	159
急性心筋梗塞	20	24	13	14	20	17	21	25	17	18
その他虚血性心疾患	14	13	11	13	16	13	15	23	12	16
脳血管疾患	99	93	88	71	80	73	76	86	72	54
くも膜下出血	11	13	4	9	14	10	12	14	11	7
脳内出血	26	20	24	17	18	13	14	24	16	13
脳梗塞	60	59	59	44	48	49	49	45	44	33
肺炎	83	79	66	49	27	33	32	29	30	28
肝疾患	7	5	7	5	3	9	7	15	10	11
腎不全	14	14	16	12	10	17	14	12	13	13
老衰	55	62	75	79	64	75	76	68	91	76
不慮の事故	41	40	32	23	35	32	16	26	25	27
交通事故	7	5	1	0	3	2	2	3	3	6
自殺	9	13	9	9	13	9	6	4	3	5

死亡数(男)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	398	414	429	378	369	372	393	399	392	437
結核	1	0	0	0	1	0	0	0	0	0
悪性新生物	123	129	136	128	112	116	134	119	123	111
胃	20	22	26	15	17	23	13	18	16	14
結腸	4	6	11	9	8	10	10	10	15	5
直腸S状結腸移行部	5	10	4	9	3	4	9	3	5	6
肝及び肝内胆管	12	9	7	13	8	4	7	10	5	4
気管、気管支及び肺	22	38	34	32	36	31	32	29	35	28
乳	0	0	0	0	0	0	0	0	0	0
子宮										
前立腺	8	4	6	5	6	3	4	6	7	9
糖尿病	3	6	6	0	8	4	10	3	5	4
高血圧性疾患	4	1	1	4	2	3	1	3	4	4
心疾患(高血圧性除く)	48	59	53	48	62	59	55	59	53	73
急性心筋梗塞	13	14	8	6	12	8	15	15	9	11
その他虚血性心疾患	4	7	5	5	10	7	6	15	7	6
脳血管疾患	43	35	51	37	29	34	29	42	27	31
くも膜下出血	3	5	1	3	6	5	5	8	3	3
脳内出血	14	9	18	10	6	9	5	12	7	11
脳梗塞	24	20	31	23	17	19	19	20	16	17
肺炎	42	46	40	25	15	15	24	14	19	17
肝疾患	5	3	2	2	1	6	6	6	7	8
腎不全	5	8	9	3	5	5	6	5	7	7
老衰	12	14	20	21	16	19	15	15	23	19
不慮の事故	23	23	22	14	22	13	10	13	14	18
交通事故	4	4	1	0	0	1	2	1	1	4
自殺	7	11	6	9	9	6	6	4	2	4

死亡数(女)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	439	449	375	446	417	415	399	464	443	427
結核	0	0	1	1	2	0	0	1	1	1
悪性新生物	109	110	72	100	93	91	80	99	91	79
胃	12	17	13	9	10	11	3	12	14	7
結腸	13	11	9	13	11	9	8	19	10	10
直腸S状結腸移行部	7	3	2	5	9	4	0	5	1	3
肝及び肝内胆管	7	4	3	5	6	5	4	4	3	4
気管、気管支及び肺	15	12	10	16	10	9	16	13	16	7
乳	9	3	5	7	6	12	9	11	12	6
子宮	4	6	1	9	2	2	4	3	3	2
前立腺										
糖尿病	2	2	2	5	6	3	4	7	8	3
高血圧性疾患	3	5	3	10	7	7	8	4	7	14
心疾患(高血圧性除く)	74	86	64	85	73	59	61	74	78	86
急性心筋梗塞	7	10	5	8	8	9	6	10	8	7
その他虚血性心疾患	10	6	6	8	6	6	9	8	5	10
脳血管疾患	56	58	37	34	51	39	47	44	45	23
くも膜下出血	8	8	3	6	8	5	7	6	8	4
脳内出血	12	11	6	7	12	4	9	12	9	2
脳梗塞	36	39	28	21	31	30	30	25	28	16
肺炎	41	33	26	24	12	18	8	15	11	11
肝疾患	2	2	5	3	2	3	1	9	3	3
腎不全	9	6	7	9	5	12	8	7	6	6
老衰	43	48	55	58	48	56	61	53	68	57
不慮の事故	18	17	10	9	13	19	6	13	11	9
交通事故	3	1	0	0	3	1	0	2	2	2
自殺	2	2	3	0	4	3	0	0	1	1

死亡率(総数) 人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1542.0	1571.8	1486.7	1551.5	1503.6	1532.1	1596.2	1770.2	1751.7	1853.5
結核	1.8	0.0	1.8	1.9	5.7	0.0	0.0	2.1	2.1	2.1
悪性新生物	427.4	435.3	384.6	429.3	392.1	403.0	431.3	447.2	448.9	407.6
胃	59.0	71.0	72.1	45.2	51.6	66.2	32.2	61.5	62.9	45.1
結腸	31.3	31.0	37.0	41.4	36.3	37.0	36.3	59.5	52.4	32.2
直腸S状結腸移行部	22.1	23.7	11.1	26.4	23.0	15.6	18.1	16.4	12.6	19.3
肝及び肝内胆管	35.0	23.7	18.5	33.9	26.8	17.5	22.2	28.7	16.8	17.2
気管、気管支及び肺	68.2	91.1	81.4	90.4	88.0	77.9	96.7	86.2	107.0	75.1
乳	16.6	5.5	9.2	13.2	11.5	23.4	18.1	22.6	25.2	12.9
子宮	7.4	10.9	1.8	16.9	3.8	3.9	8.7	6.2	6.3	4.3
前立腺	14.7	7.3	11.1	9.4	11.5	5.8	8.1	12.3	14.7	19.3
糖尿病	9.2	14.6	14.8	9.4	26.8	13.6	28.2	20.5	27.3	15.0
高血圧性疾患	12.9	10.9	7.4	26.4	17.2	19.5	18.1	14.4	23.1	38.6
心疾患(高血圧性除く)	224.8	264.1	216.4	250.4	258.2	229.7	233.8	272.8	274.8	341.1
急性心筋梗塞	36.8	43.7	24.0	26.4	38.3	33.1	42.3	51.3	35.7	38.6
その他虚血性心疾患	25.8	23.7	20.3	24.5	30.6	25.3	30.2	47.2	25.2	34.3
脳血管疾患	182.4	169.4	162.7	133.7	153.0	142.1	153.2	176.4	151.0	115.8
くも膜下出血	20.3	23.7	7.4	16.9	26.8	19.5	24.2	28.7	23.1	15.0
脳内出血	47.9	36.4	44.4	32.0	34.4	25.3	28.2	49.2	33.6	27.9
脳梗塞	110.5	107.5	109.1	82.8	91.8	94.4	98.8	92.3	92.3	70.8
肺炎	152.9	143.9	122.0	92.3	51.6	64.2	64.5	59.5	62.9	60.1
肝疾患	12.9	9.1	12.9	9.4	5.7	17.5	14.1	30.8	21.0	23.6
腎不全	25.8	25.5	29.6	22.6	19.1	33.1	28.2	24.6	27.3	27.9
老衰	101.3	112.9	138.7	148.7	122.4	146.0	153.2	139.5	190.9	163.0
不慮の事故	75.5	72.9	59.2	43.3	67.0	62.3	32.2	53.3	52.4	57.9
交通事故	12.9	9.1	1.8	0.0	5.7	3.9	4.0	6.2	6.3	12.9
自殺	16.6	23.7	16.6	16.9	24.9	17.5	12.1	8.2	6.3	10.7

死亡率(男) 人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1551.1	1583.5	1676.3	1502.9	1487.4	1524.8	1653.3	1715.6	1719.7	1957.5
結核	3.9	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	479.4	493.4	531.4	508.9	451.5	475.5	563.7	511.7	539.6	497.2
胃	77.9	84.1	101.6	59.6	68.5	94.3	54.7	77.4	70.2	62.7
結腸	15.6	22.9	43.0	35.8	32.2	41.0	42.1	43.0	65.8	22.4
直腸S状結腸移行部	19.5	38.2	15.6	35.8	12.1	16.4	37.9	12.9	21.9	26.9
肝及び肝内胆管	46.8	34.4	27.4	51.7	32.2	16.4	29.4	43.0	21.9	17.9
気管、気管支及び肺	85.7	145.3	132.9	127.2	145.1	127.1	134.6	124.7	153.5	125.4
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	31.2	15.3	23.4	19.9	24.2	12.3	16.8	25.8	30.7	40.3
糖尿病	11.7	22.9	23.4	0.0	32.2	16.4	42.1	12.9	21.9	17.9
高血圧性疾患	15.6	3.8	3.9	15.9	8.1	12.3	4.2	12.9	17.5	17.9
心疾患(高血圧性除く)	187.1	225.7	207.1	190.8	249.9	241.8	231.4	253.7	232.5	327.0
急性心筋梗塞	50.7	53.5	31.3	23.9	48.4	32.8	63.1	64.5	39.5	49.3
その他虚血性心疾患	15.6	26.8	19.5	19.9	40.3	28.7	25.2	64.5	30.7	26.9
脳血管疾患	167.6	133.9	199.3	147.1	116.9	139.4	122.0	180.6	118.4	138.9
くも膜下出血	11.7	19.1	3.9	11.8	24.2	20.5	21.0	34.4	13.2	13.4
脳内出血	54.6	34.4	70.3	39.8	24.2	36.9	21.0	51.6	30.7	49.3
脳梗塞	93.5	76.5	121.1	91.4	68.5	77.9	79.9	86.0	70.2	76.2
肺炎	163.7	175.9	156.3	99.4	60.5	61.5	101.0	60.2	83.4	76.2
肝疾患	19.5	11.5	7.8	8.0	4.0	24.6	25.2	25.8	30.7	35.8
腎不全	19.5	30.6	35.2	11.9	20.2	20.5	25.2	21.5	30.7	31.4
老衰	46.8	53.5	78.1	83.5	64.5	77.9	63.1	64.5	100.9	85.1
不慮の事故	89.6	88.0	86.0	55.7	88.7	53.3	42.1	55.9	61.4	80.6
交通事故	15.6	15.3	3.9	0.0	0.0	4.1	8.4	4.3	4.4	17.9
自殺	27.3	42.1	23.4	35.8	36.3	24.6	25.2	17.2	8.8	17.9

1) 疾患別死亡数・死亡率(羽咋市)

死亡数(総数)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	300	313	279	317	328	303	352	343	386	384
結核	0	0	0	0	0	0	0	1	2	0
悪性新生物	75	86	84	81	87	87	82	96	87	85
胃	12	14	12	11	12	9	9	14	13	10
結腸	2	4	9	12	8	4	9	10	7	5
直腸S状結腸移行部	1	1	3	1	4	5	3	4	5	5
肝及び肝内胆管	4	3	5	4	6	4	4	10	2	1
気管、気管支及び肺	21	24	18	14	13	15	11	17	19	19
乳	2	2	3	4	3	7	4	5	3	3
子宮	3	0	1	1	2	3	1	1	0	2
前立腺	2	1	3	0	0	3	4	4	5	3
糖尿病	2	1	1	4	2	4	4	7	5	5
高血圧性疾患	3	0	0	1	0	1	2	2	1	9
心疾患(高血圧性除く)	43	57	44	57	49	39	70	40	64	48
急性心筋梗塞	8	9	6	11	7	4	11	12	10	13
その他虚血性心疾患	11	12	4	10	9	6	9	7	4	7
脳血管疾患	33	35	30	25	39	29	23	32	36	26
くも膜下出血	6	8	6	5	5	3	3	5	3	3
脳内出血	6	7	6	7	9	8	7	10	8	5
脳梗塞	20	17	14	13	25	18	13	17	24	18
肺炎	30	28	20	23	22	18	21	12	26	30
肝疾患	4	1	4	4	3	4	3	4	3	3
腎不全	6	6	2	9	4	5	5	4	4	5
老衰	29	29	23	29	35	34	33	50	40	64
不慮の事故	10	10	17	12	10	10	14	6	12	13
交通事故	1	1	2	1	0	1	2	0	2	2
自殺	2	3	3	2	2	5	4	4	7	2

死亡数(男)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	160	145	139	168	174	139	193	171	186	176
結核	0	0	0	0	0	0	0	1	1	0
悪性新生物	47	49	50	39	49	48	48	59	56	49
胃	9	8	10	6	8	7	7	11	10	6
結腸	1	3	2	6	4	1	7	2	3	3
直腸S状結腸移行部	1	1	2	1	4	2	1	4	3	2
肝及び肝内胆管	2	2	3	3	3	2	4	7	2	0
気管、気管支及び肺	15	15	13	10	8	14	8	13	14	12
乳	0	0	0	1	0	0	0	0	0	0
子宮										
前立腺	2	1	3	0	0	3	4	4	5	3
糖尿病	1	0	0	4	2	3	3	3	3	3
高血圧性疾患	0	0	0	1	0	0	2	1	1	3
心疾患(高血圧性除く)	18	20	22	30	19	12	37	21	30	17
急性心筋梗塞	3	3	4	8	4	2	9	6	5	6
その他虚血性心疾患	7	7	1	7	3	3	4	6	4	4
脳血管疾患	15	15	14	14	21	13	13	11	13	12
くも膜下出血	1	4	2	2	1	3	2	1	2	0
脳内出血	3	2	1	6	6	5	3	6	4	2
脳梗塞	11	7	8	6	14	5	8	4	7	10
肺炎	19	15	9	16	13	10	8	7	16	22
肝疾患	3	1	3	4	2	2	2	2	2	1
腎不全	3	2	1	6	3	2	3	1	0	1
老衰	13	11	7	10	7	13	8	16	7	13
不慮の事故	5	4	6	7	7	3	10	0	9	6
交通事故	1	0	0	0	0	0	2	0	1	0
自殺	1	2	3	1	1	4	3	3	7	2

死亡数(女)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	140	168	140	149	154	164	159	172	200	208
結核	0	0	0	0	0	0	0	0	1	0
悪性新生物	28	37	34	42	38	39	34	37	31	36
胃	3	6	2	5	4	2	2	3	3	4
結腸	1	1	7	6	4	3	2	8	4	2
直腸S状結腸移行部	0	0	1	0	0	3	2	0	2	3
肝及び肝内胆管	2	1	2	1	3	2	0	3	0	1
気管、気管支及び肺	6	9	5	4	5	1	3	4	5	7
乳	2	2	3	3	3	7	4	5	3	3
子宮	3	0	1	1	2	3	1	1	0	2
前立腺										
糖尿病	1	1	1	0	0	1	1	4	2	2
高血圧性疾患	3	0	0	0	0	1	0	1	0	6
心疾患(高血圧性除く)	25	37	22	27	30	27	33	19	34	31
急性心筋梗塞	5	6	2	3	3	2	2	6	5	7
その他虚血性心疾患	4	5	3	3	6	3	5	1	0	3
脳血管疾患	18	20	16	11	18	16	10	21	23	14
くも膜下出血	5	4	4	3	4	0	1	4	1	3
脳内出血	3	5	5	1	3	3	4	4	4	3
脳梗塞	9	10	6	7	11	13	5	13	17	8
肺炎	11	13	11	7	9	8	13	5	10	8
肝疾患	1	0	1	0	1	2	1	2	1	2
腎不全	3	4	1	3	1	3	2	3	4	4
老衰	16	26	16	19	28	21	25	34	33	51
不慮の事故	5	6	11	5	3	7	4	6	3	7
交通事故	0	1	2	1	0	1	0	0	1	2
自殺	1	1	0	1	1	1	1	1	0	0

死亡率(総数)人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1367.8	1444.9	1305.4	1506.4	1588.5	1489.4	1737.2	1725.3	1979.4	2012.1
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	10.3
悪性新生物	342.0	397.0	393.0	384.9	421.3	427.6	404.7	482.9	446.1	445.4
胃	54.7	64.6	56.1	52.3	58.1	44.2	44.4	70.4	66.7	52.4
結腸	9.1	18.5	42.1	57.0	38.7	19.7	44.4	50.3	35.9	26.2
直腸S状結腸移行部	4.6	4.6	14.0	4.8	19.4	24.6	14.8	20.1	25.6	26.2
肝及び肝内胆管	18.2	13.8	23.4	19.0	29.1	19.7	19.7	50.3	10.3	5.2
気管、気管支及び肺	95.7	110.8	84.2	66.5	63.0	73.7	54.3	85.5	97.4	99.6
乳	9.1	9.2	14.0	19.0	14.5	34.4	19.7	25.1	15.4	15.7
子宮	13.7	0.0	4.7	4.8	9.7	14.7	4.9	5.0	0.0	10.5
前立腺	9.1	4.6	14.0	0.0	0.0	14.7	19.7	20.1	25.6	15.7
糖尿病	9.1	4.6	4.7	19.0	9.7	19.7	19.7	35.2	25.6	26.2
高血圧性疾患	13.7	0.0	0.0	4.8	0.0	4.9	9.9	10.1	5.1	47.2
心疾患(高血圧性除く)	196.1	263.1	205.9	270.9	237.3	191.7	345.5	201.2	328.2	251.5
急性心筋梗塞	36.5	41.5	28.1	52.3	33.9	19.7	54.3	60.4	51.3	68.1
その他虚血性心疾患	50.2	55.4	18.7	47.5	43.6	29.5	44.4	35.2	20.5	36.7
脳血管疾患	150.5	161.6	140.4	118.8	188.9	142.5	113.5	161.0	184.6	136.2
くも膜下出血	27.4	36.9	28.1	23.8	24.2	14.7	14.8	25.1	15.4	15.7
脳内出血	27.4	32.3	28.1	33.3	43.6	39.3	34.5	50.3	41.0	26.2
脳梗塞	91.2	78.5	65.5	61.8	121.1	88.5	64.2	85.5	123.1	94.3
肺炎	136.8	129.3	93.6	109.3	106.5	88.5	103.6	60.4	133.3	157.2
肝疾患	18.2	4.6	18.7	19.0	14.5	19.7	14.8	20.1	15.4	15.7
腎不全	27.4	27.7	9.4	42.8	19.4	24.6	24.7	20.1	20.5	26.2
老衰	132.2	133.9	107.6	137.8	169.5	167.1	162.9	251.5	205.1	335.3
不慮の事故	45.6	46.2	79.5	57.0	48.4	49.2	69.1	30.2	61.5	68.1
交通事故	4.6	4.6	9.4	4.8	0.0	4.9	9.9	0.0	10.3	10.5
自殺	9.1	13.8	14.0	9.5	9.7	24.6	19.7	20.1	35.9	10.5

死亡率(男)人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1547.2	1411.2	1373.1	1685.6	1780.4	1442.1	2006.0	1817.2	2011.9	1944.8
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	10.8	0.0
悪性新生物	454.5	476.9	493.9	391.3	501.4	498.0	498.9	627.0	605.7	541.4
胃	87.0	77.9	98.8	60.2	81.9	72.6	72.8	116.9	108.2	66.3
結腸	9.7	29.2	19.8	60.2	40.9	10.4	72.8	21.3	32.4	33.1
直腸S状結腸移行部	9.7	9.7	19.8	10.0	40.9	20.7	10.4	42.5	32.4	22.1
肝及び肝内胆管	19.3	19.5	29.6	30.1	30.7	20.7	41.6	74.4	21.6	0.0
気管、気管支及び肺	145.1	146.0	128.4	100.3	81.9	145.2	83.2	138.2	151.4	132.6
乳	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	19.3	9.7	29.6	0.0	0.0	31.1	41.6	42.5	54.1	33.1
糖尿病	9.7	0.0	0.0	40.1	20.5	31.1	31.2	31.9	32.4	33.1
高血圧性疾患	0.0	0.0	0.0	10.0	0.0	0.0	20.8	10.6	10.8	33.1
心疾患(高血圧性除く)	174.1	194.6	217.3	301.0	194.4	124.5	384.6	223.2	324.5	187.8
急性心筋梗塞	29.0	29.2	39.5	80.3	40.9	20.7	93.5	63.8	54.1	66.3
その他虚血性心疾患	67.7	68.1	9.9	70.2	30.7	31.1	41.6	63.8	43.3	44.2
脳血管疾患	145.1	146.0	138.3	140.5	214.9	134.9	135.1	116.9	140.6	132.6
くも膜下出血	9.7	38.9	19.8	20.1	10.2	31.1	20.8	10.6	21.6	0.0
脳内出血	29.0	19.5	9.9	60.2	61.4	51.9	31.2	63.8	43.3	22.1
脳梗塞	106.4	68.1	79.0	60.2	143.3	51.9	83.2	42.5	75.7	110.5
肺炎	183.7	146.0	88.9	160.5	133.0	103.7	83.2	74.4	173.1	243.1
肝疾患	29.0	9.7	29.6	40.1	20.5	20.7	20.8	21.3	21.6	11.0
腎不全	29.0	19.5	9.9	60.2	30.7	20.7	31.2	10.6	0.0	11.0
老衰	125.7	107.1	69.1	100.3	71.6	134.9	83.2	170.0	75.7	143.6
不慮の事故	48.4	38.9	59.3	70.2	71.6	31.1	103.9	0.0	97.3	66.3
交通事故	9.7	0.0	0.0	0.0	0.0	0.0	20.8	0.0	10.8	0.0
自殺	9.7	19.5	29.6	10.0	10.2	41.5	31.2	31.9	75.7	22.1

1)疾患別死亡数・死亡率(志賀町)

死亡数(総数)

資料:衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	345	314	343	316	363	358	321	314	359	401
結核	0	0	0	1	1	1	0	0	1	0
悪性新生物	104	73	89	70	82	87	79	67	63	91
胃	15	12	9	12	8	10	12	11	9	12
結腸	7	7	4	4	8	6	7	5	2	7
直腸S状結腸移行部	2	1	4	4	3	2	5	0	1	3
肝及び肝内胆管	2	5	9	4	4	5	3	5	1	2
気管、気管支及び肺	26	13	14	14	19	21	16	13	16	14
乳	4	1	2	0	1	3	4	2	2	5
子宮	1	0	1	1	4	0	0	0	2	1
前立腺	3	1	6	3	0	1	1	1	2	3
糖尿病	3	1	3	2	1	1	2	3	2	6
高血圧性疾患	1	1	0	0	3	1	4	2	2	8
心疾患(高血圧性除く)	45	42	53	52	71	51	48	59	59	50
急性心筋梗塞	11	8	6	8	6	5	5	6	10	12
その他虚血性心疾患	4	3	6	3	14	6	6	8	7	6
脳血管疾患	28	29	22	22	31	37	29	24	30	26
くも膜下出血	2	5	3	4	5	4	3	2	2	3
脳内出血	8	12	5	4	8	7	8	9	4	6
脳梗塞	18	12	13	14	18	26	18	13	24	17
肺炎	58	57	32	30	20	28	18	10	34	16
肝疾患	5	3	1	2	4	3	2	3	0	1
腎不全	6	6	11	3	8	5	4	4	6	8
老衰	13	30	36	41	47	42	28	26	42	44
不慮の事故	10	11	14	16	7	9	14	7	12	14
交通事故	2	4	2	2	1	2	2	2	1	2
自殺	3	1	2	1	5	3	4	4	5	7

死亡数(男)

資料:衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	169	138	167	171	181	163	146	147	164	191
結核	0	0	0	0	0	0	0	0	1	0
悪性新生物	60	52	56	46	55	50	46	32	39	49
胃	10	8	3	7	8	6	8	7	6	8
結腸	5	4	3	4	3	3	6	2	1	3
直腸S状結腸移行部	2	1	3	3	2	1	3	0	1	0
肝及び肝内胆管	1	5	6	2	3	3	2	3	1	1
気管、気管支及び肺	19	9	11	11	16	17	12	7	13	12
乳	0	0	0	0	0	0	0	0	0	0
子宮	1	0	1	1	4	0	0	0	2	1
前立腺	3	1	6	3	0	1	1	1	2	3
糖尿病	0	1	2	1	0	1	1	3	1	6
高血圧性疾患	0	0	0	0	2	1	1	1	1	4
心疾患(高血圧性除く)	21	13	18	25	32	20	16	25	27	27
急性心筋梗塞	3	3	2	6	4	1	3	5	7	7
その他虚血性心疾患	4	0	1	1	7	4	3	4	3	6
脳血管疾患	15	11	11	12	20	16	12	13	17	12
くも膜下出血	1	1	1	1	1	2	2	1	0	0
脳内出血	5	7	5	3	4	3	4	4	2	3
脳梗塞	9	3	5	8	15	11	6	8	15	9
肺炎	23	18	16	13	10	15	12	4	17	7
肝疾患	4	2	1	1	1	1	1	2	0	1
腎不全	4	2	6	1	5	1	2	1	3	3
老衰	3	4	6	15	9	9	4	4	6	8
不慮の事故	5	5	9	10	3	4	7	5	6	10
交通事故	1	2	1	1	0	1	1	2	0	2
自殺	3	0	2	1	2	1	4	4	3	3

死亡数(女)

資料:衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	176	176	176	145	182	195	175	167	195	210
結核	0	0	0	1	1	1	0	0	0	0
悪性新生物	44	21	33	24	27	37	33	35	24	42
胃	5	4	6	5	0	4	4	4	3	4
結腸	2	3	1	0	5	3	1	3	1	4
直腸S状結腸移行部	0	0	1	1	1	1	2	0	0	3
肝及び肝内胆管	1	0	3	2	1	2	1	2	0	1
気管、気管支及び肺	7	4	3	3	3	4	4	6	3	2
乳	4	1	2	0	1	3	4	2	2	5
子宮	1	0	1	1	4	0	0	0	2	1
前立腺	3	0	1	1	1	0	1	0	1	0
糖尿病	1	1	0	0	1	0	3	1	1	4
高血圧性疾患	24	29	35	27	39	31	32	34	32	23
急性心筋梗塞	8	5	4	2	2	4	2	1	3	5
その他虚血性心疾患	0	3	5	2	7	2	3	4	4	0
脳血管疾患	13	18	11	10	11	21	17	11	13	14
くも膜下出血	1	4	2	3	4	2	1	1	2	3
脳内出血	3	5	0	1	4	4	4	5	2	3
脳梗塞	9	9	8	6	3	15	12	5	9	8
肺炎	35	39	16	17	10	13	6	6	17	9
肝疾患	1	1	0	1	3	2	1	1	0	0
腎不全	2	4	5	2	3	4	2	3	3	5
老衰	10	26	30	26	38	33	24	22	36	36
不慮の事故	5	6	5	6	4	5	7	2	6	4
交通事故	1	2	1	1	1	1	1	0	1	0
自殺	0	1	0	0	3	2	0	0	2	4

死亡率(総数)人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1674.8	1545.5	1722.4	1616.7	1905.8	1917.0	1738.2	1735.5	2028.2	2337.2
結核	0.0	0.0	0.0	5.1	5.3	5.4	0.0	0.0	5.6	0.0
悪性新生物	504.9	359.3	446.9	358.1	430.5	465.9	427.8	370.3	355.9	530.4
胃	72.8	59.1	45.2	61.4	42.0	53.5	65.0	60.8	50.8	69.9
結腸	34.0	34.5	20.1	20.5	42.0	32.1	37.9	27.6	11.3	40.8
直腸S状結腸移行部	9.7	4.9	20.1	20.5	15.8	10.7	27.1	0.0	5.6	17.5
肝及び肝内胆管	9.7	24.6	45.2	20.5	21.0	26.8	16.2	27.6	5.6	11.7
気管、気管支及び肺	126.2	64.0	70.3	71.6	89.8	112.4	86.6	71.9	90.4	81.6
乳	19.4	4.9	10.0	0.0	5.3	16.1	21.7	11.1	11.3	29.1
子宮	4.9	0.0	5.0	5.1	21.0	0.0	0.0	0.0	11.3	5.8
前立腺	14.6	4.9	30.1	15.3	0.0	5.4	5.4	5.5	11.3	17.5
糖尿病	14.6	4.9	15.1	10.2	5.3	5.4	10.8	16.6	11.3	35.0
高血圧性疾患	4.9	4.9	0.0	0.0	15.8	5.4	21.7	11.1	11.3	46.6
心疾患(高血圧性除く)	218.5	206.7	266.1	266.0	372.8	273.1	259.9	326.1	333.3	291.4
急性心筋梗塞	53.4	39.4	30.1	40.9	31.5	26.8	27.1	33.2	56.5	69.9
その他虚血性心疾患	19.4	14.8	30.1	15.3	73.5	32.1	32.5	44.2	39.5	35.0
脳血管疾患	135.9	142.7	110.5	112.6	162.8	198.1	157.0	132.6	169.5	151.5
くも膜下出血	9.7	24.6	15.1	20.5	26.3	21.4	16.2	11.1	11.3	17.5
脳内出血	38.8	59.1	25.1	20.5	42.0	37.5	43.3	49.7	22.6	35.0
脳梗塞	87.4	59.1	65.3	71.6	94.5	139.2	97.5	71.9	135.6	99.1
肺炎	281.6	280.6	160.7	153.5	105.0	149.9	97.5	55.3	192.1	93.3
肝疾患	24.3	14.8	5.0	10.2	21.0	16.1	10.8	16.6	0.0	5.8
腎不全	29.1	29.5	55.2	15.3	42.0	26.8	21.7	22.1	33.9	46.6
老衰	63.1	147.7	180.8	209.8	246.8	224.9	151.6	143.7	237.3	256.5
不慮の事故	48.5	54.1	70.3	81.9	36.8	48.2	75.8	38.7	67.8	81.6
交通事故	9.7	19.7	10.0	10.2	5.3	10.7	10.8	11.1	5.6	11.7
自殺	14.6	4.9	10.0	5.1	26.3	16.1	21.7	22.1	28.2	40.8

死亡率(男)人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1739.0	1431.7	1771.7	1849.4	2005.3	1845.1	1652.3	1697.7	1933.1	2316.6
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	0.0
悪性新生物	617.4	539.5	594.1	497.5	609.4	566.0	520.6	369.6	459.7	594.3
胃	102.9	83.0	31.8	75.7	88.6	67.9	90.5	80.8	70.7	97.0
結腸	51.5	41.5	31.8	43.3	33.2	34.0	67.9	23.1	11.8	36.4
直腸S状結腸移行部	20.6	10.4	31.8	32.4	22.2	11.3	34.0	0.0	11.8	0.0
肝及び肝内胆管	10.3	51.9	63.7	21.6	33.2	34.0	22.6	34.6	11.8	12.1
気管、気管支及び肺	195.5	93.4	116.7	119.0	177.3	192.4	135.8	80.8	153.2	145.5
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	1	0	1	1	4	0	0	0	2	1
前立腺	30.9	10.4	63.7	32.4	0.0	11.3	11.3	11.5	23.6	36.4
糖尿病	0.0	10.4	21.2	10.8	0.0	11.3	11.3	34.6	11.8	72.8
高血圧性疾患	0.0	0.0	0.0	0.0	22.2	11.3	11.3	11.5	11.8	48.5
心疾患(高血圧性除く)	216.1	134.9	191.0	270.4	354.5	226.4	181.1	288.7	318.2	327.5
急性心筋梗塞	30.9	31.1	21.2	64.9	44.3	11.3	34.0	57.7	82.5	84.9
その他虚血性心疾患	41.2	0.0	10.6	10.8	77.6	45.3	34.0	46.2	35.4	72.8
脳血管疾患	154.4	114.1	116.7	129.8	221.6	181.1	135.8	150.1	200.4	145.5
くも膜下出血	10.3	10.4	10.6	10.8	11.1	22.6	22.6	11.5	0.0	0.0
脳内出血	51.5	72.6	53.0	32.4	44.3	34.0	45.3	46.2	23.6	36.4
脳梗塞	92.6	31.1	53.0	86.5	166.2	124.5	67.9	92.4	176.8	109.2
肺炎	236.7	186.7	169.7	140.6	110.8	169.8	135.8	46.2	200.4	84.9
肝疾患	41.2	20.7	10.6	10.8	11.1	11.3	11.3	23.1	0.0	12.1
腎不全	41.2	20.7	63.7	10.8	55.4	11.3	22.6	11.5	35.4	36.4
老衰	30.9	41.5	63.7	162.2	99.7	101.9	45.3	46.2	70.7	97.0
不慮の事故	51.5	51.9	95.5	108.2	33.2	45.3	79.2	57.7	70.7	121.3
交通事故	10.3	20.7	10.6	10.8	0.0	11.3	11.3	23.1	0.0	24.3
自殺	30.9	0.0	21.2	10.8	22.2	11.3	45.3	46.2	35.4	36.4

1) 疾患別死亡数・死亡率(宝達志水町)

死亡数(総数)

資料: 衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	171	174	210	188	198	198	191	189	239	206
結核	0	0	0	1	0	0	0	0	0	0
悪性新生物	42	47	62	61	52	52	61	50	71	46
胃	5	9	11	9	9	9	4	6	8	9
結腸	6	4	5	2	3	3	3	9	6	6
直腸S状結腸移行部	1	2	1	0	1	1	1	1	0	2
肝及び肝内胆管	3	6	10	6	8	8	4	3	5	3
気管、気管支及び肺	12	9	7	15	12	12	13	7	16	10
乳	1	0	1	2	0	0	3	1	6	0
子宮	0	0	0	0	0	0	1	1	2	1
前立腺	1	2	0	2	1	1	1	1	1	2
糖尿病	4	0	3	0	2	2	2	1	3	1
高血圧性疾患	1	1	1	0	1	1	1	2	3	5
心疾患(高血圧性除く)	22	31	29	28	29	29	20	30	23	38
急性心筋梗塞	6	9	3	6	2	2	3	6	8	4
その他虚血性心疾患	5	7	6	6	5	5	3	7	4	8
脳血管疾患	21	15	16	15	20	20	19	13	22	25
くも膜下出血	0	0	0	0	2	2	1	1	2	3
脳内出血	4	4	6	3	4	4	5	8	7	6
脳梗塞	17	10	10	11	13	13	13	4	13	16
肺炎	10	4	7	14	10	10	10	6	12	5
肝疾患	2	1	1	0	2	2	2	2	1	3
腎不全	5	3	1	0	6	6	2	4	3	1
老衰	26	26	21	17	24	24	17	24	24	16
不慮の事故	4	8	10	8	3	3	9	5	8	7
交通事故	1	0	2	0	0	0	1	0	0	0
自殺	1	2	5	0	3	3	2	1	3	1

死亡数(男)

資料: 衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	77	74	100	98	88	82	92	92	96	96
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	26	27	36	41	29	27	30	29	30	25
胃	2	5	5	5	6	1	1	5	3	5
結腸	3	2	4	2	0	2	2	6	0	3
直腸S状結腸移行部	0	2	1	0	0	0	0	0	0	1
肝及び肝内胆管	1	3	6	5	5	2	3	2	3	0
気管、気管支及び肺	10	7	5	12	9	5	9	6	12	10
乳	0	0	0	0	0	0	0	0	0	0
子宮										
前立腺	1	2	0	2	1	2	1	1	1	2
糖尿病	0	0	1	0	2	1	1	0	1	1
高血圧性疾患	1	0	0	0	0	0	0	0	1	3
心疾患(高血圧性除く)	10	9	13	19	9	11	7	13	11	13
急性心筋梗塞	4	3	2	4	1	3	1	4	6	3
その他虚血性心疾患	3	3	3	4	3	2	0	2	1	2
脳血管疾患	7	6	11	4	10	2	8	10	4	8
くも膜下出血	0	0	0	0	1	0	1	1	1	1
脳内出血	2	1	4	1	2	1	2	6	1	2
脳梗塞	5	5	7	3	7	1	5	3	2	5
肺炎	4	0	4	7	4	8	7	3	4	3
肝疾患	2	0	1	0	2	2	1	0	1	3
腎不全	1	1	1	0	1	2	1	4	1	0
老衰	7	6	1	2	5	3	5	6	5	4
不慮の事故	0	6	4	7	2	3	6	2	3	3
交通事故	0	0	1	0	0	0	1	0	0	0
自殺	0	2	4	0	2	2	1	1	3	1

死亡数(女)

資料: 衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	94	100	110	90	110	95	99	97	143	110
結核	0	0	0	1	0	0	0	0	0	0
悪性新生物	16	20	26	20	23	23	31	21	41	21
胃	3	4	6	4	3	0	3	1	5	4
結腸	3	2	1	0	3	3	1	3	6	3
直腸S状結腸移行部	1	0	0	0	1	1	1	1	0	1
肝及び肝内胆管	2	3	4	1	3	1	1	1	2	3
気管、気管支及び肺	2	2	2	3	3	0	4	1	4	0
乳	1	0	1	2	0	2	3	1	6	0
子宮	0	0	0	0	0	0	1	1	2	1
前立腺										
糖尿病	4	0	2	0	0	3	1	1	2	0
高血圧性疾患	0	1	1	0	1	1	1	2	2	2
心疾患(高血圧性除く)	12	22	16	9	20	16	13	17	12	25
急性心筋梗塞	2	6	1	2	1	3	2	2	2	1
その他虚血性心疾患	2	4	3	2	2	1	3	5	3	6
脳血管疾患	14	9	5	11	10	7	11	3	18	17
くも膜下出血	0	0	0	0	1	0	0	0	1	2
脳内出血	2	3	2	2	2	0	3	2	6	4
脳梗塞	12	5	3	8	6	7	8	1	11	11
肺炎	6	4	3	7	6	5	3	3	8	2
肝疾患	0	1	0	0	0	2	1	2	0	0
腎不全	4	2	0	0	5	2	1	0	2	1
老衰	19	20	20	15	19	10	12	18	19	12
不慮の事故	4	2	6	1	1	2	3	3	5	4
交通事故	1	0	1	0	0	0	0	0	0	0
自殺	1	0	1	0	1	0	1	0	0	0

死亡率(総数) 人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1308.4	1331.4	1641.3	1497.5	1603.5	1635.8	1598.6	1615.7	2095.4	1849.7
結核	0.0	0.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	320.2	359.6	484.6	485.9	421.1	429.6	510.5	427.4	622.5	413.0
胃	38.1	68.9	86.0	71.7	72.9	74.4	33.5	51.3	70.1	80.8
結腸	45.7	30.6	39.1	15.9	24.3	24.8	25.1	76.9	52.6	53.9
直腸S状結腸移行部	7.6	15.3	7.8	0.0	8.1	8.3	8.4	8.5	0.0	18.0
肝及び肝内胆管	22.9	45.9	78.2	47.8	64.8	66.1	33.5	25.6	43.8	28.9
気管、気管支及び肺	91.5	68.9	54.7	119.5	97.2	99.1	108.8	59.8	140.3	89.8
乳	7.6	0.0	7.8	15.9	0.0	0.0	25.1	8.5	52.6	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	8.4	8.5	17.5	9.0
前立腺	7.6	15.3	0.0	15.9	8.1	8.3	8.4	8.5	8.8	18.0
糖尿病	30.5	0.0	23.4	0.0	16.2	16.5	16.7	8.5	26.3	9.0
高血圧性疾患	7.6	7.7	7.8	0.0	8.1	8.3	8.4	17.1	26.3	44.9
心疾患(高血圧性除く)	167.7	237.2	226.7	223.0	234.9	239.6	167.4	256.5	201.6	341.2
急性心筋梗塞	45.7	68.9	23.4	47.8	16.2	16.5	25.1	51.3	70.1	35.9
その他虚血性心疾患	38.1	53.6	46.9	47.8	40.5	41.3	25.1	59.8	35.1	71.8
脳血管疾患	160.1	114.8	125.0	119.5	162.0	165.2	159.0	111.1	192.9	224.5
くも膜下出血	0.0	0.0	0.0	0.0	16.2	16.5	8.4	8.5	17.5	28.9
脳内出血	30.5	30.6	46.9	23.9	32.4	33.0	41.8	68.4	61.4	53.9
脳梗塞	129.6	76.5	78.2	87.6	105.3	107.4	108.8	34.2	114.0	143.7
肺炎	76.2	30.6	54.7	111.5	81.0	82.6	83.7	51.3	105.2	44.9
肝疾患	15.2	7.7	7.8	0.0	16.2	16.5	16.7	17.1	8.8	26.9
腎不全	38.1	23.0	7.8	0.0	48.6	49.6	16.7	34.2	26.3	9.0
老衰	198.2	198.9	164.1	135.4	194.4	198.3	142.3	205.2	210.4	143.7
不慮の事故	30.5	61.2	78.2	63.7	24.3	24.8	75.3	42.7	70.1	62.9
交通事故	7.6	0.0	15.6	0.0	0.0	0.0	8.4	0.0	0.0	0.0
自殺	7.6	15.3	39.1	0.0	24.3	24.8	16.7	8.5	26.3	9.0

死亡率(男) 人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1249.4	1193.2	1648.5	1651.8	1510.7	1430.1	1623.7	1667.3	1782.7	1814.4
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	421.9	435.3	593.5	691.1	497.9	470.9	529.5	525.6	557.1	472.5
胃	32.5	80.6	82.4	84.3	103.0	17.4	17.6	90.6	55.7	94.5
結腸	48.7	32.2	65.9	33.7	0.0	34.9	35.3	108.7	0.0	56.7
直腸S状結腸移行部	0.0	32.2	16.5	0.0	0.0	0.0	0.0	0.0	0.0	18.9
肝及び肝内胆管	16.2	48.4	98.9	84.3	85.8	34.9	52.9	36.2	55.7	0.0
気管、気管支及び肺	162.3	112.9	82.4	202.3	154.5	87.2	158.8	108.7	222.8	189.0
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	16.2	32.2	0.0	33.7	17.2	34.9	17.6	18.1	18.6	37.8
糖尿病	0.0	0.0	16.5	0.0	34.3	17.4	17.6	0.0	18.6	18.9
高血圧性疾患	16.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	56.7
心疾患(高血圧性除く)	162.3	145.1	214.3	320.2	154.5	191.8	123.5	235.6	204.3	245.7
急性心筋梗塞	64.9	48.4	33.0	67.4	17.2	52.3	17.6	72.5	111.4	56.7
その他虚血性心疾患	48.7	48.4	49.5	67.4	51.5	34.9	0.0	36.2	18.6	37.8
脳血管疾患	113.6	96.7	181.3	67.4	171.7	34.9	141.2	181.2	74.3	151.2
くも膜下出血	0.0	0.0	0.0	0.0	17.2	0.0	17.6	18.1	18.6	18.9
脳内出血	32.5	16.1	65.9	16.9	34.3	17.4	35.3	108.7	18.6	37.8
脳梗塞	81.1	80.6	115.4	50.6	120.2	17.4	88.2	54.4	37.1	94.5
肺炎	64.9	0.0	65.9	118.0	68.7	139.5	123.5	54.4	74.3	56.7
肝疾患	32.5	0.0	16.5	0.0	34.3	34.9	17.6	0.0	18.6	56.7
腎不全	16.2	16.1	16.5	0.0	17.2	34.9	17.6	72.5	18.6	0.0
老衰	113.6	96.7	16.5	33.7	85.8	52.3	88.2	108.7	92.9	75.6
不慮の事故	0.0	96.7	65.9	118.0	34.3	52.3	105.9	36.2	55.7	56.7
交通事故	0.0	0.0	16.5	0.0	0.0	0.0	17.6	0.0	0.0	0.0
自殺	0.0	32.2	65.9	0.0	34.3	34.9	17.6	18.1	55.7	18.9

1) 疾患別死亡数・死亡率(中能登町)

死亡数(総数)

資料: 衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	259	237	277	238	235	235	271	277	247	294
結核	1	1	0	0	0	0	0	0	0	0
悪性新生物	63	49	76	64	68	68	66	62	69	75
胃	18	16	7	10	11	11	12	13	8	10
結腸	7	1	7	6	5	5	7	6	14	4
直腸S状結腸移行部	5	1	4	2	3	3	3	0	5	2
肝及び肝内胆管	2	5	2	3	2	2	4	2	5	1
気管、気管支及び肺	7	7	13	10	15	15	8	8	9	14
乳	3	2	0	0	4	4	3	0	1	1
子宮	1	2	5	1	1	1	2	3	2	3
前立腺	1	0	2	2	2	2	1	1	0	1
糖尿病	5	2	4	2	5	5	1	2	1	4
高血圧性疾患	1	3	0	5	1	1	2	3	1	3
心疾患(高血圧性除く)	49	44	43	30	29	29	40	42	38	48
急性心筋梗塞	4	4	5	3	1	1	3	5	2	3
その他虚血性心疾患	10	3	7	1	5	5	4	5	3	0
脳血管疾患	24	23	30	31	26	26	22	42	16	33
くも膜下出血	3	0	1	6	4	4	2	5	2	4
脳内出血	7	6	7	7	7	7	7	11	6	10
脳梗塞	14	17	21	17	13	13	12	26	8	19
肺炎	17	24	21	11	8	8	16	14	13	9
肝疾患	3	3	4	3	5	5	6	2	2	1
腎不全	1	3	4	3	4	4	3	5	3	4
老衰	29	24	25	22	19	19	24	27	27	33
不慮の事故	12	9	7	7	14	14	8	12	7	9
交通事故	1	2	1	1	2	2	1	0	2	1
自殺	6	5	1	5	2	2	2	5	2	5

死亡数(男)

資料: 衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	123	108	143	117	123	121	130	128	118	143
結核	1	1	0	0	0	0	0	0	0	0
悪性新生物	36	28	42	28	41	47	38	31	31	40
胃	13	9	4	4	6	10	8	8	5	5
結腸	3	0	2	3	2	5	4	3	6	1
直腸S状結腸移行部	2	1	4	1	3	0	2	0	1	1
肝及び肝内胆管	2	3	1	0	2	1	1	0	2	1
気管、気管支及び肺	6	7	10	6	10	8	6	6	4	10
乳	0	0	0	0	0	0	0	0	0	0
子宮	1	2	5	1	1	1	2	3	2	3
前立腺	1	0	2	2	2	0	1	1	0	1
糖尿病	2	0	2	1	2	0	0	1	0	3
高血圧性疾患	0	2	0	3	0	1	1	1	0	2
心疾患(高血圧性除く)	20	16	21	13	18	14	17	24	16	24
急性心筋梗塞	1	1	4	1	1	1	1	4	2	3
その他虚血性心疾患	5	2	4	0	5	3	3	1	3	0
脳血管疾患	13	12	18	13	11	11	11	20	8	12
くも膜下出血	1	0	0	2	0	1	1	2	1	2
脳内出血	4	3	5	1	4	4	3	7	3	5
脳梗塞	8	9	13	9	7	5	6	11	4	5
肺炎	9	11	13	8	3	7	9	5	7	4
肝疾患	2	1	3	2	3	2	3	1	0	1
腎不全	0	1	3	1	1	5	0	2	2	0
老衰	8	5	7	5	4	4	4	4	8	8
不慮の事故	4	6	5	3	9	4	4	7	2	5
交通事故	0	0	1	0	2	0	1	0	0	1
自殺	5	3	1	4	2	1	1	2	2	3

死亡数(女)

資料: 衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	136	129	134	121	112	117	141	149	129	151
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	27	21	34	36	27	38	28	31	38	35
胃	5	7	3	6	5	5	4	5	3	5
結腸	4	1	5	3	3	3	3	3	8	3
直腸S状結腸移行部	3	0	0	1	0	3	1	0	4	1
肝及び肝内胆管	0	2	1	3	0	2	3	2	3	0
気管、気管支及び肺	1	0	3	4	5	2	2	2	5	4
乳	3	2	0	0	4	2	3	0	1	1
子宮	1	2	5	1	1	1	2	3	2	3
前立腺	1	0	2	2	2	0	1	1	0	1
糖尿病	3	2	2	1	3	2	1	1	1	1
高血圧性疾患	1	1	0	2	1	1	1	2	1	1
心疾患(高血圧性除く)	29	28	22	17	11	15	23	18	22	24
急性心筋梗塞	3	3	1	2	0	0	2	1	0	0
その他虚血性心疾患	5	1	3	1	0	2	1	4	0	0
脳血管疾患	11	11	12	18	15	12	11	22	8	21
くも膜下出血	2	0	1	4	4	2	1	3	1	2
脳内出血	3	3	2	6	3	3	4	4	3	5
脳梗塞	6	8	8	8	6	7	6	15	4	14
肺炎	8	13	8	3	5	6	7	9	6	5
肝疾患	1	2	1	1	2	1	3	1	2	0
腎不全	1	2	1	2	3	0	3	3	1	4
老衰	21	19	18	17	15	12	20	23	19	25
不慮の事故	8	3	2	4	5	2	4	5	5	4
交通事故	1	2	0	1	0	0	0	0	2	0
自殺	1	2	0	1	0	1	1	3	0	2

死亡率(総数)人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1474.0	1358.4	1616.8	1405.5	1404.5	1423.9	1656.4	1717.3	1556.4	1884.9
結核	5.7	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	358.5	280.9	443.6	377.9	406.4	412.0	403.4	384.4	434.8	480.8
胃	102.4	91.7	40.9	59.1	65.7	66.7	73.3	80.6	50.4	64.1
結腸	39.8	5.7	40.9	35.4	29.9	30.3	42.8	37.2	88.2	25.6
直腸S状結腸移行部	28.5	5.7	23.3	11.8	17.9	18.2	18.3	0.0	31.5	12.8
肝及び肝内胆管	11.4	28.7	11.7	17.7	12.0	12.1	24.4	12.4	31.5	6.4
気管、気管支及び肺	39.8	40.1	75.9	59.1	89.6	90.9	48.9	49.6	56.7	89.8
乳	17.1	11.5	0.0	0.0	23.9	24.2	18.3	0.0	6.3	6.4
子宮	5.7	11.5	29.2	5.9	6.0	6.1	12.2	18.6	12.6	19.2
前立腺	5.7	0.0	11.7	11.8	12.0	12.1	6.1	6.2	0.0	6.4
糖尿病	28.5	11.5	23.3	11.8	29.9	30.3	6.1	12.4	6.3	25.6
高血圧性疾患	5.7	17.2	0.0	29.5	6.0	6.1	12.2	18.6	6.3	19.2
心疾患(高血圧性除く)	278.9	252.2	251.0	177.2	173.3	175.7	244.5	260.4	239.4	307.7
急性心筋梗塞	22.8	22.9	29.2	17.7	6.0	6.1	18.3	31.0	12.6	19.2
その他虚血性心疾患	56.9	17.2	40.9	5.9	29.9	30.3	24.4	31.0	18.9	0.0
脳血管疾患	136.6	131.8	175.1	183.1	155.4	157.5	134.5	260.4	100.8	211.6
くも膜下出血	17.1	0.0	5.8	35.4	23.9	24.2	12.2	31.0	12.6	25.6
脳内出血	39.8	34.4	40.9	41.3	41.8	42.4	42.8	68.2	37.8	64.1
脳梗塞	79.7	97.4	122.6	100.4	77.7	78.8	73.3	161.2	50.4	121.8
肺炎	96.8	137.6	122.6	65.0	47.8	48.5	97.8	86.8	81.9	57.7
肝疾患	17.1	17.2	23.3	17.7	29.9	30.3	36.7	12.4	12.6	6.4
腎不全	5.7	17.2	23.3	17.7	23.9	24.2	18.3	31.0	18.9	25.6
老衰	165.0	137.6	145.9	129.9	113.6	115.1	146.7	167.4	170.1	211.6
不慮の事故	68.3	51.6	40.9	41.3	83.7	84.8	48.9	74.4	44.1	57.7
交通事故	5.7	11.5	5.8	5.9	12.0	12.1	6.1	0.0	12.6	6.4
自殺	34.1	28.7	5.8	29.5	12.0	12.1	12.2	31.0	12.6	32.1

死亡率(男)人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1461.0	1283.7	1732.3	1434.9	1528.1	1523.7	1640.4	1642.1	1535.7	1884.6
結核	11.9	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	427.6	332.8	508.8	343.4	509.4	591.9	479.5	397.7	403.4	527.1
胃	154.4	107.0	48.5	49.1	74.5	125.9	100.9	102.6	65.1	65.9
結腸	35.6	0.0	24.2	36.8	24.8	63.0	50.5	38.5	78.1	13.2
直腸S状結腸移行部	23.8	11.9	48.5	12.3	37.3	0.0	25.2	0.0	13.0	13.2
肝及び肝内胆管	23.8	35.7	12.1	0.0	24.8	12.6	12.6	0.0	26.0	13.2
気管、気管支及び肺	71.3	83.2	121.1	73.6	124.2	100.7	75.7	77.0	52.1	131.8
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	11.9	0.0	24.2	24.5	24.8	0.0	12.6	12.8	0.0	13.2
前立腺	23.8	0.0	24.2	12.3	24.8	0.0	0.0	12.8	0.0	39.5
糖尿病	0.0	23.8	0.0	36.8	0.0	12.6	12.6	12.8	0.0	26.4
高血圧性疾患	237.6	190.2	254.4	159.4	223.6	176.3	214.5	307.9	208.2	316.3
心疾患(高血圧性除く)	11.9	11.9	48.5	12.3	12.4	12.6	12.6	51.3	26.0	39.5
急性心筋梗塞	59.4	23.8	48.5	0.0	62.1	37.8	37.9	12.8	39.0	0.0
その他虚血性心疾患	154.4	142.6	218.0	159.4	136.7	138.5	138.8	256.6	104.1	158.1
脳血管疾患	11.9	0.0	0.0	24.5	0.0	12.6	12.6	25.7	13.0	26.4
くも膜下出血	47.5	35.7	60.6	12.3	49.7	50.4	37.9	89.8	39.0	65.9
脳内出血	95.0	107.0	157.5	110.4	87.0	63.0	75.7	141.1	52.1	65.9
脳梗塞	106.9	130.8	157.5	98.1	37.3	88.2	113.6	64.1	91.1	52.7
肺炎	23.8	11.9	36.3	24.5	37.3	25.2	37.9	12.8	0.0	13.2
肝疾患	0.0	11.9	36.3	12.3	12.4	63.0	0.0	25.7	26.0	0.0
腎不全	95.0	59.4	84.8	61.3	49.7	50.4	50.5	51.3	104.1	105.4
老衰	47.5	71.3	60.6	36.8	111.8	50.4	50.5	89.8	26.0	65.9
不慮の事故	0.0	0.0	12.1	0.0	24.8	0.0	12.6	0.0	0.0	13.2
交通事故	59.4	35.7	12.1	49.1	24.8	12.6	12.6	25.7	26.0	39.5
自殺										

1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1912	1901	1913	1883	1910	1881	1927	1986	2066	2149
結核	2	1	1	3	4	1	0	2	4	1
悪性新生物	516	494	519	504	494	501	502	493	504	497
胃	82	90	78	66	67	73	53	74	68	62
結腸	39	33	45	46	43	37	44	59	54	37
直腸S状結腸移行部	21	18	18	21	23	19	21	13	17	21
肝及び肝内胆管	30	32	36	35	34	28	26	34	21	15
気管、気管支及び肺	103	103	96	101	105	103	96	87	111	92
乳	19	8	11	13	14	26	23	19	24	15
子宮	9	8	8	12	9	6	8	8	9	9
前立腺	15	8	17	12	9	10	11	13	15	18
糖尿病	19	12	19	13	24	19	23	23	24	23
高血圧性疾患	13	11	5	20	14	14	18	16	18	43
心疾患(高血圧性除く)	281	319	286	300	313	266	294	304	315	343
急性心筋梗塞	49	54	33	42	36	29	43	54	47	50
その他虚血性心疾患	44	38	34	33	49	35	37	50	30	37
脳血管疾患	205	195	186	164	196	185	169	197	176	164
くも膜下出血	22	26	14	24	30	23	21	27	20	20
脳内出血	51	49	48	38	46	39	41	62	41	40
脳梗塞	129	115	117	99	117	119	105	105	113	103
肺炎	198	192	146	127	87	97	97	71	115	88
肝疾患	21	13	17	14	17	23	20	26	16	19
腎不全	32	32	34	27	32	37	28	29	29	31
老衰	152	171	180	188	189	194	178	195	224	233
不慮の事故	77	78	80	66	69	68	61	56	64	70
交通事故	12	12	8	4	6	7	8	5	8	11
自殺	21	24	20	17	25	22	18	18	20	20

死亡数(男)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	927	879	978	932	935	877	954	937	956	1043
結核	2	1	0	0	1	0	0	1	2	0
悪性新生物	292	285	320	282	286	288	296	270	279	274
胃	54	52	48	37	45	47	37	49	40	38
結腸	16	15	22	24	17	21	29	23	25	15
直腸S状結腸移行部	10	15	14	14	12	7	15	7	10	10
肝及び肝内胆管	18	22	23	23	21	12	17	22	13	6
気管、気管支及び肺	72	76	73	71	79	75	67	61	78	72
乳	0	0	0	1	0	0	0	0	0	0
子宮										
前立腺	15	8	17	12	9	9	11	13	15	18
糖尿病	6	7	11	6	14	9	15	10	10	17
高血圧性疾患	5	3	1	8	4	5	5	6	7	16
心疾患(高血圧性除く)	117	117	127	135	140	116	132	142	137	154
急性心筋梗塞	24	24	20	25	22	15	29	34	29	30
その他虚血性心疾患	23	19	14	17	28	19	16	28	18	18
脳血管疾患	93	79	105	80	91	76	73	96	69	75
くも膜下出血	6	10	4	8	9	11	11	13	7	6
脳内出血	28	22	33	21	22	22	17	35	17	23
脳梗塞	57	44	64	49	60	41	44	46	44	46
肺炎	97	90	82	69	45	55	60	33	63	53
肝疾患	16	7	10	9	9	13	13	11	10	14
腎不全	13	14	20	11	15	15	12	13	13	11
老衰	43	40	41	53	41	48	36	45	49	52
不慮の事故	37	44	46	41	43	27	37	27	34	42
交通事故	6	6	4	1	2	2	7	3	2	7
自殺	16	18	16	15	16	14	15	14	17	13

死亡数(女)

資料：衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	985	1022	935	951	975	986	973	1049	1110	1106
結核	0	0	1	3	3	1	0	1	2	1
悪性新生物	224	209	199	222	208	228	206	223	225	213
胃	28	38	30	29	22	22	16	25	28	24
結腸	23	18	23	22	26	21	15	36	29	22
直腸S状結腸移行部	11	3	4	7	11	12	6	6	7	11
肝及び肝内胆管	12	10	13	12	13	12	9	12	8	9
気管、気管支及び肺	31	27	23	30	26	16	29	26	33	20
乳	19	8	11	12	14	26	23	19	24	15
子宮	9	8	8	12	9	7	8	8	9	9
前立腺										
糖尿病	13	5	8	7	10	9	8	13	14	6
高血圧性疾患	8	8	4	12	10	10	13	10	11	27
心疾患(高血圧性除く)	164	202	159	165	173	148	162	162	178	189
急性心筋梗塞	25	30	13	17	14	18	14	20	18	20
その他虚血性心疾患	21	19	20	16	21	14	21	22	12	19
脳血管疾患	112	116	81	84	105	95	96	101	107	89
くも膜下出血	16	16	10	16	21	9	10	10	13	14
脳内出血	23	27	15	17	24	14	24	27	24	17
脳梗塞	72	71	53	50	57	72	61	59	69	57
肺炎	101	102	64	58	42	50	37	38	52	35
肝疾患	5	6	7	5	8	10	7	15	6	5
腎不全	19	18	14	16	17	21	16	16	16	20
老衰	109	139	139	135	148	132	142	150	175	181
不慮の事故	40	34	34	25	26	35	24	29	30	28
交通事故	6	6	4	3	4	3	1	2	6	4
自殺	5	6	4	2	9	7	3	4	3	7

死亡率(総数) 人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1499.6	1492.2	1526.8	1528.6	1577.8	1580.8	1651.9	1733.7	1842.3	1960.9
結核	1.6	0.8	0.8	2.4	3.3	0.8	0.0	1.7	3.6	0.9
悪性新生物	404.7	387.8	414.2	409.1	408.1	421.0	430.3	430.4	449.4	444.4
胃	64.3	70.6	62.3	53.6	55.3	61.3	45.4	64.6	60.6	56.6
結腸	30.6	25.9	35.9	37.3	35.5	31.1	37.7	51.5	48.2	33.8
直腸S状結腸移行部	16.5	14.1	14.4	17.0	19.0	16.0	18.0	11.3	15.2	19.2
肝及び肝内胆管	23.5	25.1	28.7	28.4	28.1	23.5	22.3	29.7	18.7	13.7
気管、気管支及び肺	80.8	80.8	76.6	82.0	86.7	86.6	82.3	75.9	99.0	83.9
乳	14.9	6.3	8.8	10.6	11.6	21.8	19.7	16.6	21.4	13.7
子宮	7.1	6.3	6.4	9.7	7.4	5.0	6.9	7.0	8.0	8.2
前立腺	11.8	6.3	13.6	9.7	7.4	8.4	9.4	11.3	13.4	16.4
糖尿病	14.9	9.4	15.2	10.6	19.8	16.0	19.7	20.1	21.4	21.0
高血圧性疾患	10.2	8.6	4.0	16.2	11.6	11.8	15.4	14.0	16.1	39.2
心疾患(高血圧性除く)	220.4	250.4	228.3	243.5	258.6	223.5	252.0	265.4	280.9	313.0
急性心筋梗塞	38.4	42.4	26.3	34.1	29.7	24.4	36.9	47.1	41.9	45.6
その他虚血性心疾患	34.5	29.8	27.1	26.8	40.5	29.4	31.7	43.6	26.8	33.8
脳血管疾患	160.8	153.1	148.5	133.1	161.9	155.5	144.9	172.0	156.9	149.6
くも膜下出血	17.3	20.4	11.2	19.5	24.8	19.3	18.0	23.6	17.8	18.2
脳内出血	40.0	38.5	38.3	30.8	38.0	32.8	35.1	54.1	36.6	36.5
脳梗塞	101.2	90.3	93.4	80.4	96.7	100.0	90.0	91.7	100.8	94.0
肺炎	155.3	150.7	116.5	103.1	71.9	81.5	83.2	62.0	102.5	80.3
肝疾患	16.5	10.2	13.6	11.4	14.0	19.3	17.1	22.7	14.3	17.3
腎不全	25.1	25.1	27.1	21.9	26.4	31.1	24.0	25.3	25.9	28.3
老衰	119.2	134.2	143.7	152.6	156.1	163.0	152.6	170.2	199.7	212.6
不慮の事故	60.4	61.2	63.9	53.6	57.0	57.1	52.3	48.9	57.1	63.9
交通事故	9.4	9.4	6.4	3.2	5.0	5.9	6.9	4.4	7.1	10.0
自殺	16.5	18.8	16.0	13.8	20.7	18.5	15.4	15.7	17.8	18.2

死亡率(男) 人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1537.3	1448.7	1644.7	1594.5	1626.6	1551.0	1709.1	1714.9	1783.8	1986.7
結核	3.3	1.6	0.0	0.0	1.7	0.0	0.0	1.8	3.7	0.0
悪性新生物	484.2	469.7	538.2	482.5	497.6	509.3	530.3	494.2	520.6	521.9
胃	89.6	85.7	80.7	63.3	78.3	83.1	66.3	89.7	74.6	72.4
結腸	26.5	24.7	37.0	41.1	29.6	37.1	52.0	42.1	46.6	28.6
直腸S状結腸移行部	16.6	24.7	23.5	24.0	20.9	12.4	26.9	12.8	18.7	19.0
肝及び肝内胆管	29.9	36.3	38.7	39.3	36.5	21.2	30.5	40.3	24.3	11.4
気管、気管支及び肺	119.4	125.3	122.8	121.5	137.4	132.6	120.0	111.6	145.5	137.1
乳	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	24.9	13.2	28.6	20.5	15.7	15.9	19.7	23.8	28.0	34.3
糖尿病	10.0	11.5	18.5	10.3	24.4	15.9	26.9	18.3	18.7	32.4
高血圧性疾患	8.3	4.9	1.7	13.7	7.0	8.8	9.0	11.0	13.1	30.5
心疾患(高血圧性除く)	194.0	192.8	213.6	231.0	243.6	205.1	236.5	259.9	255.6	293.3
急性心筋梗塞	39.8	39.6	33.6	42.8	38.3	26.5	52.0	62.2	54.1	57.1
その他虚血性心疾患	38.1	31.3	23.5	29.1	48.7	33.6	28.7	51.2	33.6	34.3
脳血管疾患	154.2	130.2	176.6	136.9	158.3	134.4	130.8	175.7	128.7	142.9
くも膜下出血	10.0	16.5	6.7	13.7	15.7	19.5	19.7	23.8	13.1	11.4
脳内出血	46.4	36.3	55.5	35.9	38.3	38.9	30.5	64.1	31.7	43.8
脳梗塞	94.5	72.5	107.6	83.8	104.4	72.5	78.8	84.2	82.1	87.6
肺炎	160.9	148.3	137.9	118.0	78.3	97.3	107.5	60.4	117.6	101.0
肝疾患	26.5	11.5	16.8	15.4	15.7	23.0	23.3	20.1	18.7	26.7
腎不全	21.6	23.1	33.6	18.8	26.1	26.5	21.5	23.8	24.3	21.0
老衰	71.3	65.9	69.0	90.7	71.3	84.9	64.5	82.4	91.4	99.1
不慮の事故	61.4	72.5	77.4	70.1	74.8	47.7	66.3	49.4	63.4	80.0
交通事故	10.0	9.9	6.7	1.7	3.5	3.5	12.5	5.5	3.7	13.3
自殺	26.5	29.7	26.9	25.7	27.8	24.8	26.9	25.6	31.7	24.8

1)疾患別死亡数・死亡率(石川県)

死亡数(総数)

資料:衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	12,190	12,280	12,422	12,727	12,723	12,900	12,721	13,214	14,316	14,746
結核	11	14	14	13	15	8	15	16	18	10
悪性新生物	3,535	3,483	3,517	3,577	3,530	3,525	3,625	3,509	3,587	3,566
胃	480	487	452	436	461	435	416	402	417	387
結腸	275	275	275	275	275	275	275	361	377	348
直腸S状結腸移行部	110	110	110	110	110	110	110	128	149	149
肝及び肝内胆管	264	257	274	224	190	197	215	202	192	199
気管、気管支及び肺	698	719	706	721	709	707	729	703	740	675
乳	120	120	120	120	120	120	120	137	146	142
子宮	50	50	50	50	50	50	50	52	50	56
前立腺	75	75	75	75	75	75	75	104	89	124
糖尿病	113	104	112	111	134	126	125	142	156	173
高血圧性疾患	64	45	60	89	93	98	86	95	118	151
心疾患(高血圧性除く)	1,855	1,885	1,891	1,994	2,039	1,995	1,894	1,968	2,099	2,193
急性心筋梗塞	435	435	435	435	435	435	435	370	481	482
その他虚血性心疾患	244	244	244	244	244	244	244	257	220	238
脳血管疾患	1,190	1,132	1,139	1,108	1,135	1,046	1,013	1,117	1,081	1,091
くも膜下出血	155	155	155	155	155	155	155	118	105	112
脳内出血	275	275	275	275	275	275	275	337	294	290
脳梗塞	746	746	746	746	746	746	746	642	660	675
肺炎	1,172	1,233	1,112	929	772	837	691	655	660	657
肝疾患	114	138	121	161	139	138	134	155	131	152
腎不全	187	205	204	218	243	234	215	222	227	236
老衰	721	801	890	963	1,049	1,056	1,130	1,253	1,654	1,790
不慮の事故	452	436	449	404	410	381	369	389	389	430
交通事故	71	62	70	44	38	37	43	33	38	40
自殺	180	209	177	189	146	160	168	152	185	199

死亡率(総数)人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1064.8	1072.8	1091.0	1122.5	1128.2	1151.1	1138.5	1189.7	1300.0	1351.9
結核	1.0	1.2	1.2	1.1	1.3	0.7	1.3	1.4	1.6	0.9
悪性新生物	308.8	304.3	308.9	315.5	313.0	314.5	324.4	315.9	325.7	326.9
胃	41.9	42.5	39.7	38.5	40.9	38.8	37.2	36.2	37.9	35.5
結腸	24.0	24.0	24.2	24.3	24.4	24.5	24.6	32.5	34.2	31.9
直腸S状結腸移行部	9.6	9.6	9.7	9.7	9.8	9.8	9.8	11.5	13.5	13.7
肝及び肝内胆管	23.1	22.5	24.1	19.8	16.8	17.6	19.2	18.2	17.4	18.2
気管、気管支及び肺	61.0	62.8	62.0	63.6	62.9	63.1	65.2	63.3	67.2	61.9
乳	10.5	10.5	10.5	10.6	10.6	10.7	10.7	12.3	13.3	13.0
子宮	4.4	4.4	4.4	4.4	4.4	4.5	4.5	4.7	4.5	5.1
前立腺	6.6	6.6	6.6	6.6	6.7	6.7	6.7	9.4	8.1	11.4
糖尿病	9.9	9.1	9.8	9.8	11.9	11.2	11.2	12.8	14.2	15.9
高血圧性疾患	5.6	3.9	5.3	7.8	8.2	8.7	7.7	8.6	10.7	13.8
心疾患(高血圧性除く)	162.0	164.7	166.1	175.9	180.8	178.0	169.5	177.2	190.6	201.1
急性心筋梗塞	38.0	38.0	38.2	38.4	38.6	38.8	38.9	33.3	43.7	44.2
その他虚血性心疾患	21.3	21.3	21.4	21.5	21.6	21.8	21.8	23.1	20.0	21.8
脳血管疾患	103.9	98.9	100.0	97.7	100.6	93.3	90.7	100.6	98.2	100.0
くも膜下出血	13.5	13.5	13.6	13.7	13.7	13.8	13.9	10.6	9.5	10.3
脳内出血	24.0	24.0	24.2	24.3	24.4	24.5	24.6	30.3	26.7	26.6
脳梗塞	65.2	65.2	65.5	65.8	66.1	66.6	66.8	57.8	59.9	61.9
肺炎	102.4	107.7	97.7	81.9	68.5	74.7	61.8	59.0	59.9	60.2
肝疾患	10.0	12.1	10.6	14.2	12.3	12.3	12.0	14.0	11.9	13.9
腎不全	16.3	17.9	17.9	19.2	21.5	20.9	19.2	20.0	20.6	21.6
老衰	63.0	70.0	78.2	84.9	93.0	94.2	101.1	112.8	150.2	164.1
不慮の事故	39.5	38.1	39.4	35.6	36.4	34.0	33.0	35.0	35.3	39.4
交通事故	6.2	5.4	6.1	3.9	3.4	3.3	3.8	3.0	3.5	3.7
自殺	15.7	18.3	15.5	16.7	12.9	14.3	15.0	13.7	16.8	18.2

死亡数(男)

資料:衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	6,138	6,047	6,202	6,317	6,256	6,358	6,385	6,498	7,046	7,363
結核	7	9	9	6	5	6	8	9	11	7
悪性新生物	2,045	1,996	2,076	2,001	1,994	1,989	2,100	1,984	2,001	2,039
胃	306	296	290	251	287	282	275	251	255	242
結腸	146	131	150	173	139	147	184	156	183	167
直腸S状結腸移行部	72	74	96	90	100	82	84	79	94	93
肝及び肝内胆管	167	165	163	141	124	125	139	125	121	128
気管、気管支及び肺	511	521	520	518	490	517	507	496	516	486
乳	1	0	2	2	1	2	2	1	1	3
子宮										
前立腺	85	82	86	93	105	88	89	104	89	124
糖尿病	48	58	62	63	81	63	69	75	83	105
高血圧性疾患	25	18	20	32	39	38	32	27	46	54
心疾患(高血圧性除く)	798	801	820	884	878	888	856	887	960	1,010
急性心筋梗塞	191	199	215	171	189	183	195	213	286	281
その他虚血性心疾患	129	122	101	123	148	119	120	144	116	133
脳血管疾患	541	498	551	493	545	491	472	512	519	536
くも膜下出血	46	33	43	48	47	50	36	48	37	40
脳内出血	154	145	148	139	163	156	137	177	154	154
脳梗塞	327	312	346	291	327	278	294	277	314	333
肺炎	647	667	613	526	428	479	405	375	394	391
肝疾患	71	80	75	101	80	90	81	86	78	104
腎不全	87	74	106	95	117	104	118	101	113	120
老衰	170	169	178	250	248	255	266	315	420	490
不慮の事故	261	257	260	236	230	226	213	223	234	262
交通事故	44	40	41	26	22	23	38	25	26	28
自殺	133	157	127	136	97	114	124	100	126	137

死亡率(男)人口10万対

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	1107.4	1091.2	1125.2	1149.9	1143.9	1168.7	1178.7	1205.3	1318.1	1389.8
結核	1.3	1.6	1.6	1.1	0.9	1.1	1.5	1.7	2.1	1.3
悪性新生物	368.9	360.2	376.6	364.3	364.6	365.6	387.7	368.0	374.3	384.9
胃	55.2	53.4	52.6	45.7	52.5	51.8	50.8	46.6	47.7	45.7
結腸	26.3	23.6	27.2	31.5	25.4	27.0	34.0	28.9	34.2	31.5
直腸S状結腸移行部	13.0	13.4	17.4	16.4	18.3	15.1	15.5	14.7	17.6	17.6
肝及び肝内胆管	30.1	29.8	29.6	25.7	22.7	23.0	25.7	23.2	22.6	24.2
気管、気管支及び肺	92.2	94.0	94.3	94.3	88.6	95.0	93.6	92.0	96.5	91.7
乳	0.2	0.0	0.4	0.4	0.2	0.4	0.4	0.2	0.2	0.6
子宮										
前立腺	15.3	14.8	15.6	16.9	19.2	16.2	16.4	19.3	16.6	23.4
糖尿病	8.7	10.5	11.2	11.5	14.8	11.6	12.7	13.9	15.5	19.8
高血圧性疾患	4.5	3.2	3.6	5.8	7.1	7.0	5.9	5.0	8.6	10.2
心疾患(高血圧性除く)	144.0	144.5	148.8	160.9	160.5	163.2	158.0	164.5	179.6	190.6
急性心筋梗塞	34.5	35.9	39.0	31.1	34.6	33.6	36.0	39.5	53.5	53.0
その他虚血性心疾患	23.3	22.0	18.3	22.4	27.1	21.9	22.2	26.7	21.7	25.1
脳血管疾患	97.6	89.9	100.0	89.7	99.7	90.2	87.1	95.0	97.1	101.2
くも膜下出血	8.3	6.0	7.8	8.7	8.6	9.2	6.6	8.9	6.9	7.6
脳内出血	27.8	26.2	26.9	25.3	28.8	28.7	25.3	32.8	28.8	29.1
脳梗塞	59.0	56.3	62.8	53.0	59.8	51.1	54.3	51.4	58.7	62.9
肺炎	116.7	120.4	111.2	95.8	78.3	88.0	74.8	69.6	73.7	73.8
肝疾患	12.8	14.4	13.6	18.4	14.6	16.5	15.0	16.0	14.6	19.6
腎不全	15.7	13.4	19.2	17.3	21.4	19.1	21.8	18.7	21.1	22.7
老衰	30.7	30.5	32.3	45.5	45.3	46.9	49.1	58.4	78.6	92.5
不慮の事故	47.1	46.4	47.2	43.0	42.1	41.5	39.3	41.4	43.8	49.5
交通事故	7.9	7.2	7.4	4.7	4.0	4.2	7.0	4.6	4.9	5.3
自殺	24.0	28.3	23.0	24.8	17.7	21.0	22.9	18.5	23.6	25.9

死亡数(女)

資料:衛生統計年報

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
死亡総数	6,052	6,233	6,220	6,410	6,467	6,542	6,336	6,716	7,270	7,383
結核	4	5	5	7	10	2	7	7	7	3
悪性新生物	1,490	1,487	1,441	1,576	1,536	1,536	1,525	1,525	1,586	1,527
胃	174	191	162	185	174	153	141	151	162	145
結腸	160	180	187	174	178	179	174	205	194	181
直腸S状結腸移行部	58	41	39	40	57	61	59	49	55	56
肝及び肝内胆管	97	92	111	83	66	72	76	77	71	71
気管・気管支及び肺	187	198	186	203	219	190	222	207	224	189
乳	121	126	122	132	146	133	117	136	145	139
子宮	57	62	54	57	63	45	55	52	50	56
前立腺										
糖尿病	65	46	50	48	53	63	56	67	73	68
高血圧性疾患	39	27	40	57	54	60	54	68	72	97
心疾患(高血圧性除く)	1,057	1,084	1,071	1,110	1,161	1,107	1,038	1,081	1,139	1,183
急性心筋梗塞	188	161	146	160	157	156	126	157	195	201
その他虚血性心疾患	98	125	124	106	111	98	103	113	104	105
脳血管疾患	649	634	588	615	590	555	541	605	562	555
くも膜下出血	62	79	80	88	90	62	52	70	68	72
脳内出血	126	136	138	135	137	115	131	160	140	136
脳梗塞	450	409	358	372	354	373	344	365	346	342
肺炎	525	566	499	403	344	358	286	280	266	266
肝疾患	43	58	46	60	59	48	53	69	53	48
腎不全	100	131	98	123	126	130	97	121	114	116
老衰	551	632	712	713	801	801	864	938	1,234	1,300
不慮の事故	191	179	189	168	180	155	156	166	155	168
交通事故	27	22	29	18	16	14	5	8	12	12
自殺	47	52	50	53	49	46	44	52	59	62

死亡率の分母に用いた人口、日本人人口（推計）

資料：衛生統計年報

総数

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
七尾市	54,280	54,905	54,079	53,111	52,276	51,367	49,618	48,751	47,667	46,614
羽咋市	21,933	21,662	21,372	21,043	20,649	20,344	20,262	19,881	19,501	19,085
志賀町	20,599	20,317	19,914	19,546	19,047	18,675	18,467	18,093	17,700	17,157
宝達志水町	13,116	13,069	12,795	12,554	12,348	12,104	11,948	11,698	11,406	11,137
中能登町	17,571	17,447	17,133	16,934	16,732	16,504	16,361	16,130	15,870	15,598
管内	127,499	127,400	125,293	123,188	121,052	118,994	116,656	114,553	112,144	109,591
石川県	1,144,795	1,144,626	1,138,540	1,133,851	1,127,759	1,120,707	1,117,364	1,110,734	1,101,229	1,090,748

男

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
七尾市	25,659	26,145	25,592	25,151	24,808	24,397	23,770	23,257	22,795	22,324
羽咋市	10,341	10,275	10,123	9,967	9,773	9,639	9,621	9,410	9,245	9,050
志賀町	9,718	9,639	9,426	9,246	9,026	8,834	8,836	8,659	8,484	8,245
宝達志水町	6,163	6,202	6,066	5,933	5,825	5,734	5,666	5,518	5,385	5,291
中能登町	8,419	8,413	8,255	8,154	8,049	7,941	7,925	7,795	7,684	7,588
管内	60,300	60,674	59,462	58,451	57,481	56,545	55,818	54,639	53,593	52,498
石川県	554,278	554,168	551,207	549,335	546,891	544,045	541,717	539,121	534,547	529,795

女

	H26	H27	H28	H29	H30	R1	R2	R3	R4	R5
七尾市	28,621	28,760	28,487	27,960	27,468	26,970	25,848	25,494	24,872	24,290
羽咋市	11,592	11,387	11,249	11,076	10,876	10,705	10,641	10,471	10,256	10,035
志賀町	10,881	10,678	10,488	10,300	10,021	9,841	9,631	9,434	9,216	8,912
宝達志水町	6,953	6,867	6,729	6,621	6,523	6,370	6,282	6,180	6,021	5,846
中能登町	9,152	9,034	8,878	8,780	8,683	8,563	8,436	8,335	8,186	8,010
管内	67,199	66,726	65,831	64,737	63,571	62,449	60,838	59,914	58,551	57,093
石川県	590,517	590,458	587,333	584,516	580,868	576,662	575,647	571,613	566,682	560,953

2)年齢調整死亡率

選択死因の市町別年齢調整死亡率(人口10万対:直接法) (令和4年)

注)基準人口 平成27年モデル人口(平成27年国勢調査人口を基に補正した人口)を使用

資料:衛生統計年報

(総数)

市 町	死亡総数	結 核	悪性 新生物				糖 尿 病	高血圧性 疾患	心 疾 患	脳血管 疾患	大動脈瘤 及び解離	肺 炎	慢性閉塞 性肺疾患	喘 息	肝 疾 患	腎 不 全	老 衰	不慮の 事故		自 殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺													交通事故	
七尾市	1,059.0	1.2	255.1	25.9	10.9	48.3	9.9	18.1	182.7	70.4	6.6	33.6	11.1	0.0	19.9	15.3	70.9	37.3	8.5	11.8
羽咋市	1,086.7	0.0	270.6	32.5	2.4	53.8	15.3	29.3	131.4	72.1	8.6	84.1	1.8	0.0	11.2	12.4	144.5	42.7	5.3	8.4
志賀町	1,160.0	0.0	280.4	41.8	7.9	46.0	22.0	24.2	143.5	71.6	18.5	48.4	13.5	4.3	3.1	23.6	97.8	38.6	6.2	37.9
宝達志水町	1,036.9	0.0	251.0	55.5	14.1	56.8	4.8	24.6	186.9	128.2	0.0	20.2	37.1	0.0	12.5	3.1	66.9	33.2	0.0	9.9
中能登町	1,131.7	0.0	326.3	39.2	4.5	66.7	14.6	14.7	166.6	120.3	15.3	29.8	3.8	0.0	6.1	14.9	103.4	36.2	3.8	40.6
管内	1,085.6	0.5	271.6	34.4	8.3	52.4	13.0	21.4	164.5	82.9	9.4	42.9	11.6	0.7	13.0	15.0	91.5	38.0	6.1	18.6
石川県	1,030.9	0.7	269.5	28.3	14.7	50.9	12.8	10.2	148.1	76.1	13.2	44.2	9.2	1.1	12.4	16.4	105.7	31.5	3.2	18.5

*人口は、各年次の10月1日現在。

(男)

市 町	死亡総数	結 核	悪性 新生物				糖 尿 病	高血圧性 疾患	心 疾 患	脳血管 疾患	大動脈瘤 及び解離	肺 炎	慢性閉塞 性肺疾患	喘 息	肝 疾 患	腎 不 全	老 衰	不慮の 事故		自 殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺													交通事故	
七尾市	1,511.2	0.0	374.4	47.1	12.6	93.8	16.1	15.3	249.6	111.8	8.2	57.5	30.6	0.0	32.7	22.3	68.8	65.3	14.6	16.6
羽咋市	1,591.5	0.0	411.3	58.4	0.0	90.8	19.9	31.1	159.5	101.3	15.4	199.4	13.5	0.0	8.5	6.9	136.4	60.0	0.0	23.4
志賀町	1,527.1	0.0	380.4	61.8	9.9	92.3	52.5	39.3	207.7	83.2	6.9	53.1	39.8	8.5	6.9	20.6	72.0	74.3	13.5	42.1
宝達志水町	1,449.9	0.0	366.5	76.4	0.0	145.0	13.7	43.7	175.3	110.2	0.0	57.1	95.9	0.0	47.2	0.0	58.2	38.3	0.0	20.5
中能登町	1,700.4	0.0	438.2	50.2	9.2	124.1	32.6	23.2	291.9	123.3	18.9	59.9	9.7	0.0	12.7	0.0	118.4	55.7	9.2	48.5
管内	1,525.1	0.0	385.3	54.9	8.2	99.9	25.6	25.6	221.5	108.1	10.0	76.8	32.7	1.7	22.8	14.1	82.7	61.8	9.7	25.6
石川県	1,442.0	1.4	384.4	45.2	24.3	90.2	20.7	10.9	200.2	103.1	18.0	78.0	21.4	1.2	20.3	23.2	106.8	50.9	5.1	26.9

*人口は、各年次の10月1日現在。

(女)

市 町	死亡総数	結 核	悪性 新生物				糖 尿 病	高血圧性 疾患	心 疾 患	脳血管 疾患	大動脈瘤 及び解離	肺 炎	慢性閉塞 性肺疾患	喘 息	肝 疾 患	腎 不 全	老 衰	不慮の 事故		自 殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺													交通事故	
七尾市	742.9	1.9	179.0	14.3	8.1	16.4	5.1	17.7	131.9	39.8	5.1	21.1	0.0	0.0	6.5	10.1	72.0	17.9	4.7	7.4
羽咋市	813.4	0.0	211.4	23.2	3.0	30.0	10.9	20.6	119.1	47.3	4.8	34.3	0.0	0.0	15.8	12.7	142.5	29.2	7.5	0.0
志賀町	887.7	0.0	203.3	29.9	5.5	9.4	0.0	17.3	86.6	57.5	28.3	49.3	0.0	2.3	0.0	25.2	103.6	16.6	0.0	25.6
宝達志水町	810.2	0.0	178.2	42.2	20.6	0.0	0.0	13.2	195.6	129.5	0.0	10.9	13.2	0.0	0.0	3.5	59.8	22.0	0.0	0.0
中能登町	828.3	0.0	271.5	36.6	0.0	37.6	6.2	6.2	104.0	99.1	10.6	23.6	0.0	0.0	0.0	24.0	95.6	25.7	0.0	31.4
管内	795.7	0.8	201.5	23.8	6.9	19.1	4.7	16.2	123.9	60.5	9.0	27.7	1.3	0.4	5.3	14.4	91.5	21.0	3.2	12.0
石川県	760.1	0.3	192.6	17.5	8.2	22.8	7.3	9.1	112.5	57.0	10.0	25.8	2.2	1.1	5.9	11.6	103.8	19.1	1.6	10.9

*人口は、各年次の10月1日現在。

2) 年齢調整死亡率(単年)

七尾市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	397.3	0.4	143.3	19.4			9.9		20.8			2.7	2.9	50.4	18.1	41.8	10.1	25.4	3.8	0.2	5.7	4.3	11.7	20.5	7.9	15.2
H27	411.6	-	146.5	20.1			8.4		31.1			8.0	1.6	56.2	19.0	36.2	5.2	25.1	0.6	0.6	5.5	4.1	13.4	24.3	4.2	24.8
H28	354.9	0.4	114.8	22.2			4.0		23.4			4.0	0.7	44.2	9.6	37.9	2.5	26.3	1.9	0.8	4.7	5.5	15.6	17.5	0.2	17.4
H29	399.8	0.2	153.4	12.9	13.4	6.2	9.6	10.0	33.6	6.6	11.2	2.1	3.4	55.2	12.2	27.5	5.6	16.6	5.5	0.2	4.6	3.3	17.4	11.3	-	22.0
H30	348.2	0.5	118.9	14.3	7.5	5.7	6.7	9.5	32.6	5.3	2.4	6.4	2.6	53.4	14.4	29.7	4.4	8.9	4.1	0.2	2.5	3.9	12.3	17.2	0.8	19.0
R1	348.3	-	117.1	16.0	8.1	7.8	4.7	9.3	18.6	11.8	2.9	2.7	1.7	48.1	11.2	28.2	3.1	8.8	2.8	-	9.1	8.4	14.3	18.2	1.0	16.5
R2	1,003.5	-	305.4	21.2	25.9	13.3	14.4	33.9	66.7	11.5	6.4	20.2	8.6	143.9	45.5	95.1	13.4	36.2	2.4	1.4	11.7	16.5	75.0	23.0	3.6	13.5
R3	1,056.4	0.8	292.1	41.7	38.2	10.4	17.1	23.0	55.2	16.0	3.9	10.9	8.3	158.1	61.6	105.7	18.6	33.0	11.3	-	22.3	13.5	66.5	38.0	4.6	9.4
R4	1,000.0	1.3	285.9	41.8	33.1	8.8	11.1	24.8	67.7	16.5	3.5	16.7	11.6	152.7	37.0	84.6	16.5	34.6	5.2	-	13.4	13.7	87.3	29.9	4.7	3.3
R5	1,059.0	1.2	255.1	25.9	20.4	12.1	10.9	22.7	48.3	9.3	2.5	9.9	18.1	182.7	44.9	70.4	6.6	33.6	11.1	-	19.9	15.3	70.9	37.3	8.5	11.8

2) 年齢調整死亡率(単年)

七尾市(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	542.9	1.1	177.3	28.7			15.9		29.5		4.9	4.9	66.3	28.5	51.1	11.4	43.5	8.1	-	10.0	5.2	9.4	34.3	13.0	28.5
H27	538.6	-	182.2	29.7			15.0		52.0		8.6	0.7	76.3	31.9	39.4	4.8	45.4	1.3	0.0	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	-	183.4	37.8			7.4		43.9		7.5	0.7	64.8	16.9	65.4	2.0	38.9	4.3	1.1	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	-	188.9	19.6	15.6	10.8	15.8	15.9	49.2	-	-	3.4	69.1	17.1	37.4	4.6	24.3	8.5	-	4.6	2.8	15.9	20.0	-	44.3
H30	472.6	0.6	155.1	22.8	8.9	4.0	10.8	8.8	54.9	-	10.9	3.0	72.7	25.6	35.2	5.9	15.0	8.3	-	4.3	5.1	10.4	24.1	-	30.3
R1	430.4	-	143.5	25.6	10.9	7.1	6.5	8.8	37.5	-	4.1	1.8	65.5	14.5	44.0	4.2	13.2	6.8	-	11.2	7.0	12.8	13.1	1.7	20.8
R2	1,384.1	-	452.7	41.9	34.0	28.8	23.8	47.6	109.0	-	36.0	3.6	197.7	71.8	106.3	24.7	85.7	3.9	3.1	20.3	20.5	56.6	35.2	7.1	26.8
R3	1,393.7	-	401.1	61.2	35.2	10.9	33.4	39.5	96.8	-	9.8	11.1	205.1	100.3	146.1	17.0	47.5	31.3	-	19.7	18.2	55.6	48.9	3.7	19.0
R4	1,330.3	-	406.6	51.3	49.1	18.1	16.8	24.5	114.0	-	19.5	13.9	179.9	53.5	91.6	27.9	64.4	12.0	-	24.3	24.0	82.2	46.3	3.2	6.4
R5	1,511.2	-	374.4	47.1	15.6	20.1	12.6	25.9	93.8	-	16.1	15.3	249.6	60.8	111.8	8.2	57.5	30.6	-	32.7	22.3	68.8	65.3	14.6	16.6

2) 年齢調整死亡率(単年)

七尾市(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	287.5	-	122.1	12.8			5.4		15.4			0.6	1.6	35.2	8.3	37.1	8.6	13.7	0.6	0.3	1.7	3.6	12.5	10.2	3.6	1.7
H27	310.8	-	120.5	12.8			2.7		15.7			7.7	2.1	35.8	7.0	33.3	5.5	12.0	0.3	1.1	3.6	2.5	14.1	19.9	1.1	7.6
H28	226.8	0.6	64.0	9.9			2.0		7.3			1.4	0.8	26.3	3.2	17.0	2.7	19.8	0.9	0.5	5.1	2.9	16.2	8.4	-	16.6
H29	298.8	0.3	125.9	7.0	11.1	2.5	5.2	4.6	20.8	12.9	21.9	3.6	3.3	40.3	6.9	21.8	6.3	11.3	3.6	0.3	4.4	3.5	17.6	4.2	-	-
H30	246.5	0.5	90.7	7.6	6.3	7.1	2.7	9.8	14.4	10.2	4.6	2.3	1.7	38.3	5.8	24.3	2.9	4.6	1.4	0.2	0.5	3.3	13.2	13.3	1.2	7.6
R1	293.7	-	102.2	8.6	6.3	9.0	2.8	10.1	4.0	22.9	5.9	1.5	1.7	35.0	9.0	14.0	2.4	5.3	-	-	7.4	9.5	14.6	24.4	0.2	12.0
R2	717.1	-	191.2	6.3	19.3	-	7.4	21.3	36.1	19.2	12.3	9.1	9.9	103.5	25.9	87.4	5.7	12.2	2.6	-	4.6	12.8	80.7	11.1	-	-
R3	822.1	1.0	216.6	25.4	41.0	12.9	7.5	7.7	26.8	27.9	7.3	11.4	6.8	121.6	32.6	74.6	19.2	26.8	-	-	23.2	11.4	70.7	29.6	4.7	-
R4	775.7	2.4	204.4	36.0	18.1	2.3	6.9	24.1	34.7	28.9	6.2	14.5	10.2	129.4	26.7	81.5	8.8	18.6	-	-	3.3	9.8	89.6	21.5	6.1	1.0
R5	742.9	1.9	179.0	14.3	24.4	6.3	8.1	22.7	16.4	17.1	4.1	5.1	17.7	131.9	28.2	39.8	5.1	21.1	-	-	6.5	10.1	72.0	17.9	4.7	7.4

2) 年齢調整死亡率(単年)

羽咋市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部及 び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通	自殺
																									事故	
H26	345.6	－	122.9	12.5			5.3		30.3			1.4	1.5	35.8	17.1	34.4	5.6	32.0	1.4	－	5.0	6.9	16.7	14.5	0.9	2.8
H27	310.9	－	110.7	18.2			2.9		30.5			0.5	－	53.3	27.6	37.5	12.4	20.2	－	－	1.7	4.3	21.6	8.6	0.5	3.8
H28	320.9	－	108.0	14.2			8.0		25.0			0.4	－	60.7	13.4	27.1	2.4	12.2	2.1	0.4	12.1	2.1	12.8	14.6	0.9	31.9
H29	318.7	－	95.1	8.0	10.3	0.4	2.7	14.0	17.3	9.2	0.4	6.7	1.0	61.5	32.1	24.5	3.2	11.9	3.0	－	5.0	10.7	14.1	11.7	1.8	3.4
H30	337.3	－	119.6	23.1	7.0	5.8	5.7	12.4	15.0	6.0	3.5	6.2	－	35.9	11.1	35.9	0.8	14.9	4.0	1.3	6.9	3.7	18.3	15.1	－	7.5
R1	314.8	－	119.3	14.6	6.2	5.3	4.5	7.0	20.3	17.5	2.9	3.3	1.0	25.3	10.3	31.8	1.7	12.0	1.7	－	3.5	2.9	14.9	6.0	1.0	28.1
R2	1,028.5	－	270.5	33.0	25.9	8.0	13.3	31.4	35.5	18.2	4.3	10.7	8.5	190.5	60.5	70.4	17.9	59.7	16.9	－	8.9	12.9	77.4	42.0	8.2	19.6
R3	966.4	2.7	285.8	39.0	28.6	13.4	28.8	21.6	51.2	15.6	1.8	17.4	4.1	117.1	62.5	93.8	12.2	31.3	16.0	2.7	17.8	8.1	107.0	17.3	－	20.5
R4	1,107.4	4.4	279.6	43.0	22.5	13.8	5.3	19.9	68.6	14.8	－	13.1	1.8	185.0	44.3	93.8	12.0	68.8	12.5	－	10.5	11.1	84.2	35.4	6.0	38.4
R5	1,086.7	－	270.6	32.5	13.2	16.0	2.4	12.8	53.8	8.6	6.8	15.3	29.3	131.4	59.7	72.1	8.6	84.1	1.8	－	11.2	12.4	144.5	42.7	5.3	8.4

2) 年齢調整死亡率(単年)

羽咋市(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~ 平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	463.8	-	148.3	23.6			7.0		48.7		2.6	-	47.8	25.9	42.0	2.6	51.2	2.6	-	10.0	11.0	22.7	17.4	2.6	2.6
H27	392.9	-	141.0	22.8			6.1		40.3		-	-	63.9	40.6	42.9	22.8	32.9	-	-	3.6	4.3	21.5	10.4	-	5.0
H28	469.1	-	154.9	21.6			14.2		45.0		-	-	81.7	13.0	39.7	3.3	17.5	4.8	1.5	22.0	3.3	13.8	17.4	-	66.5
H29	449.0	-	101.9	12.1	15.5	1.5	6.1	20.0	32.7	1.5	15.7	2.6	92.5	55.1	41.8	6.7	27.9	5.2	-	11.4	12.1	16.2	14.3	-	3.6
H30	494.0	-	161.7	36.0	10.9	12.6	7.0	20.7	23.3	-	13.0	-	44.8	15.7	52.3	1.5	23.8	13.1	-	12.9	7.6	13.1	29.1	-	9.2
R1	421.4	-	155.2	28.1	2.5	5.4	5.2	12.4	44.9	-	7.0	-	30.3	17.2	48.1	2.7	20.9	6.2	-	4.5	4.3	21.0	5.6	-	40.8
R2	1,657.0	-	395.0	60.0	58.8	7.7	32.2	14.7	68.8	-	21.4	19.0	332.9	112.1	110.4	14.0	69.8	51.0	-	17.0	25.5	70.7	83.5	16.2	30.7
R3	1,460.4	8.4	455.9	87.1	20.8	31.5	50.8	23.1	93.8	-	24.8	9.1	185.0	107.5	97.0	26.0	59.2	48.7	8.4	20.0	9.1	169.8	-	-	28.9
R4	1,691.4	9.5	456.3	80.5	21.8	21.8	16.2	39.7	119.0	-	22.4	161.1	292.6	73.1	135.3	15.1	141.1	34.3	-	20.2	-	91.9	83.6	6.5	80.0
R5	1,591.5	-	411.3	58.4	27.3	17.4	-	23.0	90.8	-	19.9	31.1	159.5	85.8	101.3	15.4	199.4	13.5	-	8.5	6.9	136.4	60.0	-	23.4

2) 年齢調整死亡率(単年)

羽咋市(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	270.5	-	112.0	5.4			4.4		16.5			0.7	2.2	27.3	11.4	29.8	8.8	20.3	0.7	-	0.7	2.9	13.7	12.3	-	3.7
H27	254.7	-	93.4	16.2			0.7		24.4			0.7	-	41.6	15.0	32.9	3.8	12.4	-	-	-	4.7	21.1	7.3	0.7	3.1
H28	202.5	-	74.3	11.3			2.2		9.2			0.6	-	43.2	16.2	17.2	1.3	8.7	-	-	3.2	0.6	11.8	11.6	1.3	-
H29	233.0	-	97.3	6.0	6.6	-	0.6	8.4	4.5	17.6	0.6	-	-	37.0	13.7	10.6	-	4.1	1.7	-	-	12.8	13.4	12.2	3.5	3.0
H30	220.8	-	86.6	12.1	3.4	-	5.2	4.5	9.4	11.8	6.3	-	-	29.5	7.5	24.8	0.6	11.5	-	2.4	0.6	0.6	20.4	2.9	-	5.8
R1	231.5	-	97.7	3.4	9.7	5.1	3.9	2.3	0.6	36.9	5.1	0.6	1.7	19.0	4.0	17.1	0.6	6.3	-	-	2.8	1.7	12.2	6.3	1.7	13.8
R2	659.8	-	186.2	8.7	10.5	8.0	-	44.7	11.8	36.4	8.3	3.2	-	125.6	26.2	42.4	20.2	49.4	-	-	5.8	6.1	76.5	18.3	-	8.3
R3	680.2	-	167.1	15.4	31.6	-	13.5	17.5	14.8	26.3	2.1	13.1	2.1	70.2	31.7	88.5	8.8	18.9	-	-	15.7	7.2	95.4	27.3	-	11.6
R4	792.4	2.8	163.3	17.0	23.5	6.4	-	5.2	27.7	29.6	-	7.2	-	128.5	18.1	85.9	10.4	33.7	2.8	-	2.0	17.6	89.8	10.8	4.4	-
R5	813.4	-	211.4	23.2	9.5	12.4	3.0	3.0	30.0	14.2	11.5	10.9	20.6	119.1	41.9	47.3	4.8	34.3	-	-	15.8	12.7	142.5	29.2	7.5	-

2) 年齢調整死亡率(単年)

志賀町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部 及び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	366.3	-	136.4	14.7			3.7		29.7			2.2	0.5	37.5	16.0	43.7	2.3	38.3	2.7	-	11.1	3.2	6.0	11.0	1.8	7.4
H27	301.1	-	110.0	11.3			7.7		23.6			1.6	0.4	31.7	9.0	27.3	4.3	38.8	0.4	-	4.8	4.4	14.9	8.5	3.4	6.4
H28	351.8	-	125.8	7.3			17.2		15.2			6.3	-	44.9	13.7	23.0	5.0	19.1	1.7	-	1.6	6.5	16.3	20.0	3.1	4.1
H29	324.7	0.4	87.7	11.0	7.4	7.9	4.7	9.5	25.1	-	0.4	1.8	-	47.9	20.9	25.7	1.2	18.3	4.3	1.4	3.6	1.2	20.1	34.0	16.9	6.4
H30	331.2	0.4	108.2	10.9	8.8	2.7	3.6	13.6	20.3	6.2	5.6	0.4	2.8	67.6	23.9	32.8	4.9	10.6	2.4	-	4.8	5.8	22.0	6.3	0.4	11.9
R1	303.1	0.4	100.0	9.6	8.7	1.8	4.6	10.5	24.2	6.4	-	1.4	0.9	39.4	11.6	24.9	1.3	20.2	3.5	-	6.9	2.0	19.9	10.7	2.3	12.5
R2	910.8	-	256.5	37.2	24.3	17.9	8.7	31.4	49.0	14.1	-	5.2	11.1	129.2	32.8	79.6	4.5	47.6	6.9	-	6.1	9.4	62.6	46.5	11.1	15.5
R3	896.3	-	222.0	36.0	21.7	-	13.4	43.3	35.7	9.2	-	12.5	5.2	165.3	42.6	64.9	13.6	28.8	7.7	-	14.2	10.7	59.6	20.0	5.0	14.2
R4	993.7	1.9	196.5	22.5	7.0	3.0	3.0	27.5	52.4	5.6	6.1	5.4	4.9	169.5	52.0	78.7	19.7	85.3	2.5	2.4	-	15.6	94.7	49.5	7.1	20.2
R5	1160.0	-	280.4	41.8	21.6	8.0	7.9	33.3	46.0	16.4	3.2	22.0	24.2	143.5	56.9	71.6	18.5	48.4	13.5	4.3	3.1	23.6	97.8	38.6	6.2	37.9

2) 年齢調整死亡率(単年)

志賀町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	485.8	-	194.9	29.5			3.9		59.5		-	-	54.5	20.6	46.1	5.7	53.4	6.8	-	16.1	7.7	5.5	18.0	3.1	15.9
H27	414.8	-	193.4	19.2			17.3		39.6		3.2	-	34.6	9.3	27.3	6.9	38.2	1.7	-	7.3	5.6	7.8	13.5	5.0	-
H28	465.2	-	162.0	6.2			21.5		29.3		12.1	-	55.8	17.5	35.8	10.7	32.2	5.2	-	3.2	11.4	10.5	33.6	3.2	8.6
H29	479.7	-	154.9	19.3	16.2	16.0	5.0	20.6	43.0	-	3.0	-	73.4	34.5	31.1	3.0	25.9	11.9	3.0	5.6	1.5	26.7	32.8	3.0	11.8
H30	472.8	-	154.4	24.3	5.9	5.3	7.5	17.8	41.9	-	-	5.4	103.5	36.4	56.1	3.7	17.0	2.9	-	3.2	10.6	14.7	5.9	-	12.6
R1	400.8	-	148.2	16.6	14.1	3.1	5.9	10.8	45.1	-	2.9	2.2	39.3	13.8	33.6	2.2	36.5	8.2	-	12.2	1.4	14.7	9.7	3.1	4.1
R2	1257.2	-	375.5	56.3	55.6	26.8	15.4	39.0	100.0	-	7.9	8.7	138.3	49.6	92.7	-	100.4	23.5	-	7.9	21.1	41.7	62.0	12.8	33.9
R3	1233.4	-	252.1	48.6	25.6	-	22.5	37.2	60.6	-	29.6	7.8	209.4	78.2	98.6	28.4	36.3	7.8	-	23.2	7.8	32.7	38.1	17.1	30.8
R4	1349.1	14.7	299.7	44.6	9.4	6.2	7.0	20.8	103.4	-	7.0	7.6	232.4	81.8	130.3	32.4	154.5	7.6	-	-	22.4	46.2	69.5	-	29.8
R5	1527.1	-	380.4	61.8	24.9	-	9.9	32.2	92.3	-	52.5	39.3	207.7	97.8	83.2	6.9	53.1	39.8	8.5	6.9	20.6	72.0	74.3	13.5	42.1

2)年齢調整死亡率(単年)

志賀町(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	291.1	-	96.6	3.1			3.5		6.0			3.5	0.6	24.3	11.9	47.5	-	27.9	0.6	-	6.6	1.2	6.2	4.8	0.6	-
H27	204.9	-	40.4	7.7			-		8.9			-	0.6	27.1	7.4	28.4	2.1	39.9	-	-	2.5	3.2	17.0	4.4	2.1	13.9
H28	270.4	-	104.8	8.9			14.2		5.1			0.6	-	33.0	8.9	12.5	0.6	11.2	-	-	-	3.7	18.0	8.3	3.1	-
H29	208.9	0.6	31.2	3.7	-	0.6	4.7	0.6	10.0	-	0.6	0.6	-	24.8	6.9	23.0	0.6	13.3	-	-	1.4	1.1	15.6	41.5	34.1	-
H30	224.5	0.6	78.8	-	11.9	0.6	0.6	10.7	4.0	12.5	10.6	0.6	0.6	33.4	12.5	14.3	6.4	7.4	2.2	-	6.1	2.6	25.2	7.3	0.6	10.8
R1	232.6	0.6	62.5	4.2	3.8	0.6	4.4	10.0	8.7	12.5	-	-	-	43.2	9.8	17.7	0.6	8.2	0.6	-	1.1	2.2	22.4	12.1	1.6	21.3
R2	710.0	-	183.1	20.7	3.3	8.2	5.1	22.7	20.8	25.4	-	3.3	9.4	105.9	12.6	69.7	6.1	23.8	4.1	-	6.2	6.1	71.0	32.5	8.0	-
R3	729.6	-	207.4	26.4	14.4	-	6.4	48.8	24.2	18.4	-	-	3.8	130.0	18.2	45.6	5.3	32.1	7.7	-	5.3	12.3	67.1	10.6	-	-
R4	747.8	-	107.4	8.7	3.7	-	-	31.9	8.7	9.5	11.2	3.3	3.3	119.8	22.5	46.9	17.8	60.2	-	3.3	-	11.9	104.9	35.7	14.5	11.5
R5	887.7	-	203.3	29.9	15.1	13.7	5.5	38.5	9.4	29.4	6.1	-	17.3	86.6	23.1	57.5	28.3	49.3	-	2.3	-	25.2	103.6	16.6	-	25.6

2) 年齢調整死亡率(単年)

宝達志水町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部 及び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
H26	319.9	-	98.3	7.4			6.5		23.7			10.8	3.0	57.9	26.0	30.9	3.2	19.7	0.8	-	9.1	5.9	23.7	10.9	5.9	1.7
H27	301.8	-	126.6	19.6			11.7		23.4			-	0.8	39.7	23.1	17.2	4.3	4.0	0.8	-	6.5	2.4	24.3	12.9	-	6.0
H28	418.4	-	137.1	18.7			17.3		11.4			3.9	0.8	56.3	26.8	27.3	3.9	15.5	5.7	-	8.3	0.8	15.9	11.9	1.5	53.5
H29	324.0	0.7	124.7	13.1	2.5	-	10.2	8.3	33.7	8.5	-	-	-	63.1	26.2	15.1	10.7	14.5	3.1	-	-	-	13.7	7.9	-	-
H30	264.0	-	88.6	8.7	3.9	2.4	19.2	4.9	16.9	-	-	5.8	0.8	31.2	8.6	29.6	0.8	12.8	1.5	-	2.5	4.5	18.2	2.3	-	10.9
R1	318.2	-	102.3	2.3	6.2	0.8	5.7	19.2	10.5	2.5	2.3	6.5	0.8	45.4	29.0	6.8	0.8	19.9	0.8	-	7.2	5.5	9.8	13.1	-	13.1
R2	997.5	-	342.8	26.3	16.1	5.7	19.3	39.1	72.1	19.3	5.6	9.2	4.4	101.4	24.7	93.1	14.6	50.3	4.9	-	13.2	10.4	71.7	44.7	7.5	10.4
R3	924.6	-	270.2	32.5	46.0	5.9	14.0	26.8	40.7	7.7	4.0	5.2	8.1	139.1	63.1	66.5	15.8	26.1	15.8	-	10.5	23.1	87.1	24.0	-	4.0
R4	1197.3	-	393.6	39.5	27.8	-	22.6	50.5	88.7	42.8	15.8	13.2	18.7	113.0	68.1	103.4	25.6	51.8	4.9	-	4.9	14.1	91.3	38.8	-	27.4
R5	1036.9	-	251.0	55.5	32.0	11.0	14.1	17.7	56.8	-	4.6	4.8	24.6	186.9	56.8	128.2	-	20.2	37.1	-	12.5	3.1	66.9	33.2	-	9.9

宝達志水町(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	434.0	-	148.3	10.4			3.5		52.4		-	6.0	77.5	50.8	33.5	6.9	28.6	3.5	-	19.1	3.5	25.5	-	-	
H27	407.5	-	177.8	20.5			13.8		43.5		-	-	47.1	33.3	22.5	5.3	-	-	-	-	3.2	19.2	28.3	-	13.5
H28	596.9	-	205.2	24.5			29.9		22.1		2.9	-	89.4	47.6	56.5	-	27.3	15.5	-	15.9	2.9	2.9	15.5	2.9	87.0
H29	513.8	-	205.8	20.9	7.0	-	22.5	10.6	64.0	-	-	-	117.6	45.8	12.5	20.9	25.4	2.7	-	-	-	7.0	22.3	-	-
H30	372.5	-	121.7	19.9	-	-	26.8	9.8	33.4	-	13.1	-	32.8	15.7	50.6	-	15.3	5.5	-	7.2	2.8	13.8	5.5	-	21.7
R1	448.0	-	133.5	5.0	7.2	-	8.9	33.7	24.2	-	4.3	-	67.6	50.0	5.3	-	30.5	-	-	9.9	7.6	7.9	24.8	-	25.6
R2	1,329.9	-	432.5	13.5	36.3	-	35.7	27.6	131.1	-	9.6	-	101.8	20.6	124.9	13.5	99.2	14.9	-	14.9	9.6	77.3	89.2	14.9	9.6
R3	1,389.5	-	405.6	60.3	92.2	-	22.5	15.3	89.5	-	-	-	212.6	99.8	141.6	12.5	43.2	28.1	-	-	60.9	99.3	33.1	-	19.6
R4	1,453.3	-	407.8	41.7	-	-	38.4	23.6	164.2	-	11.3	12.3	178.0	110.5	58.0	58.9	54.7	13.7	-	13.7	20.6	94.7	39.8	-	53.2
R5	1,449.9	-	366.5	76.4	56.7	11.8	-	-	145.0	-	13.7	43.7	175.3	66.2	110.2	-	57.1	95.9	-	47.2	-	58.2	38.3	-	20.5

宝達志水町(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	236.1	-	63.3	4.9			10.1		3.8			19.7	-	42.0	6.0	27.9	-	13.3	-	-	-	7.6	22.9	19.5	11.5	2.7
H27	206.6	-	84.1	22.8			10.3		6.6			-	1.1	26.9	12.4	14.9	2.7	6.0	1.1	-	12.4	2.1	28.3	2.1	-	-
H28	262.6	-	78.4	13.2			6.0		4.0			5.4	1.0	24.2	6.0	5.1	7.2	5.0	-	-	-	-	20.4	9.4	1.0	16.4
H29	170.0	1.0	64.0	7.4	-	-	1.0	6.6	8.2	15.9	-	-	-	18.9	11.9	16.9	1.0	7.2	4.3	-	-	-	15.5	1.0	-	-
H30	190.2	-	71.8	3.1	6.5	4.4	13.6	1.0	8.2	-	-	-	1.0	29.2	3.1	14.2	1.0	11.7	-	-	-	5.2	19.8	1.0	-	1.0
R1	202.0	-	78.5	-	4.9	1.1	2.8	6.6	-	3.9	4.5	8.2	1.1	22.2	6.0	7.4	1.1	14.1	1.1	-	5.3	3.9	10.5	2.1	-	-
R2	767.5	-	296.0	36.0	5.7	9.7	3.9	46.2	39.5	36.4	10.1	5.7	5.7	88.9	26.5	77.5	16.8	18.6	-	-	9.7	9.7	66.5	13.5	-	10.1
R3	660.3	-	193.7	7.9	19.7	11.3	5.0	34.9	14.3	14.3	5.0	7.9	11.3	101.1	37.7	20.6	16.8	11.8	7.9	-	15.9	-	78.6	29.4	-	-
R4	1,046.0	-	387.9	27.1	46.2	-	8.7	70.6	41.8	78.7	30.6	12.9	23.6	79.9	37.6	118.3	9.2	43.7	-	-	-	15.3	87.7	37.0	-	-
R5	810.2	-	178.2	42.2	22.6	10.4	20.6	29.1	-	-	9.1	-	13.2	195.6	45.5	129.5	-	10.9	13.2	-	-	3.5	59.8	22.0	-	-

2)年齢調整死亡率(単年)

中能登町(総数)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部 及び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
H26	390.9	0.7	121.8	35.8			1.9		11.6			3.6	0.7	65.6	16.8	36.8	4.9	18.6	3.7	9.5	11.8	0.7	22.4	15.4	2.3	24.6
H27	379.7	0.6	106.9	34.2			13.7		10.0			7.8	2.6	49.0	12.4	25.1	1.3	24.5	2.6	-	4.1	1.9	18.5	16.9	3.5	23.9
H28	385.7	-	141.0	13.8			2.5		25.4			5.5	-	42.9	12.0	34.4	6.7	23.8	3.1	-	10.4	3.8	16.9	16.6	8.6	18.2
H29	349.0	-	105.2	20.0	6.9	2.9	1.8	16.0	16.7	-	1.2	7.1	3.7	32.2	4.1	40.9	1.8	14.5	7.3	1.2	7.7	3.5	16.4	17.3	6.8	34.9
H30	342.6	-	123.5	11.6	13.4	8.4	7.1	13.6	29.3	8.3	0.6	7.4	0.6	57.2	11.8	32.2	5.6	4.7	3.0	-	6.9	3.0	13.2	29.5	10.7	7.9
R1	369.6	-	140.2	22.8	10.8	3.8	6.6	32.6	10.3	3.6	1.9	1.1	1.9	47.6	7.0	31.6	4.9	10.7	0.6	0.6	9.0	7.5	10.4	18.1	-	9.9
R2	1102.5	-	294.3	55.9	34.9	11.7	17.8	30.1	35.3	16.1	9.7	3.5	9.4	161.5	30.3	84.2	7.8	62.4	10.3	-	30.9	11.1	81.2	30.4	4.0	9.3
R3	1096.0	-	263.1	53.2	26.8	-	8.3	39.3	33.5	-	10.0	10.7	10.3	163.6	41.6	165.9	15.2	50.6	4.6	3.7	8.0	18.5	89.7	45.7	-	24.4
R4	972.2	-	293.6	30.9	59.9	25.3	19.0	7.8	39.6	4.1	8.3	4.1	2.6	145.3	24.1	64.0	10.3	45.4	18.8	-	10.5	11.5	86.8	25.2	7.6	9.8
R5	1131.7	-	326.3	39.2	14.3	8.3	4.5	28.7	66.7	3.3	13.8	14.6	14.7	166.6	13.7	120.3	15.3	29.8	3.8	-	6.1	14.9	103.4	36.2	3.8	40.6

2) 年齢調整死亡率(単年)

中能登町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	532.2	2.5	147.9	56.6			5.8		24.9		5.0	-	95.7	22.3	43.8	7.4	28.3	9.9	17.7	21.7	-	20.9	13.3	-	47.7
H27	490.7	2.3	139.3	42.9			18.8		23.9		-	5.6	61.5	18.1	42.9	-	29.6	4.5	-	3.4	2.3	14.9	28.7	-	38.5
H28	565.6	-	200.9	20.8			3.3		44.8		4.4	-	65.4	22.9	61.2	5.2	38.3	8.3	-	14.7	8.3	15.4	31.6	16.9	32.4
H29	473.2	-	111.8	19.9	9.2	2.2	-	18.6	22.9	-	12.6	7.4	47.9	4.5	45.8	4.5	26.5	16.8	4.5	12.4	2.2	11.2	18.1	-	56.0
H30	499.7	-	170.8	18.3	9.0	17.9	14.6	21.6	36.3	-	9.7	-	104.2	25.8	41.3	10.1	6.3	7.2	-	10.2	2.1	8.4	44.7	21.4	15.7
R1	492.7	-	174.3	30.3	16.3	-	5.5	38.3	22.6	-	-	3.0	79.3	13.4	47.8	9.7	17.8	2.0	-	16.9	17.3	9.9	21.4	-	7.7
R2	1,497.0	-	392.3	78.2	46.5	17.3	14.7	21.5	60.4	-	-	12.7	199.9	45.9	123.8	11.4	111.1	30.8	-	32.9	-	47.1	43.2	9.7	11.0
R3	1,406.7	-	323.4	74.2	32.6	-	-	40.3	71.3	-	14.5	10.6	300.0	63.0	196.1	9.1	53.7	10.5	-	10.5	21.2	53.2	78.4	-	25.5
R4	1,313.8	-	343.7	60.6	58.7	9.2	17.5	9.2	46.6	-	-	-	187.4	60.1	85.4	17.4	77.9	52.4	-	-	18.6	92.0	18.6	-	20.4
R5	1,700.4	-	438.2	50.2	9.2	9.2	9.2	38.6	124.1	-	32.6	23.2	291.9	31.6	123.3	18.9	59.9	9.7	-	12.7	-	118.4	55.7	9.2	48.5

2)年齢調整死亡率(単年)

中能登町(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	274.5	-	106.0	19.2			-		1.0			3.0	1.0	35.9	12.0	36.1	2.9	14.1	-	-	1.0	1.0	23.0	17.8	4.3	1.9
H27	283.7	-	78.0	26.2			8.6		-			15.7	0.9	36.8	5.9	11.1	1.8	23.3	1.8	-	5.2	1.8	18.4	7.3	6.4	8.6
H28	240.3	-	86.8	7.0			2.0		9.5			8.0	-	27.5	5.7	14.9	7.1	16.3	-	-	6.8	0.9	18.0	2.8	-	-
H29	253.7	-	103.2	19.3	6.3	4.6	2.5	13.1	12.0	-	2.1	0.8	1.7	17.6	2.5	38.7	0.8	7.0	-	-	3.3	5.4	20.5	16.1	13.5	13.4
H30	212.0	-	87.2	6.8	17.9	-	-	9.4	27.1	15.6	0.8	5.5	0.8	12.7	-	23.8	2.2	4.1	0.8	-	4.4	3.8	16.6	15.6	-	-
R1	268.9	-	117.6	19.4	6.8	6.8	7.5	27.6	1.6	6.8	3.7	1.6	0.8	15.6	1.6	18.4	0.8	6.2	-	0.8	0.8	-	9.5	15.5	-	12.7
R2	878.0	-	227.7	40.8	26.0	4.7	24.9	35.5	13.8	30.6	17.6	4.7	3.6	128.9	17.5	64.3	5.9	42.6	7.6	-	29.2	16.3	86.3	24.5	-	7.6
R3	883.3	-	211.8	30.3	17.5	-	15.6	38.3	15.6	-	15.3	4.4	9.3	114.3	34.3	127.3	17.0	47.4	-	5.7	4.4	17.0	104.8	26.4	-	22.2
R4	787.2	-	287.5	17.3	57.6	41.0	16.6	6.0	38.9	7.5	15.0	8.0	3.1	115.9	-	57.2	3.1	28.9	-	-	19.7	4.3	77.0	26.4	13.0	-
R5	828.3	-	271.5	36.6	15.3	8.6	-	19.3	37.6	4.4	25.0	6.2	6.2	104.0	-	99.1	10.6	23.6	-	-	-	24.0	95.6	25.7	-	31.4

2) 年齢調整死亡率(単年)

管内(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	374.8	0.2	131.4	18.4			6.5		23.1			3.3	2.0	48.5	18.2	38.5	6.6	27.4	2.9	1.7	7.8	4.3	14.0	16.3	4.9	11.9
H27	361.4	0.1	127.0	20.3			8.4		25.9			5.0	1.1	48.7	18.2	31.4	5.7	24.6	0.7	0.3	4.7	3.7	16.9	16.8	2.9	16.5
H28	358.0	0.2	120.6	16.7			7.9		21.2			3.9	0.4	47.9	12.9	31.8	3.6	21.2	2.4	0.4	6.6	4.4	15.4	16.8	2.2	21.5
H29	358.7	0.2	123.5	12.8	9.8	4.3	6.6	11.2	27.1	5.3	5.1	3.2	2.1	52.7	17.3	27.1	4.4	15.7	5.0	0.5	4.6	4.0	16.8	15.0	3.4	15.9
H30	334.5	0.3	114.4	14.2	8.0	5.2	7.3	10.8	25.6	5.3	2.7	5.4	1.7	51.2	14.4	31.7	3.7	10.1	3.4	0.3	4.3	4.2	15.8	15.2	1.9	13.7
R1	335.9	0.1	116.4	14.1	7.9	5.1	5.1	13.4	17.9	9.9	2.2	2.7	1.4	42.3	12.3	26.8	2.6	12.7	2.2	0.1	7.5	6.0	14.5	14.6	1.0	16.4
R2	1005.1	-	293.0	31.3	25.8	12.0	14.2	33.2	54.5	14.3	5.3	12.5	8.7	148.3	41.9	86.7	12.0	47.4	7.1	0.6	13.1	13.3	73.6	33.6	6.0	14.2
R3	1001.0	0.8	271.3	40.8	32.8	7.2	17.0	28.7	46.6	11.6	3.5	11.6	7.2	150.4	55.7	100.4	15.7	33.3	11.1	1.0	16.7	13.8	77.3	30.5	2.8	13.9
R4	1032.2	1.7	280.9	36.9	29.8	10.0	10.8	24.6	63.3	15.5	5.2	12.2	8.2	155.6	42.2	84.4	16.3	52.7	7.8	0.4	9.3	13.3	88.5	33.7	5.0	15.6
R5	1085.6	0.5	271.6	34.4	19.7	11.4	8.3	23.4	52.4	8.7	5.1	13.0	21.4	164.5	46.8	82.9	9.4	42.9	11.6	0.7	13.0	15.0	91.5	38.0	6.1	18.6

2) 年齢調整死亡率(単年)

管内(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	507.8	0.7	168.2	30.2			9.4		39.7		3.1	2.7	66.1	28.0	45.7	7.9	42.9	6.5	3.2	14.0	5.8	14.1	22.4	6.7	22.0
H27	475.1	0.3	170.9	27.6			14.4		42.9		4.2	1.0	62.1	27.7	36.6	7.8	35.6	1.4	-	5.6	5.2	13.6	23.9	4.2	26.1
H28	518.6	-	179.3	26.1			12.5		39.2		5.9	0.3	67.9	19.8	54.1	4.0	33.0	6.3	0.7	9.6	8.0	12.4	26.9	3.5	34.2
H29	494.7	-	159.5	18.5	13.8	7.6	10.8	17.3	43.4	0.3	4.9	2.8	76.1	27.6	35.6	6.1	25.7	9.3	1.1	6.6	3.8	16.5	21.2	0.5	29.3
H30	471.1	0.3	154.8	24.1	7.8	7.2	11.7	14.0	42.8	-	9.4	2.3	73.7	24.7	44.4	4.8	15.7	7.7	-	6.7	5.8	11.8	22.8	3.2	21.2
R1	433.6	-	148.8	23.0	10.2	4.4	6.5	16.3	36.6	-	3.9	1.6	57.1	18.3	40.0	3.9	20.8	5.5	-	10.7	7.0	13.5	13.6	1.2	20.5
R2	1,417.2	-	418.2	49.9	43.4	19.9	24.1	35.3	95.6	-	21.3	8.0	203.6	66.3	109.3	15.5	91.1	19.2	1.3	19.0	17.4	57.2	55.5	10.7	25.3
R3	1,374.9	1.5	373.4	65.3	35.3	10.1	29.5	33.9	85.0	-	15.5	9.4	213.9	91.8	136.6	19.1	48.6	26.9	1.5	16.5	19.5	73.9	40.6	4.7	23.9
R4	1,391.0	3.6	387.0	55.3	33.9	14.0	17.4	24.1	109.2	-	14.6	10.4	202.1	67.3	99.0	28.6	93.0	20.5	-	15.4	19.2	78.7	50.5	2.4	29.3
R5	1,525.1	-	385.3	54.9	21.3	13.6	8.2	26.3	99.9	-	25.6	25.6	221.5	68.3	108.1	10.0	76.8	32.7	1.7	22.8	14.1	82.7	61.8	9.7	25.6

2) 年齢調整死亡率(単年)

管内(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	277.9	-	108.6	9.9			4.6		10.9			3.3	1.2	32.6	9.8	35.2	5.5	17.6	0.5	0.1	2.1	3.1	13.9	11.6	3.4	1.9
H27	270.2	-	93.4	15.4			3.4		13.0			6.0	1.2	34.4	8.8	27.4	3.8	18.0	0.4	0.5	3.9	2.9	17.8	11.7	1.8	6.9
H28	234.3	0.3	76.0	9.8			4.2		7.2			2.4	0.4	30.3	7.1	14.7	3.1	14.5	0.4	0.2	3.6	2.1	16.5	8.4	0.9	9.4
H29	252.1	0.3	96.8	7.9	6.6	1.7	3.6	5.9	13.6	10.2	10.0	1.7	1.6	31.8	8.0	21.7	3.0	9.5	2.3	0.1	2.6	4.6	16.7	11.5	6.4	2.4
H30	227.5	0.3	85.0	6.4	8.1	3.5	3.5	8.1	13.0	10.3	5.1	1.8	1.0	31.7	6.2	21.5	2.8	7.0	1.1	0.5	1.9	3.0	17.7	9.6	0.6	6.1
R1	261.6	0.1	94.7	7.5	6.3	5.8	3.9	10.8	3.5	19.3	4.3	1.7	1.2	29.5	7.0	15.1	1.4	7.1	0.2	0.1	4.5	5.2	14.6	16.2	0.7	12.3
R2	731.7	-	203.9	16.9	14.4	4.4	7.6	30.1	26.6	26.1	10.0	6.1	6.8	110.0	22.8	72.6	9.5	25.5	2.8	-	8.9	10.6	77.2	18.2	1.4	3.5
R3	767.0	0.4	201.6	22.3	29.7	6.5	9.2	23.0	21.5	20.5	5.8	8.4	6.1	110.6	30.7	72.9	14.2	26.8	2.2	0.7	15.4	10.4	79.5	25.2	1.9	4.9
R4	800.4	1.6	210.6	24.5	25.0	7.4	5.8	24.4	30.1	28.6	9.4	10.2	7.4	120.5	22.1	76.7	9.8	32.6	0.5	0.7	4.3	11.1	90.7	23.8	6.9	2.4
R5	795.7	0.8	201.5	23.8	19.0	9.4	6.9	22.3	19.1	15.3	9.2	4.7	16.2	123.9	28.2	60.5	9.0	27.7	1.3	0.4	5.3	14.4	91.5	21.0	3.2	12.0

2) 年齢調整死亡率(単年)

石川県(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	357.0	0.2	124.2	15.4			9.1		23.9			3.2	1.6	47.0	17.7	30.9	5.3	25.7	3.6	0.5	5.2	4.3	10.9	17.4	3.6	13.7
H27	351.7	0.3	121.1	15.5			9.1		24.9			3.3	1.0	46.1	17.2	28.4	4.8	26.4	3.0	0.4	6.3	4.1	12.0	15.7	3.5	16.2
H28	345.9	0.3	120.0	14.8			9.0		22.8			3.2	1.0	44.3	15.8	28.8	4.4	23.3	3.4	0.5	5.2	4.4	12.3	16.9	4.2	14.0
H29	341.0	0.2	116.7	12.7	10.3	4.6	7.3	12.5	23.1	6.4	2.8	3.7	1.9	45.1	15.4	27.6	4.7	17.2	4.2	0.5	6.8	4.7	12.8	13.2	2.6	14.9
H30	325.6	0.2	112.6	13.3	9.5	5.2	5.9	10.9	22.5	7.0	3.1	3.7	2.1	45.9	16.0	27.3	4.3	14.4	3.5	0.3	5.2	5.3	13.6	12.9	1.7	10.7
R1	325.5	0.1	108.9	12.3	9.1	4.5	6.3	11.4	20.6	6.2	2.1	3.2	2.1	42.8	14.9	24.7	4.2	15.4	2.5	0.2	6.0	5.3	13.5	12.1	1.8	13.4
R2	937.4	1.0	281.5	32.3	27.1	11.4	16.6	32.1	56.1	9.6	4.5	9.6	6.2	135.4	41.1	73.5	13.8	49.4	9.6	0.9	10.9	15.7	73.2	27.9	3.7	14.8
R3	957.1	1.0	272.5	31.1	27.6	10.1	15.4	28.4	54.4	11.2	4.2	10.3	6.7	138.0	46.7	80.1	13.5	45.3	10.3	0.5	12.8	15.4	77.0	29.7	2.8	13.9
R4	1,011.5	1.1	271.8	31.4	28.3	11.5	13.9	26.7	56.6	11.9	4.1	11.9	8.1	144.9	52.0	76.0	14.7	44.2	10.0	0.5	10.7	15.6	100.0	29.0	3.2	16.8
R5	1,030.9	0.7	269.5	28.3	26.2	11.6	14.7	27.4	50.9	11.5	4.5	12.8	10.2	148.1	52.3	76.1	13.2	44.2	9.2	1.1	12.4	16.4	105.7	31.5	3.2	18.5

2) 年齢調整死亡率(単年)

石川県(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H26	495.9	0.4	171.7	24.5			14.1		42.2		3.8	2.0	61.7	26.3	41.7	6.9	42.5	8.0	0.5	7.7	6.1	9.1	24.9	5.2	22.3
H27	474.8	0.6	163.9	22.8			14.1		42.2		4.9	1.2	60.3	26.1	36.1	5.5	41.3	6.5	0.5	8.5	4.5	8.8	23.2	5.0	25.8
H28	473.7	0.5	168.1	23.7			13.8		39.9		5.0	1.1	58.9	24.6	40.4	6.1	36.5	6.8	0.6	7.9	6.7	8.6	25.0	6.3	20.4
H29	464.4	0.3	156.5	19.1	13.4	7.6	11.4	15.7	39.3	0.2	5.5	2.3	61.2	23.0	34.6	6.9	28.6	8.7	0.7	10.5	5.9	11.5	19.6	3.5	22.7
H30	440.9	0.2	149.0	20.6	11.1	7.9	9.2	13.2	36.5	0.1	6.3	2.9	60.7	24.8	37.6	6.3	23.9	7.3	0.5	7.5	7.7	10.9	18.9	2.5	14.8
R1	441.1	0.3	144.4	19.7	10.4	6.0	9.5	14.8	36.3	0.1	4.5	2.6	58.9	23.2	34.1	5.6	25.4	5.8	0.3	9.5	6.6	11.0	17.4	2.5	19.1
R2	1,316.3	1.7	410.9	53.9	37.1	15.5	27.4	37.8	98.4	0.3	13.5	6.5	183.2	63.3	97.3	19.4	88.4	22.1	1.7	15.6	24.6	64.2	42.6	6.9	23.1
R3	1,323.5	2.1	386.0	48.3	30.6	14.7	24.5	33.2	95.9	0.2	14.7	5.4	183.1	71.4	103.0	15.9	80.9	22.9	0.9	16.8	21.7	74.5	44.7	4.9	19.1
R4	1,403.5	2.6	380.0	48.1	34.2	17.8	22.7	31.7	97.6	0.2	16.0	9.2	193.6	76.8	102.9	20.1	82.8	23.0	0.2	15.2	23.2	94.8	46.7	4.8	23.6
R5	1,442.0	1.4	384.4	45.2	32.1	17.8	24.3	30.5	90.2	0.5	20.7	10.9	200.2	79.0	103.1	18.0	78.0	21.4	1.2	20.3	23.2	106.8	50.9	5.1	26.9

2) 年齢調整死亡率(単年)

石川県(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H26	253.7	0.1	90.6	8.7			5.4		10.3			2.7	1.1	34.7	10.9	22.5	4.1	15.4	1.1	0.5	3.0	3.1	11.5	11.5	2.2	5.1
H27	253.3	0.1	88.6	10.1			5.1		11.4			1.9	0.8	33.5	9.7	22.2	4.1	16.9	0.7	0.3	4.4	3.8	13.2	9.6	2.0	6.7
H28	245.8	0.2	83.4	7.8			4.9		9.7			1.8	1.0	32.0	8.7	19.6	3.0	15.3	1.1	0.5	2.9	2.7	13.7	9.9	2.0	7.6
H29	244.6	0.2	86.5	7.4	8.0	2.1	4.0	9.6	10.5	12.1	5.3	2.1	1.5	31.9	8.9	22.2	2.9	10.3	1.4	0.4	3.2	3.8	13.1	8.1	1.7	7.1
H30	236.2	0.2	86.1	7.6	8.1	3.0	3.2	8.9	12.0	13.3	5.9	1.6	1.3	33.0	8.7	19.3	2.9	8.2	1.1	0.2	3.2	3.4	14.7	8.1	1.0	6.7
R1	234.8	-	83.0	6.7	8.2	3.5	3.6	8.4	8.5	11.9	4.1	2.2	1.6	29.2	7.7	16.8	2.8	9.1	0.5	0.2	2.9	4.2	14.5	8.0	1.0	7.8
R2	690.7	0.6	196.2	17.6	20.9	7.8	9.3	27.0	28.4	16.8	8.2	6.3	5.2	104.0	24.7	57.1	10.4	29.4	3.6	0.5	7.4	10.2	74.7	17.3	0.7	7.5
R3	717.1	0.6	196.3	18.6	25.1	6.3	9.2	24.6	26.1	20.0	7.5	7.4	6.5	106.1	29.1	62.2	12.1	27.9	3.6	0.3	8.9	12.2	77.1	20.2	1.0	9.0
R4	758.9	0.8	199.2	19.8	23.5	7.0	7.8	22.4	28.1	21.3	7.5	8.0	6.6	112.6	33.2	58.1	10.8	25.2	2.2	0.7	7.2	11.8	100.4	18.1	1.8	10.4
R5	760.1	0.3	192.6	17.5	21.6	6.7	8.2	24.4	22.8	20.6	8.1	7.3	9.1	112.5	32.4	57.0	10.0	25.8	2.2	1.1	5.9	11.6	103.8	19.1	1.6	10.9

3) 年齢階級別死亡数(選択死因)

七尾市（3年平均：令和3年～令和5年）

(単位：人)

死因 \ 年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数	854.0	－	－	－	－	－	1.0	0.3	0.7	1.3	4.7	9.7	10.0	21.0	33.3	76.0	94.7	119.7	168.7	313.0	－
結 核	1.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	－	－	0.3	0.3	－
悪性新生物	207.3	－	－	－	－	－	－	－	0.7	－	1.0	3.3	2.7	8.3	16.3	31.0	32.7	30.7	42.3	38.3	－
食道	3.7	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	1.3	0.3	－	0.7	0.7	－
胃	27.0	－	－	－	－	－	－	－	0.3	－	－	0.7	0.3	0.7	2.3	5.3	4.0	4.7	3.7	5.0	－
結腸	23.0	－	－	－	－	－	－	－	－	－	－	0.3	0.3	0.7	2.7	2.3	3.7	3.3	4.3	5.3	－
直腸S状結腸移行部及び直腸	7.7	－	－	－	－	－	－	－	－	－	0.3	－	－	0.3	1.0	1.3	0.7	1.3	1.3	1.3	－
肝及び肝内胆管	10.0	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.3	2.3	2.3	1.0	1.3	2.0	－
胆のう及びその他の胆道	11.3	－	－	－	－	－	－	－	－	－	－	0.3	－	－	1.3	－	1.3	2.3	3.0	3.0	－
膵	17.7	－	－	－	－	－	－	－	－	－	－	0.3	0.7	1.0	0.7	2.3	1.3	3.3	4.3	3.7	－
気管、気管支及び肺	42.7	－	－	－	－	－	－	－	－	－	－	－	0.3	2.0	3.3	7.7	8.3	6.0	9.3	5.7	－
乳房	9.7	－	－	－	－	－	－	－	－	－	0.3	1.0	－	0.7	0.7	0.7	1.0	1.3	2.7	1.3	－
子宮	2.7	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1.3	0.3	0.3	0.3	0.3	－
白血病	2.7	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.3	－	1.7	－	－
糖尿病	10.0	－	－	－	－	－	－	－	－	－	－	－	0.7	－	1.0	0.7	0.7	1.0	1.7	4.3	－
高血圧性疾患	12.0	－	－	－	－	－	－	－	－	－	0.3	－	－	－	0.3	－	0.3	1.7	2.0	7.3	－
心疾患(高血圧性を除く)	141.0	－	－	－	－	－	－	－	－	－	1.0	1.7	1.0	1.7	3.3	10.3	15.3	19.0	29.3	58.3	－
急性心筋梗塞	20.0	－	－	－	－	－	－	－	－	－	0.3	0.7	0.3	0.3	1.3	3.0	3.7	2.0	3.0	5.3	－
その他の虚血性心疾患	17.0	－	－	－	－	－	－	－	－	－	0.3	0.3	0.7	0.3	0.3	3.0	3.0	2.0	2.3	4.7	－
不整脈及び伝導障害	32.3	－	－	－	－	－	－	－	－	－	－	0.7	－	0.7	0.7	3.3	4.0	6.3	7.3	9.3	－
心不全	59.7	－	－	－	－	－	－	－	－	－	0.3	－	－	0.3	1.0	0.7	4.0	7.0	14.0	32.3	－
脳血管疾患	70.7	－	－	－	－	－	－	－	－	0.3	0.3	1.0	1.3	2.0	2.0	5.3	8.7	8.3	14.7	26.7	－
くも膜下出血	14.0	－	－	－	－	－	－	－	－	－	0.3	0.3	0.7	1.0	0.3	1.3	1.7	2.0	3.3	3.0	－
脳内出血	17.7	－	－	－	－	－	－	－	－	0.3	－	0.3	0.7	1.3	1.7	1.7	3.3	1.3	3.3	3.7	－
脳梗塞	40.7	－	－	－	－	－	－	－	－	－	－	－	－	0.3	－	1.7	4.0	5.7	9.0	20.0	－
大動脈瘤及び解離	10.7	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.3	1.3	1.7	2.7	2.3	1.7	－
肺 炎	29.0	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.7	2.7	2.0	4.7	9.3	9.3	－
慢性閉塞性肺疾患	7.3	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	1.0	1.7	1.0	1.0	2.0	－
喘 息	0.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
肝疾患	12.0	－	－	－	－	－	－	－	－	0.3	0.7	0.7	0.7	1.3	0.7	2.0	1.3	1.7	0.7	2.0	－
腎不全	12.7	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1.0	0.7	2.3	3.3	5.3	－
老 衰	78.3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	1.0	6.7	12.3	58.0	－
不慮の事故	26.0	－	－	－	－	－	－	－	－	－	－	1.0	0.7	1.0	1.3	3.0	4.3	5.0	5.3	4.3	－
交通事故	4.0	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.3	0.3	0.7	1.0	1.0	－	－
自 殺	4.0	－	－	－	－	－	1.0	0.3	－	－	0.3	－	－	－	0.3	0.7	0.3	0.3	0.3	0.3	－

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

羽咋市（3年平均：令和3年～令和5年）

(単位:人)

死因	年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数		371.0	0.3	—	0.3	—	0.7	0.3	0.7	0.3	0.3	2.0	2.7	3.3	10.7	12.7	28.7	29.3	55.3	75.0	148.3	—
結 核		1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	—
悪性新生物		89.3	—	—	—	—	—	—	—	0.3	—	1.3	1.3	0.7	3.7	4.7	11.7	11.3	18.0	20.3	16.0	—
食道		5.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	1.3	1.0	1.0	1.0	0.7	—
胃		12.3	—	—	—	—	—	—	—	—	—	—	—	—	0.7	1.0	1.7	1.0	1.7	4.7	1.7	—
結腸		7.3	—	—	—	—	—	—	—	—	—	—	—	—	0.7	—	0.7	1.0	1.3	1.3	2.3	—
直腸S状結腸移行部及び直腸		4.7	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	0.7	0.3	1.0	1.3	0.7	—
肝及び肝内胆管		4.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.0	0.3	0.7	1.7	0.7	—
胆のう及びその他の胆道		4.0	—	—	—	—	—	—	—	—	—	—	—	—	0.7	—	—	1.0	0.3	0.7	1.3	—
膵		5.7	—	—	—	—	—	—	—	—	—	—	0.7	—	—	0.3	1.0	0.3	1.7	1.0	0.7	—
気管、気管支及び肺		18.3	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	1.7	2.7	3.3	3.7	4.0	2.3	—
乳房		3.7	—	—	—	—	—	—	—	—	—	0.7	—	—	0.3	—	—	0.3	1.7	0.7	—	—
子宮		1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	—	0.7	—
白血病		2.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	1.0	0.7	0.7	—
糖尿病		5.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.3	1.0	0.7	0.7	2.0	—
高血圧性疾患		4.0	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	—	—	—	0.7	0.3	2.3	—
心疾患(高血圧性を除く)		50.7	—	—	—	—	—	—	—	—	0.3	—	0.3	—	2.3	3.0	2.0	2.3	5.7	13.0	21.7	—
急性心筋梗塞		11.7	—	—	—	—	—	—	—	—	0.3	—	—	—	0.3	1.7	1.0	1.0	2.0	1.7	3.7	—
その他の虚血性心疾患		6.0	—	—	—	—	—	—	—	—	—	—	—	—	0.7	—	0.3	0.3	1.0	3.0	0.7	—
不整脈及び伝導障害		7.7	—	—	—	—	—	—	—	—	—	—	—	—	1.0	1.0	—	0.7	0.3	1.0	3.7	—
心不全		21.3	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.3	0.3	0.3	1.7	6.0	12.3	—
脳血管疾患		31.3	—	—	—	—	—	—	—	—	—	—	0.3	—	1.0	0.7	1.7	2.3	5.3	7.3	12.7	—
くも膜下出血		3.7	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	0.3	0.3	0.3	1.3	1.0	—
脳内出血		7.7	—	—	—	—	—	—	—	—	—	—	—	—	0.7	0.3	0.7	0.7	2.3	1.0	2.0	—
脳梗塞		19.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	1.3	2.7	5.0	9.3	—
大動脈瘤及び解離		3.7	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	—	1.0	1.0	0.7	—
肺 炎		22.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	2.3	3.7	6.7	8.7	—
慢性閉塞性肺疾患		3.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.7	0.3	0.3	2.0	—
喘 息		0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—
肝疾患		3.3	—	—	—	—	—	—	—	—	—	—	—	0.7	0.3	0.3	0.3	—	0.7	0.7	0.3	—
腎不全		4.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	1.0	2.7	—
老 衰		51.3	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	1.3	1.0	7.0	41.3	—
不慮の事故		10.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	1.3	0.3	0.7	2.3	2.7	2.7	—
交通事故		1.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.7	0.3	—
自 殺		4.3	—	—	—	—	0.3	0.3	—	—	—	0.3	0.3	0.7	1.0	—	0.3	0.3	—	0.3	0.3	—

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

志賀町（3年平均：令和3年～令和5年）

(単位:人)

死因	年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数		358.0	0.7	0.3	－	0.3	0.3	－	－	0.7	0.3	2.0	3.7	4.3	4.3	14.3	29.3	33.0	50.7	69.3	144.3	－
結 核		0.3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	－
悪性新生物		73.7	－	－	－	－	－	－	－	－	－	0.7	1.7	1.7	0.7	7.7	10.3	11.3	13.3	11.0	15.3	－
食道		2.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	－	0.7	0.3	0.3	－
胃		10.7	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	1.3	2.7	0.7	1.3	1.7	2.3	－
結腸		4.7	－	－	－	－	－	－	－	－	－	0.3	0.3	0.3	－	0.3	－	0.3	0.7	2.0	0.3	－
直腸S状結腸移行部及び直腸		1.3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.3	－	－	0.3	－
肝及び肝内胆管		2.7	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	0.3	0.7	－	1.0	－
胆のう及びその他の胆道		4.7	－	－	－	－	－	－	－	－	－	－	－	－	－	1.0	0.3	1.0	1.0	1.0	0.3	－
膵		11.0	－	－	－	－	－	－	－	－	－	－	0.3	0.3	－	1.0	0.7	2.7	2.3	1.7	2.0	－
気管、気管支及び肺		14.3	－	－	－	－	－	－	－	－	－	－	－	0.3	－	2.3	1.7	1.7	2.7	2.7	3.0	－
乳房		3.0	－	－	－	－	－	－	－	－	－	0.3	0.3	－	－	－	－	0.7	0.3	1.0	0.3	－
子宮		1.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	0.3	－	－	－
白血病		2.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1.0	0.7	－	－	0.3	－
糖尿病		3.7	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	0.3	－	－	1.3	0.7	0.7	－
高血圧性疾患		4.0	－	－	－	－	－	－	－	－	－	－	－	－	0.3	－	0.3	－	0.7	1.3	1.3	－
心疾患(高血圧性を除く)		56.0	－	－	－	－	－	－	－	0.3	－	－	1.0	0.3	1.3	2.3	6.0	5.3	6.7	11.3	21.3	－
急性心筋梗塞		9.3	－	－	－	－	－	－	－	－	－	－	0.3	－	－	0.3	3.0	1.7	0.3	2.7	1.0	－
その他の虚血性心疾患		7.0	－	－	－	－	－	－	－	－	－	－	0.3	0.3	0.3	0.7	0.3	0.3	1.0	1.3	2.3	－
不整脈及び伝導障害		12.0	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.7	1.3	2.3	1.7	1.7	3.7	－
心不全		21.7	－	－	－	－	－	－	－	0.3	－	－	0.3	－	－	－	0.3	0.3	3.0	5.0	12.3	－
脳血管疾患		26.7	－	－	－	－	－	－	－	－	－	－	－	0.3	－	－	2.7	3.3	6.3	4.0	10.0	－
くも膜下出血		2.3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	－	0.7	0.3	1.0	－
脳内出血		6.3	－	－	－	－	－	－	－	－	－	－	－	0.3	－	－	1.3	0.3	2.0	1.0	1.3	－
脳梗塞		18.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1.0	3.0	3.7	2.7	7.7	－
大動脈瘤及び解離		5.3	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	0.3	－	0.3	1.3	1.3	1.3	－
肺 炎		20.0	－	0.3	－	－	－	－	－	－	－	－	－	0.3	－	0.3	1.3	2.0	2.7	4.0	9.0	－
慢性閉塞性肺疾患		3.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.7	1.7	0.3	－
喘 息		1.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1.0	－
肝疾患		1.3	－	－	－	－	－	－	－	－	－	－	－	0.3	－	0.3	－	－	0.7	－	－	－
腎不全		6.0	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.7	0.7	0.7	1.7	2.0	－
老 衰		37.3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.7	0.3	8.0	28.0	－
不慮の事故		11.0	－	－	－	0.3	－	－	－	0.3	－	0.3	－	－	0.3	0.3	1.0	0.7	2.7	2.0	3.0	－
交通事故		1.7	－	－	－	0.3	－	－	－	－	－	－	－	－	－	－	0.3	－	0.3	0.3	0.3	－
自 殺		5.3	－	－	－	－	0.3	－	－	－	－	0.7	－	0.3	0.3	0.7	1.3	0.7	－	1.0	－	－

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

宝達志水町（3年平均：令和3年～令和5年）

(単位：人)

死因	年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数		211.3	—	—	—	0.3	—	—	0.3	0.3	1.0	1.7	2.3	2.0	5.3	9.0	16.3	21.3	28.3	41.3	81.7	—
結 核		0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
悪性新生物		55.7	—	—	—	—	—	—	—	—	0.3	0.3	1.0	0.7	2.3	5.0	9.0	8.0	8.0	8.0	13.0	—
食道		0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	—
胃		7.7	—	—	—	—	—	—	—	—	—	0.3	—	0.3	—	0.7	0.3	1.3	2.0	0.7	2.0	—
結腸		7.0	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.7	1.3	0.7	0.7	3.0	—
直腸S状結腸移行部及び直腸		1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	0.3	—	—	—	—
肝及び肝内胆管		3.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	1.0	1.0	1.3	—
胆のう及びその他の胆道		2.0	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.3	0.3	1.0	—
膵		6.0	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	1.0	0.7	0.7	1.0	1.7	—
気管、気管支及び肺		11.0	—	—	—	—	—	—	—	—	—	—	—	—	0.7	1.7	2.7	1.3	1.3	2.3	1.0	—
乳房		2.3	—	—	—	—	—	—	—	—	—	—	0.7	—	0.3	0.7	0.3	—	—	—	0.3	—
子宮		1.3	—	—	—	—	—	—	—	—	0.3	—	—	—	—	—	—	0.3	—	—	0.7	—
白血病		1.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.3	—	0.3	—	—
糖尿病		1.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	—	0.7	0.3	—
高血圧性疾患		3.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	—	0.7	0.7	1.3	—
心疾患(高血圧性を除く)		30.3	—	—	—	—	—	—	0.3	—	—	—	0.7	0.3	0.3	0.7	2.0	3.3	4.0	5.3	13.3	—
急性心筋梗塞		6.0	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.7	—	0.3	1.3	1.0	2.0	—
その他の虚血性心疾患		6.3	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.3	1.0	0.3	1.3	3.0	—
不整脈及び伝導障害		8.0	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	1.0	1.0	1.0	1.3	3.3	—
心不全		8.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	1.3	1.3	4.7	—
脳血管疾患		20.0	—	—	—	—	—	—	—	—	0.3	—	—	—	0.3	0.7	1.7	1.7	4.3	4.7	6.3	—
くも膜下出血		2.0	—	—	—	—	—	—	—	—	0.3	—	—	—	—	—	0.3	0.3	0.3	0.7	—	—
脳内出血		7.0	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.3	0.7	2.3	1.0	2.0	—
脳梗塞		11.0	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	1.0	0.7	1.7	3.0	4.3	—
大動脈瘤及び解離		2.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.3	0.3	0.3	0.3	0.3	—
肺 炎		7.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	0.3	2.3	4.0	—
慢性閉塞性肺疾患		4.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.0	2.0	1.0	—
喘 息		0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
肝疾患		2.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	1.3	0.3	—
腎不全		2.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	—	0.3	0.7	1.0	—
老 衰		21.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.3	2.3	17.7	—
不慮の事故		6.7	—	—	—	—	—	—	—	—	—	—	0.7	—	—	—	0.3	1.0	1.0	1.7	2.0	—
交通事故		0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
自 殺		1.7	—	—	—	—	—	—	—	—	0.3	0.7	—	—	0.3	—	—	—	—	—	0.3	—

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

中能登町（3年平均：令和3年～令和5年）

(単位:人)

死因	年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数		272.7	0.3	—	—	—	0.3	0.7	1.0	—	0.3	3.0	1.7	3.0	6.0	12.7	22.7	24.3	41.7	54.7	100.3	—
結 核		0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
悪性新生物		68.7	—	—	—	—	—	—	0.3	—	—	1.7	1.3	1.3	1.7	7.3	7.7	11.3	12.7	10.7	12.7	—
食道		1.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	0.7	—	—	—	—
胃		10.3	—	—	—	—	—	—	—	—	—	0.3	—	—	0.3	0.3	1.3	2.0	2.0	1.3	2.7	—
結腸		8.0	—	—	—	—	—	—	—	—	—	0.3	0.7	—	—	0.7	0.3	1.7	1.7	1.0	1.7	—
直腸S状結腸移行部及び直腸		2.3	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.7	0.3	0.3	0.3	—	—
肝及び肝内胆管		2.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.3	0.7	—	—	0.7	—
胆のう及びその他の胆道		4.0	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	0.3	0.3	—	1.3	0.7	—
膵		5.7	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	1.0	0.3	0.7	1.3	1.3	0.3	—
気管、気管支及び肺		10.3	—	—	—	—	—	—	0.3	—	—	0.3	—	—	—	2.3	0.7	1.7	1.3	1.0	2.7	—
乳房		0.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.3	—
子宮		2.7	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	0.7	—	0.7	—
白血病		3.0	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.3	—	0.7	0.7	0.7	—
糖尿病		2.3	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.3	—	—	1.0	0.7	—
高血圧性疾患		2.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	0.3	1.0	0.7	—
心疾患(高血圧性を除く)		42.7	—	—	—	—	—	—	—	—	0.3	0.3	—	0.7	1.3	1.0	2.3	1.7	5.7	7.3	22.0	—
急性心筋梗塞		3.3	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.3	0.3	0.3	0.7	0.7	0.3	—
その他の虚血性心疾患		2.7	—	—	—	—	—	—	—	—	0.3	—	—	—	—	0.3	—	—	—	0.7	1.3	—
不整脈及び伝導障害		12.7	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.7	—	1.3	1.3	2.3	2.7	3.7	—
心不全		20.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	2.3	3.0	14.7	—
脳血管疾患		30.3	—	—	—	—	—	—	—	—	—	0.3	0.3	—	0.7	1.7	3.0	2.0	4.3	7.3	10.7	—
くも膜下出血		3.7	—	—	—	—	—	—	—	—	—	0.3	—	—	—	0.7	0.7	0.3	—	0.3	1.3	—
脳内出血		9.0	—	—	—	—	—	—	—	—	—	—	0.3	—	0.7	0.7	1.0	0.7	1.0	3.7	1.0	—
脳梗塞		17.7	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	1.3	1.0	3.3	3.3	8.3	—
大動脈瘤及び解離		3.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	—	0.3	2.0	0.7	—
肺 炎		12.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	3.0	2.7	6.0	—
慢性閉塞性肺疾患		2.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	0.3	1.0	0.3	—
喘 息		0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—
肝疾患		1.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	—	0.3	—	0.3	0.3	—
腎不全		4.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	1.7	1.0	—
老 衰		29.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	1.3	0.7	5.3	21.3	—
不慮の事故		9.3	—	—	—	—	—	—	—	—	—	0.3	—	—	—	0.7	0.3	0.7	2.0	2.0	3.3	—
交通事故		1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	0.3	—	—
自 殺		4.0	—	—	—	—	0.3	0.3	—	—	—	0.3	—	0.3	0.3	0.3	0.7	0.3	1.0	—	—	—

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

管内（3年平均：令和3年～令和5年）

(単位:人)

死因 \ 年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数	2067.0	1.3	0.3	0.3	0.7	1.3	2.0	2.3	2.0	3.3	13.3	20.0	22.7	47.3	82.0	173.0	202.7	295.7	409.0	787.7	－
結 核	2.3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	－	－	0.7	1.3	－
悪性新生物	494.7	－	－	－	－	－	－	0.3	1.0	0.3	5.0	8.7	7.0	16.7	41.0	69.7	74.7	82.7	92.3	95.3	－
食道	12.7	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.7	4.0	2.3	1.7	2.0	1.7	－
胃	68.0	－	－	－	－	－	－	－	0.3	－	0.7	0.7	1.0	2.0	5.7	11.3	9.0	11.7	12.0	13.7	－
結腸	50.0	－	－	－	－	－	－	－	－	－	0.7	1.3	1.0	1.3	4.0	4.0	8.0	7.7	9.3	12.7	－
直腸S状結腸移行部及び直腸	17.0	－	－	－	－	－	－	－	－	－	0.3	－	0.3	0.3	2.0	4.0	2.0	2.7	3.0	2.3	－
肝及び肝内胆管	23.3	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.7	5.3	3.7	3.3	4.0	5.7	－
胆のう及びその他の胆道	26.0	－	－	－	－	－	－	－	－	－	－	0.3	0.3	1.0	3.3	0.7	3.7	4.0	6.3	6.3	－
膵	46.0	－	－	－	－	－	－	－	－	－	－	1.7	1.0	1.7	3.7	5.3	5.7	9.3	9.3	8.3	－
気管、気管支及び肺	96.7	－	－	－	－	－	－	0.3	－	－	0.3	－	1.0	3.0	11.3	15.3	16.3	15.0	19.3	14.7	－
乳房	19.3	－	－	－	－	－	－	－	－	－	1.3	2.0	－	1.3	1.3	1.0	2.3	3.3	4.3	2.3	－
子宮	8.7	－	－	－	－	－	－	－	－	0.3	－	－	－	－	0.7	2.0	1.7	1.3	0.3	2.3	－
白血病	11.7	－	－	－	－	－	－	－	－	－	－	－	0.3	0.7	0.3	2.3	1.3	1.7	3.3	1.7	－
糖尿病	23.3	－	－	－	－	－	－	－	－	－	－	－	1.3	0.3	1.3	2.7	2.0	3.0	4.7	8.0	－
高血圧性疾患	25.7	－	－	－	－	－	－	－	－	－	0.3	－	0.3	1.3	0.3	0.7	0.3	4.0	5.3	13.0	－
心疾患(高血圧性を除く)	320.7	－	－	－	－	－	－	0.3	0.3	0.7	1.3	3.7	2.3	7.0	10.3	22.7	28.0	41.0	66.3	136.7	－
急性心筋梗塞	50.3	－	－	－	－	－	－	－	－	0.3	0.3	1.3	0.7	1.3	4.3	7.3	7.0	6.3	9.0	12.3	－
その他の虚血性心疾患	39.0	－	－	－	－	－	－	－	－	0.3	0.3	0.7	1.3	1.3	1.3	4.0	4.7	4.3	8.7	12.0	－
不整脈及び伝導障害	72.7	－	－	－	－	－	－	－	－	－	0.3	1.0	0.3	3.0	2.3	7.0	9.3	11.7	14.0	23.7	－
心不全	131.3	－	－	－	－	－	－	－	0.3	－	0.3	0.7	－	0.7	1.3	1.7	5.3	15.3	29.3	76.3	－
脳血管疾患	179.0	－	－	－	－	－	－	－	－	0.7	0.7	1.7	1.7	4.0	5.0	14.3	18.0	28.7	38.0	66.3	－
くも膜下出血	22.3	－	－	－	－	－	－	－	－	0.3	0.7	1.0	0.7	0.3	0.7	3.0	2.3	2.7	5.0	5.7	－
脳内出血	47.7	－	－	－	－	－	－	－	－	0.3	－	0.7	1.0	3.0	3.0	5.0	5.7	9.0	10.0	10.0	－
脳梗塞	107.0	－	－	－	－	－	－	－	－	－	－	－	－	0.7	1.0	5.7	10.0	17.0	23.0	49.7	－
大動脈瘤及び解離	25.7	－	－	－	－	－	－	－	－	－	－	－	0.3	1.3	1.3	3.0	2.3	5.7	7.0	4.7	－
肺 炎	91.3	－	0.3	－	－	－	－	－	－	－	－	－	0.3	0.7	1.3	5.3	7.0	14.3	25.0	37.0	－
慢性閉塞性肺疾患	20.3	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.3	1.0	3.3	3.3	6.0	5.7	－
喘 息	1.7	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	1.0	－
肝疾患	20.3	－	－	－	－	－	－	－	－	0.3	0.7	0.7	1.7	2.0	1.7	2.3	2.0	3.0	3.0	3.0	－
腎不全	29.7	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	2.7	1.7	4.3	8.3	12.0	－
老 衰	217.3	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	1.3	4.3	10.0	35.0	166.3	－
不慮の事故	63.3	－	－	－	0.3	－	－	－	0.3	－	0.7	1.7	0.7	1.7	3.7	5.0	7.3	13.0	13.7	15.3	－
交通事故	8.0	－	－	－	0.3	－	－	－	－	－	－	－	－	0.7	0.3	1.0	0.7	2.0	2.3	0.7	－
自 殺	19.3	－	－	－	－	1.0	1.7	0.3	－	0.3	2.3	0.3	1.3	2.0	1.3	3.0	1.7	1.3	1.7	1.0	－

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

石川県（3年平均：令和3年～令和5年）

（単位：人）

死因	年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数		14091.0	14.3	2.0	3.3	11.3	20.0	16.3	25.7	35.3	46.7	121.7	157.7	202.3	348.7	570.0	1,228.0	1,539.0	2,099.0	2,837.3	4,812.3	－
結 核		14.7	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.7	2.0	4.0	7.3	－
悪性新生物		3554.0	0.3	0.7	0.3	1.0	1.3	2.0	3.7	7.3	13.0	42.3	53.7	77.3	153.0	259.7	522.3	602.7	619.7	610.3	583.3	－
食道		85.7	－	－	－	－	－	－	－	－	－	1.0	1.0	2.3	4.0	9.3	16.3	16.3	15.3	11.3	8.7	－
胃		402.0	－	－	－	－	－	－	－	0.7	1.7	6.3	4.3	6.7	13.3	29.3	56.7	69.3	68.3	73.7	71.7	－
結腸		362.0	－	－	－	－	－	－	－	0.3	0.7	4.3	5.3	7.0	15.7	27.0	48.0	53.3	60.7	63.7	76.0	－
直腸S状結腸移行部及び直腸		142.0	－	－	－	－	－	－	－	0.7	0.7	1.0	2.7	6.0	8.3	11.0	28.7	20.7	21.7	20.0	20.7	－
肝及び肝内胆管		197.7	－	－	－	－	－	－	0.3	－	0.3	0.7	1.0	2.7	5.0	11.7	26.3	33.3	39.0	41.7	35.7	－
胆のう及びその他の胆道		174.7	－	－	－	－	－	－	－	－	－	－	1.7	1.7	5.0	10.0	17.3	30.0	33.7	36.0	39.3	－
膵		356.7	－	－	－	－	－	－	－	0.7	0.7	3.0	4.3	8.0	18.7	29.3	62.7	60.0	65.0	52.3	52.0	－
気管、気管支及び肺		706.0	－	－	－	－	0.3	－	0.3	1.0	1.3	4.3	3.7	9.3	28.3	55.7	125.0	141.7	123.3	115.3	96.3	－
乳房		141.7	－	－	－	－	－	－	0.3	1.0	1.7	8.0	10.3	6.3	12.7	14.0	21.0	18.3	16.0	15.7	16.3	－
子宮		52.7	－	－	－	－	－	－	0.3	0.3	1.0	1.3	1.7	4.7	4.3	3.7	5.3	8.0	9.0	7.3	5.7	－
白血病		93.0	－	－	0.3	－	0.3	0.3	0.3	－	0.7	1.0	1.3	1.7	4.3	8.7	14.3	15.7	18.7	14.7	10.7	－
糖尿病		157.0	－	－	－	－	－	－	0.3	1.0	－	2.0	3.3	4.0	6.0	7.3	19.3	19.7	24.3	34.7	35.0	－
高血圧性疾患		121.3	－	－	－	－	－	－	－	－	－	0.7	1.3	2.0	3.7	5.0	9.3	7.7	14.7	23.0	54.0	－
心疾患(高血圧性を除く)		2086.7	1.0	－	－	0.3	－	1.7	2.0	3.3	4.3	13.0	22.3	24.7	35.0	61.7	150.7	188.3	284.7	443.0	850.7	－
急性心筋梗塞		444.3	－	－	－	－	－	－	－	1.0	2.0	7.0	10.3	11.3	12.3	28.3	53.0	66.0	73.3	86.7	93.0	－
その他の虚血性心疾患		232.3	－	－	－	－	－	－	－	－	0.3	－	3.0	5.7	6.3	11.7	28.0	28.3	37.0	46.3	65.7	－
不整脈及び伝導障害		316.7	－	－	－	－	－	0.7	0.7	1.7	1.7	2.7	4.3	3.3	8.0	9.7	27.7	30.0	48.7	65.0	112.7	－
心不全		877.0	－	－	－	0.3	－	－	0.3	0.7	－	1.3	2.7	3.3	2.7	8.7	31.0	45.0	101.0	193.0	487.0	－
脳血管疾患		1096.3	－	0.3	－	0.3	－	－	1.0	1.0	3.7	10.0	14.7	13.7	22.7	37.3	88.7	115.3	175.7	239.7	372.3	－
くも膜下出血		111.7	－	－	－	－	－	－	0.3	1.0	2.0	4.0	7.0	4.0	5.0	8.3	15.3	13.0	16.0	17.3	18.3	－
脳内出血		307.0	－	0.3	－	0.3	－	－	0.7	－	1.3	5.7	7.3	8.3	12.3	14.7	32.0	39.7	54.0	60.7	69.7	－
脳梗塞		659.0	－	－	－	－	－	－	－	－	0.3	0.3	0.3	1.3	4.7	13.7	37.7	61.3	103.7	157.3	278.3	－
大動脈瘤及び解離		184.0	－	－	－	－	－	－	0.3	－	－	1.7	2.7	3.0	6.0	14.7	19.7	19.7	35.3	41.7	39.3	－
肺 炎		657.3	－	0.3	0.3	－	－	－	－	0.3	0.7	0.3	1.3	4.0	3.3	11.3	32.3	60.3	108.3	164.3	270.0	－
慢性閉塞性肺疾患		137.7	－	－	－	－	－	－	－	－	－	－	0.3	－	2.0	3.7	15.3	20.7	28.7	35.3	31.7	－
喘 息		10.3	－	－	－	－	－	－	－	－	－	0.3	－	0.7	－	0.3	0.7	0.3	1.3	2.7	4.0	－
肝疾患		146.0	0.3	－	－	－	－	－	0.3	1.0	3.7	6.0	7.0	10.7	11.7	14.0	21.0	13.7	22.0	19.0	15.7	－
腎不全		228.3	－	－	－	－	－	－	－	0.3	0.7	0.7	0.3	1.0	2.3	6.7	18.0	21.3	35.3	58.3	83.3	－
老 衰		1565.7	－	－	－	－	－	－	－	－	－	－	－	－	0.7	1.7	10.0	36.7	108.7	302.7	1,105.3	－
不慮の事故		402.7	1.7	0.7	0.3	1.3	2.7	1.0	1.0	2.7	2.3	5.7	7.3	8.0	16.3	21.7	38.3	48.0	70.3	78.3	95.0	－
交通事故		37.0	－	0.3	－	0.3	2.0	0.7	0.7	0.3	0.7	1.3	1.7	1.7	3.3	2.0	3.7	4.7	5.7	6.0	2.0	－
自 殺		174.0	－	－	2.7	3.3	12.3	7.7	12.0	11.0	7.3	22.0	14.3	13.0	16.7	9.0	14.7	14.7	6.3	3.7	3.3	－

資料：能登中部保健福祉センター算出

4)標準化死亡比(ベイズ推定値)

主要死因・性別(平成30年～令和4年)

資料:人口動態統計特殊報告

(男)

市 町	全死因	悪性新生物<腫瘍>					心 疾 患(高血圧性を除く)			脳 血 管 疾 患			肺 炎	肝 疾 患	腎 不 全	老 衰	不慮の事故	自 殺
		総 数	胃	大 腸	肝及び肝 内胆管	気管、気 管支及び 肺	総 数	急性心筋 梗塞	心 不 全	総 数	脳内出血	脳梗塞						
七尾市	98.4	102.7	115.4	103.6	81.9	110.9	101.9	124.0	90.2	114.4	88.0	116.8	77.9	85.5	76.3	77.8	118.3	94.6
羽咋市	103.7	103.3	122.7	100.3	91.0	101.1	99.8	128.5	93.7	115.6	110.1	116.1	97.2	80.9	73.5	98.6	113.4	115.4
志賀町	98.3	94.8	109.8	87.9	77.9	105.6	100.7	93.9	101.8	121.6	92.1	136.9	100.4	68.0	79.9	76.8	104.4	105.5
宝達志水町	97.4	100.9	101.4	86.9	100.5	107.8	88.4	115.8	82.8	106.2	100.3	110.9	93.5	80.6	86.9	90.8	110.5	101.9
中能登町	100.0	100.2	127.5	103.4	72.0	95.0	99.2	77.0	101.2	121.8	115.7	122.4	90.0	83.9	83.1	78.5	123.7	90.4
管内	99.9	101.3	121.5	96.3	83.1	105.8	100.7	114.3	89.9	121.0	101.1	124.7	85.1	81.7	74.9	82.5	117.6	110.2
石川県	97.5	99.6	106.9	98.7	85.2	103.7	95.4	126.9	98.7	107.5	96.2	115.5	96.5	78.8	83.9	85.6	107.9	91.2
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

(女)

市 町	全死因	悪性新生物<腫瘍>					心 疾 患(高血圧性を除く)			脳 血 管 疾 患			肺 炎	肝 疾 患	腎 不 全	老 衰	不慮の事故	自 殺
		総 数	胃	大 腸	肝及び肝 内胆管	気管、気 管支及び 肺	総 数	急性心筋 梗塞	心 不 全	総 数	脳内出血	脳梗塞						
七尾市	101.5	104.3	115.9	109.8	91.4	101.2	100.2	110.4	94.4	130.3	103.0	138.9	62.7	101.6	91.1	83.6	115.6	74.5
羽咋市	94.7	98.9	101.7	99.9	87.0	86.8	96.9	114.0	93.4	116.3	97.0	127.8	88.6	97.3	82.5	93.1	101.8	82.5
志賀町	99.0	92.5	103.4	80.8	82.3	89.8	106.7	93.9	113.3	104.6	98.8	109.7	96.3	97.6	86.5	96.6	103.8	97.4
宝達志水町	102.4	114.1	112.3	110.2	97.7	93.8	96.3	115.8	91.2	113.5	102.5	124.5	87.4	100.4	91.6	92.0	103.3	81.8
中能登町	100.9	110.9	124.7	117.0	99.0	94.1	92.6	77.0	101.1	121.3	105.0	122.7	91.7	109.3	86.5	89.3	112.9	91.6
管内	100.5	104.0	112.5	103.3	92.7	89.0	98.8	93.7	97.0	101.1	106.7	132.9	80.3	108.1	87.0	89.8	115.9	83.5
石川県	97.5	102.6	111.0	104.5	90.2	99.3	100.0	123.6	102.6	107.4	96.6	116.4	85.1	96.9	88.8	88.2	97.8	85.7
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100